

David T Tzou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6904211/publications.pdf>

Version: 2024-02-01

19
papers

387
citations

933264

10
h-index

940416

16
g-index

19
all docs

19
docs citations

19
times ranked

415
citing authors

#	ARTICLE	IF	CITATIONS
1	Multi-Institutional Variation in Performance of Low-Dose Computed Tomography for the Evaluation of Suspected Nephrolithiasis. <i>Journal of Endourology</i> , 2022, 36, 1377-1381.	1.1	1
2	Ultrasound guidance can be used safely for renal tract dilatation during percutaneous nephrolithotomy. <i>BJU International</i> , 2020, 125, 284-291.	1.3	31
3	Fatty acid-binding protein 4 downregulation drives calcification in the development of kidney stone disease. <i>Kidney International</i> , 2020, 97, 1042-1056.	2.6	19
4	Computed Tomography Radiation Exposure Among Referred Kidney Stone Patients: Results from the Registry for Stones of the Kidney and Ureter. <i>Journal of Endourology</i> , 2019, 33, 619-624.	1.1	13
5	Micro-Costing Analysis Demonstrates Comparable Costs for LithoVue Compared to Reusable Flexible Fiberoptic Ureteroscopes. <i>Journal of Endourology</i> , 2018, 32, 267-273.	1.1	64
6	Management of Inverted Papilloma During Holmium Laser Enucleation of the Prostate. <i>Urology</i> , 2018, 116, e5-e6.	0.5	0
7	Identifying factors associated with need for flexible ureteroscope repair: a Western Endourology STone (WEST) research consortium prospective cohort study. <i>Urolithiasis</i> , 2018, 46, 559-566.	1.2	15
8	Clinical Outcomes for Cystinuria Patients with Unilateral Versus Bilateral Cystine Stone Disease. <i>Journal of Endourology</i> , 2018, 32, 148-153.	1.1	10
9	Ultrasound-Guided Morcellation During Holmium Laser Enucleation of the Prostate. <i>Journal of Endourology Case Reports</i> , 2018, 4, 133-135.	0.3	1
10	Ultrasound Guidance Reduces Percutaneous Nephrolithotomy Cost Compared to Fluoroscopy. <i>Urology</i> , 2017, 103, 52-58.	0.5	29
11	A Prospective Case-Control Study Comparing LithoVue, a Single-Use, Flexible Disposable Ureteroscope, with Flexible, Reusable Fiber-Optic Ureteroscopes. <i>Journal of Endourology</i> , 2017, 31, 468-475.	1.1	81
12	Antegrade ultrasound contrast injection facilitates accurate nephrostomy tube positioning during percutaneous nephrolithotomy. <i>International Journal of Urology</i> , 2017, 24, 239-240.	0.5	2
13	Defining the Costs of Reusable Flexible Ureteroscope Reprocessing Using Time-Driven Activity-Based Costing. <i>Journal of Endourology</i> , 2017, 31, 1026-1031.	1.1	27
14	Optimizing RNA Extraction of Renal Papilla Biopsy Tissue in Kidney Stone Formers: A New Methodology for Genomic Study. <i>Journal of Endourology</i> , 2017, 31, 922-929.	1.1	4
15	Ultrasound Use in Urinary Stones: Adapting Old Technology for a Modern-Day Disease. <i>Journal of Endourology</i> , 2017, 31, S-89-S-94.	1.1	22
16	Feasibility of Retrograde Ureteral Contrast Injection to Guide Ultrasonographic Percutaneous Renal Access in the Nondilated Collecting System. <i>Journal of Endourology</i> , 2017, 31, 129-134.	1.1	7
17	X-ray-free Ultrasound-guided Percutaneous Nephrolithotomy: How to Select the Right Patient?. <i>Urology</i> , 2017, 100, 38-44.	0.5	32
18	Ultrasound-Guided Renal Access and Tract Dilation. <i>Videourology (New Rochelle, N Y)</i> , 2017, 31, .	0.1	2

#	ARTICLE	IF	CITATIONS
19	Animal models of urinary stone disease. International Journal of Surgery, 2016, 36, 596-606.	1.1	27