List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6905472/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association between TH2 Cytokine Gene Polymorphisms and Risk of Bullous Pemphigoid. Immunological Investigations, 2022, 51, 343-356.	2.0	11
2	Can Helicobacter pylori serve as a trigger for oral lichen planus?. Reviews in Medical Microbiology, 2022, 33, e57-e62.	0.9	2
3	Vitamin D Deficiency and Keloids: Causal Factor or Bystander?. Dermatology, 2022, 238, 597-599.	2.1	2
4	Evaluation of the efficacy and safety of plasma exeresis in periorbital rejuvenation using the Reviscometer <sup><math>\hat{A}^{@}</math></sup> . Journal of Cosmetic Dermatology, 2022, 21, 2550-2558.	1.6	3
5	Lichen planus and lichen planopilaris flare after <scp>COVID</scp> â€19 vaccination. Dermatologic Therapy, 2022, 35, e15283.	1.7	19
6	Low serum levels of zinc and 25-hydroxyvitmain D as potential risk factors for COVID-19 susceptibility: a pilot case-control study. European Journal of Clinical Nutrition, 2022, , .	2.9	7
7	Androgenetic alopecia and COVIDâ€19: Is there a clinical connection?. Journal of Cosmetic Dermatology, 2022, 21, 420-425.	1.6	4
8	Efficacy and safety of chitosanâ€based bioâ€compatible dressing versus nanosilver (Acticoat) Tj ETQqO O O rgBT Dermatologic Therapy, 2022, 35, .	/Overlock 1.7	10 Tf 50 467 5
9	Emerging and Novel Therapies for Keloids. Sultan Qaboos University Medical Journal, 2021, 21, e22-33.	1.0	12
10	COL17A1 gene polymorphisms are frequent in bullous pemphigoid. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e535-e538.	2.4	1
11	Evaluation of Fibroblast Viability Seeded on Acellular Human Amniotic Membrane. BioMed Research International, 2021, 2021, 1-6.	1.9	8
12	Inducible clindamycin resistance among clinical Staphylococcus aureus strains in Iran: A contemporaneous systematic review and meta-analysis. Gene Reports, 2021, 23, 101104.	0.8	2
13	Androgenetic alopecia and <scp>COVID</scp> â€19: A review of the hypothetical role of androgens. Dermatologic Therapy, 2021, 34, e15004.	1.7	14
14	The utility of dermal fibroblasts in treatment of skin disorders: A paradigm of recessive dystrophic epidermolysis bullosa. Dermatologic Therapy, 2021, 34, e15028.	1.7	8
15	Krukenberg Tumor Manifesting with Hirsutism and Acanthosis Nigricans as the Exclusive Presenting Symptoms. Iranian Journal of Public Health, 2021, 50, 1504-1508.	0.5	1
16	Fabrication and characterization of scaffolds containing different amounts of allantoin for skin tissue engineering. Scientific Reports, 2021, 11, 16164.	3.3	52
17	Evaluation of <i>in vitro</i> fibroblast migration by electrospun triple-layered PU-CA/gelatin.PRGF/PU-CA scaffold using an AAVS1 targeted EGFP reporter cell line. BioImpacts, 2021, , .	1.5	3
18	Physically Crosslinked Chitosan/PVA Hydrogels Containing Honey and Allantoin with Long-Term Biocompatibility for Skin Wound Repair: An In Vitro and In Vivo Study. Journal of Functional Biomaterials, 2021, 12, 61.	4.4	23

#	Article	IF	CITATIONS
19	The MCPâ€l rs1024611 and MTHFR rs1801133 gene variations and expressions in alopecia areata: A pilot study. Immunity, Inflammation and Disease, 2021, , .	2.7	2
20	Melittin: a venom-derived peptide with promising anti-viral properties. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 5-17.	2.9	81
21	Contemporary systematic review and meta-analysis of exfoliative toxin-producing Staphylococcus aureus strains isolated from patients in Iran. Reviews in Medical Microbiology, 2020, 31, 1-10.	0.9	8
22	Anti-Staphylococcal and cytotoxic activities of the short anti-microbial peptide PVP. World Journal of Microbiology and Biotechnology, 2020, 36, 174.	3.6	9
23	Therapeutic effects of supplementation with Curcuminoids in critically ill patients receiving enteral nutrition: a randomized controlled trial protocol. Journal of Diabetes and Metabolic Disorders, 2020, 19, 1609-1614.	1.9	7
24	IL12B and IL23R polymorphisms are associated with alopecia areata. Genes and Immunity, 2020, 21, 203-210.	4.1	16
25	Evaluation of the efficacy and safety of cow placenta extract lotion versus minoxidil 2% in the treatment of female pattern androgenetic alopecia. International Journal of Women's Dermatology, 2020, 6, 318-321.	2.0	9
26	The quality of life in epidermolysis bullosa (EB-QoL) questionnaire: Translation, cultural adaptation, and validation into the Farsi language. International Journal of Women's Dermatology, 2020, 6, 301-305.	2.0	6
27	Can Antimicrobial Peptides Be Repurposed as a Novel Therapy for Keloids?. Dermatology, 2020, 237, 1-3.	2.1	4
28	Development of keloidal morphea after treatment with cyclosporine in a case of recalcitrant generalized morphea. Clinical Case Reports (discontinued), 2020, 8, 837-839.	0.5	0
29	Epidermolysis bullosa and the COVID-19 pandemic: challenges and recommendations. Journal of Dermatological Treatment, 2020, , 1-2.	2.2	3
30	Skin Metastasis of Laryngeal Carcinoma Presenting as Multiple Eruptive Nodules. Head and Neck Pathology, 2020, 14, 1154-1157.	2.6	3
31	Subcision: Indications, adverse reactions, and pearls. Journal of Cosmetic Dermatology, 2020, 19, 1029-1038.	1.6	15
32	Skin reactions to nonâ€glove personal protective equipment: an emerging issue in the COVIDâ€19 pandemic. Journal of the European Academy of Dermatology and Venereology, 2020, 34, e297-e298.	2.4	68
33	Cutaneous Metastatic Renal Cell Carcinoma. Archives of Iranian Medicine, 2020, 23, 880-882.	0.6	0
34	TH17/IL23 cytokine gene polymorphisms in bullous pemphigoid. Molecular Genetics & Genomic Medicine, 2020, 8, e1519.	1.2	6
35	Overlapping and Distinct Gene Polymorphisms in Alopecia Areata in an Iranian Population. Immunological Investigations, 2020, 49, 204-214.	2.0	3
36	Methylprednisolone pulse therapy plus adjuvant therapy for pemphigus vulgaris: an analysis of 10 years' experience on 312 patients. Dermatologic Therapy, 2019, 32, e13057.	1.7	8

#	Article	IF	CITATIONS
37	The Association between Genetic Variation in Wnt Transcription FactorTCF7L2(TCF4) and Alopecia Areata. Immunological Investigations, 2019, 48, 555-562.	2.0	12
38	Proinflammatory Cytokine Gene Polymorphisms in Bullous Pemphigoid. Frontiers in Immunology, 2019, 10, 636.	4.8	10
39	A comparative study of wound dressings loaded with silver sulfadiazine and silver nanoparticles: In vitro and in vivo evaluation. International Journal of Pharmaceutics, 2019, 564, 350-358.	5.2	60
40	Melittin: from honeybees to superbugs. Applied Microbiology and Biotechnology, 2019, 103, 3265-3276.	3.6	83
41	One-pot reactive electrospinning of chitosan/PVA hydrogel nanofibers reinforced by halloysite nanotubes with enhanced fibroblast cell attachment for skin tissue regeneration. Colloids and Surfaces B: Biointerfaces, 2019, 179, 270-279.	5.0	102
42	Chitosan-based biocompatible dressing for treatment of recalcitrant lesions of cutaneous leishmaniasis: A pilot clinical study. Indian Journal of Dermatology, Venereology and Leprology, 2019, 85, 609.	0.6	12
43	The Screening of Critical Related Genes in Celiac Disease Based on Intraepithelial Lymphocytes Investigation: A Bioinformatics Analysis. , 2019, 8, 1407.		1
44	Quercetin A potential treatment for keloids. Sultan Qaboos University Medical Journal, 2019, 19, 372.	1.0	4
45	Cultured Epidermal Melanocyte Transplantation in Vitiligo: A Review Article. Iranian Journal of Public Health, 2019, 48, 388-399.	0.5	8
46	Amniotic membrane and its epithelial and mesenchymal stem cells as an appropriate source for skin tissue engineering and regenerative medicine. Artificial Cells, Nanomedicine and Biotechnology, 2018, 46, 431-440.	2.8	97
47	Cultured allogeneic fibroblast injection vs. fibroblasts cultured on amniotic membrane scaffold for dystrophic epidermolysis bullosa treatment. British Journal of Dermatology, 2018, 179, 72-79.	1.5	22
48	Ocular Surface Findings in Patients With Lichen Planopilaris. Cornea, 2018, 37, 1151-1154.	1.7	5
49	Losartan ointment relieves hypertrophic scars and keloid: A pilot study. Wound Repair and Regeneration, 2018, 26, 340-343.	3.0	27
50	TNF-α -308G/A gene polymorphism in bullous pemphigoid and alopecia areata. Human Antibodies, 2018, 26, 201-207.	1.5	8
51	Genetic variant association of PTPN22, CTLA4, IL2RA, as well as HLA frequencies in susceptibility to alopecia areata. Immunological Investigations, 2018, 47, 666-679.	2.0	15
52	The effect of cryopreservation on anti-cancer activity of human amniotic membrane. Cryobiology, 2017, 74, 61-67.	0.7	30
53	Successful Treatment of Unilateral Klippel-Trenaunay Syndrome With Pulsed-Dye Laser in a 2-Week Old Infant. Journal of Lasers in Medical Sciences, 2017, 8, 98-100.	1.2	3
54	Human herpesvirus-8 and human cytomegalovirus infections in Bowen's disease: Is there any association?. Indian Journal of Dermatology, Venereology and Leprology, 2017, 83, 372.	0.6	0

#	Article	IF	CITATIONS
55	Serum 25-hydroxy vitamin D level in patients with pemphigus andÂits association with disease severity. Clinical and Experimental Dermatology, 2016, 41, 142-147.	1.3	10
56	Comparison of the Application of Allogeneic Fibroblast and Autologous Mesh Grafting With the Conventional Method in the Treatment of Third-Degree Burns. Journal of Burn Care and Research, 2016, 37, e90-e95.	0.4	19
57	Antimicrobial Wound Dressing Containing Silver Sulfadiazine With High Biocompatibility: In Vitro Study. Artificial Organs, 2016, 40, 765-773.	1.9	55
58	Primary subcutaneous hydatid cyst of the leg: An unusual location and review of the literature. Indian Journal of Dermatology, Venereology and Leprology, 2016, 82, 558.	0.6	4
59	Focused Ultrasound Lipolysis in the Treatment of Abdominal Cellulite: An Open-Label Study. Journal of Lasers in Medical Sciences, 2015, 6, 102-105.	1.2	8
60	Laser irradiation on growth of trichophyton rubrum: an in vitro study. Journal of Lasers in Medical Sciences, 2015, 6, 10-6.	1.2	10
61	Comorbidity of Leishmania major with cutaneous sarcoidosis. Indian Journal of Dermatology, 2014, 59, 316.	0.3	7
62	Hereditary hypotrichosis simplex of the scalp. Indian Journal of Dermatology, 2014, 59, 634.	0.3	3
63	Acellular amniotic membrane: an appropriate scaffold for fibroblast proliferation. Clinical and Experimental Dermatology, 2013, 38, 646-651.	1.3	29
64	Cutaneous leishmaniasis with unusual clinical and histological presentation: report of four cases. Acta Medica Iranica, 2013, 51, 274-8.	0.8	6
65	Lichen planus is not associated with human herpesvirus type 7. British Journal of Dermatology, 2012, 167, 960-961.	1.5	2
66	Soluble Fas in pemphigus vulgaris. Archives of Iranian Medicine, 2011, 14, 200-1.	0.6	5
67	The 308-nm excimer laser in the darkening of the white lines of striae alba. Journal of Dermatological Treatment, 2010, 21, 229-231.	2.2	21
68	Cutaneous manifestations in 404 Iranian patients with inflammatory bowel disease: A retrospective study. Indian Journal of Dermatology, Venereology and Leprology, 2008, 74, 607.	0.6	17
69	Association of rosacea with demodicosis. Archives of Iranian Medicine, 2007, 10, 199-203.	0.6	23
70	An unusual case of lipedematous alopecia. Archives of Iranian Medicine, 2007, 10, 532-4.	0.6	2
71	An unusual case of adult disseminated cutaneous Langerhans cell histiocytosis. Dermatology Online Journal, 2006, 12, 13.	0.5	1