

Alessio Bernasconi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6906266/alessio-bernasconi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

501
citations

13
h-index

21
g-index

72
ext. papers

710
ext. citations

2.7
avg, IF

4.3
L-index

#	Paper	IF	Citations
65	Assessment of deep vein thrombosis using routine pre- and postoperative duplex Doppler ultrasound in patients with pelvic trauma : a prospective study.. <i>Bone and Joint Journal</i> , 2022 , 104-B, 283-289	5.6	0
64	The active knee extension after extensor mechanism reconstruction using allograft is not influenced by "early mobilization": a systematic review and meta-analysis.. <i>Journal of Orthopaedic Surgery and Research</i> , 2022 , 17, 153	2.8	5
63	Revision tibiotalar arthrodesis with posterior iliac autograft after failed arthroplasty: a matched comparative study with primary ankle arthrodeses.. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022 , 103269	2.9	0
62	Adaptive proximal scaphoid implant (APSI): a systematic review of the literature.. <i>Orthopedic Reviews</i> , 2022 , 14, 30721	1.2	0
61	2D Manual vs 3D Automated Assessment of Alignment in Normal and Charcot-Marie-Tooth Cavovarus Feet Using Weightbearing CT.. <i>Foot and Ankle International</i> , 2022 , 10711007221084308	3.3	0
60	Hindfoot alignment assessment by the foot-ankle offset: a diagnostic study.. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022 , 1	3.6	0
59	A Case-Control Study of 3D vs 2D Weightbearing CT Measurements of the M1-M2 Intermetatarsal Angle in Hallux Valgus.. <i>Foot and Ankle International</i> , 2022 , 10711007221091812	3.3	0
58	Intra-procedural catheter displacement for continuous adductor canal block: Catheter-through-needle method vs catheter-through-split-cannula method.. <i>Perioperative Care and Operating Room Management</i> , 2022 , 27, 100255	0.5	0
57	Bösch osteotomy for hallux valgus correction: results at a mean 10-year follow-up. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 1	3.6	2
56	Weightbearing CT assessment of foot and ankle joints in Pes Planovalgus using distance mapping. <i>Foot and Ankle Surgery</i> , 2021 ,	3.1	2
55	Podoscopic classification of second toe deformities. <i>Foot and Ankle Surgery</i> , 2021 , 27, 750-754	3.1	2
54	Use of intramedullary locking nail for displaced intraarticular fractures of the calcaneus: what is the evidence?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 1	3.6	2
53	Ankle dorsiflexion after isolated medial versus complete proximal gastrocnemius recession: A cadaveric study. <i>Foot</i> , 2021 , 49, 101842	1.3	1
52	Weight-bearing cone-beam computed tomography in the foot and ankle specialty: where we are and where we are going - an update. <i>Radiologia Brasileira</i> , 2021 , 54, 177-184	1.7	3
51	Staples and locking plates provide comparable outcomes for fixation of first metatarsal dorsiflexion osteotomies in pes cavovarus. <i>Foot</i> , 2021 , 47, 101815	1.3	
50	Tibiotalar Incongruency in Clubfoot Treated Operatively Is a Predictor of Worse Outcome at a Mean of 26 Years. <i>Journal of Foot and Ankle Surgery</i> , 2021 , 60, 655-662	1.6	
49	Progressive collapsing foot deformity: How should we translate it into Neo-Latin languages?. <i>Foot and Ankle Surgery</i> , 2021 , 27, 949-949	3.1	1

48	Pes cavovarus in Charcot-Marie-Tooth compared to the idiopathic cavovarus foot: A preliminary weightbearing CT analysis. <i>Foot and Ankle Surgery</i> , 2021 , 27, 186-195	3.1	12
47	3D imaging for hindfoot alignment assessment: a comparative study between non-weight-bearing MRI and weight-bearing CT. <i>Skeletal Radiology</i> , 2021 , 50, 179-188	2.7	8
46	Distance mapping of the foot and ankle joints using weightbearing CT: The cavovarus configuration. <i>Foot and Ankle Surgery</i> , 2021 , 27, 412-420	3.1	8
45	Comparison of Mechanical Axis of the Limb Versus Anatomical Axis of the Tibia for Assessment of Tibiotalar Alignment in End-Stage Ankle Arthritis. <i>Foot and Ankle International</i> , 2021 , 42, 616-623	3.3	2
44	Salvage Tibiotalocalcaneal Arthrodesis Augmented With Fibular Columns and Iliac Crest Autograft: A Technical Note. <i>Foot and Ankle Specialist</i> , 2021 , 14, 79-88	1.7	0
43	FOOT ALIGNMENT IN SYMPTOMATIC NATIONAL FOOTBALL LEAGUE (NFL) ATHLETES: A WEIGHTBEARING CT ANALYSIS. <i>Acta Ortopedica Brasileira</i> , 2021 , 29, 118-123	0.6	
42	Static versus dynamic fixation of distal tibiofibular syndesmosis: a systematic review of overlapping meta-analyses. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 3534-3542	5.5	0
41	The Value of SPECT-CT in Diagnosing Complex Non-Arthritic and Non-Neoplastic Conditions of the Foot and Ankle. <i>Foot and Ankle Specialist</i> , 2021 , 19386400211062458	1.7	
40	Relationship between foot posture index and weight bearing computed tomography 3D biometrics to define foot alignment. <i>Gait and Posture</i> , 2020 , 80, 143-147	2.6	2
39	Role of Minimally Invasive Surgery in Adult Flatfoot Deformity. <i>Foot and Ankle Clinics</i> , 2020 , 25, 479-491	2.4	0
38	Évaluation à moyen terme de l'arthrorise subtalaire pour la correction des pieds plats souples chez l'enfant. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020 , 106, 74	0	
37	Multiplanar Semiautomatic Assessment of Foot and Ankle Offset in Adult Acquired Flatfoot Deformity. <i>Foot and Ankle International</i> , 2020 , 41, 839-848	3.3	16
36	Tendoscopy for Early-Stages (I and II) Posterior Tibial Tendon Dysfunction. <i>Techniques in Foot and Ankle Surgery</i> , 2020 , 19, 230-233	0.4	
35	Intra- and inter-observer reliability of the AFCP classification for sagittal plane deformities of the second toe. <i>Foot and Ankle Surgery</i> , 2020 , 26, 650-656	3.1	5
34	Midterm assessment of subtalar arthroereisis for correction of flexible flatfeet in children. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020 , 106, 185-191	2.9	9
33	Is adjunction of advanced platelet-rich fibrin (A-PRF) useful in first metatarsophalangeal joint arthrodesis? A retrospective cohort study. <i>Foot</i> , 2020 , 42, 101648	1.3	
32	3D, Weightbearing Topographical Study of Periprosthetic Cysts and Alignment in Total Ankle Replacement. <i>Foot and Ankle International</i> , 2020 , 41, 1-9	3.3	21
31	Letter Regarding: Anterior-Posterior (AP) Calcaneal Profile View: A Novel Radiographic Image to Assess Varus Malalignment. <i>Foot and Ankle International</i> , 2020 , 41, 1442-1443	3.3	

30	Partial wrist denervation versus total wrist denervation: A systematic review of the literature. <i>Hand Surgery and Rehabilitation</i> , 2020 , 39, 487-491	1.5	12
29	Three-Dimensional Biometrics to Correlate Hindfoot and Knee Coronal Alignments Using Modern Weightbearing Imaging. <i>Foot and Ankle International</i> , 2020 , 41, 1411-1418	3.3	6
28	Subtalar Arthroereisis as an Adjunct Procedure Improves Forefoot Abduction in Stage IIb Adult-Acquired Flatfoot Deformity. <i>Foot and Ankle Specialist</i> , 2020 , 1938640020951031	1.7	3
27	Intraobserver and interobserver reliability of cone beam weightbearing semi-automatic three-dimensional measurements in symptomatic pes cavovarus. <i>Foot and Ankle Surgery</i> , 2020 , 26, 564-572	3.1	13
26	Blood loss and transfusion rate in patients undergoing two-stage exchange in infected total knee arthroplasty. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2020 , 34, 1-5. ADVANCES IN MUSCULOSKELETAL DISEASES AND INFE	0.7	0
25	Use of synthetic cartilage implant (Cartiva®) for degeneration of the first and second metatarsophalangeal joint: what is the current evidence?. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2020 , 34, 15-21. ADVANCES IN MUSCULOSKELETAL DISEASES AND IN	0.7	0
24	Foot and ankle measurements on cone beam weightbearing computed tomography. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2020 , 34, 23-32. ADVANCES IN MUSCULOSKELETAL DISEASES AND IN	0.7	1
23	Volar distal radius vascularized bone graft vs non-vascularized bone graft: a prospective comparative study. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2020 , 34, 115-120. ADVANCES IN MUSCULOSKELETAL DISEASES AND	0.7	
22	Foot Alignment in Symptomatic National Basketball Association Players Using Weightbearing Cone Beam Computed Tomography. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119826081	3.5	22
21	Comparaison de 25 arthrodeses et de 25 prothèses de cheville au recul de 67 mois. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2019 , 105, 70-75	0	
20	3D Biometrics for Hindfoot Alignment Using Weightbearing Computed Tomography. <i>Foot and Ankle International</i> , 2019 , 40, 720-726	3.3	43
19	Cuboid Edema Syndrome Following Fixation of Proximal Fifth Metatarsal Fractures in Professional Athletes. <i>Foot and Ankle Specialist</i> , 2019 , 12, 373-379	1.7	5
18	Relationship Between Chronic Lateral Ankle Instability and Hindfoot Varus Using Weight-Bearing Cone Beam Computed Tomography. <i>Foot and Ankle International</i> , 2019 , 40, 1175-1181	3.3	25
17	AAFD: Conventional Radiographs are not Enough! I Need the Third Dimension. <i>Techniques in Foot and Ankle Surgery</i> , 2019 , 18, 109-115	0.4	6
16	Comparison of 25 ankle arthrodeses and 25 replacements at 67 months' follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019 , 105, 139-144	2.9	16
15	Role of Tendoscopy in Treating Stage II Posterior Tibial Tendon Dysfunction. <i>Foot and Ankle International</i> , 2018 , 39, 433-442	3.3	10
14	Tendoscopy of Achilles, peroneal and tibialis posterior tendons: An evidence-based update. <i>Foot and Ankle Surgery</i> , 2018 , 24, 374-382	3.1	14
13	A new anterior inferior coronal patellar plica. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2018 , 16, 195-201	2.5	0

12	Open Re-rupture of the Achilles Tendon Following Minimally Invasive Repair: A Case Report. <i>Journal of Foot and Ankle Surgery</i> , 2018 , 57, 1272-1277	1.6	2
11	Joystick of the Talus for Correcting Malalignment During Arthroscopic Ankle Arthrodesis: A Surgical Tip. <i>Arthroscopy Techniques</i> , 2018 , 7, e517-e522	1.7	2
10	An original fibular shortening osteotomy technique in tibiotalar arthrodesis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017 , 103, 717-720	2.9	7
9	3D Biometrics for Hindfoot Alignment Using Weightbearing CT. <i>Foot and Ankle International</i> , 2017 , 38, 684-689	3.3	87
8	Anterolateral Arthroscopic Posterior Subtalar Arthrodesis: The Surgical Technique. <i>Arthroscopy Techniques</i> , 2017 , 6, e1183-e1188	1.7	5
7	Fibular Intra-articular Resection During Arthroscopic Ankle Arthrodesis: The Surgical Technique. <i>Arthroscopy Techniques</i> , 2017 , 6, e1865-e1870	1.7	2
6	Technique originale de résection de la fibula associée à l'arthrodèse tibio-talienne. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2017 , 103, 495-498	0	
5	Histological fibrosis may predict the failure of core decompression in the treatment of osteonecrosis of the femoral head. <i>International Journal of Surgery</i> , 2017 , 44, 303-308	7.5	16
4	The role of arthroereisis of the subtalar joint for flatfoot in children and adults. <i>EFORT Open Reviews</i> , 2017 , 2, 438-446	5.5	40
3	Core decompression versus other joint preserving treatments for osteonecrosis of the femoral head: a meta-analysis. <i>British Medical Bulletin</i> , 2016 , 118, 33-49	5.4	42
2	Treatment of the trapeziometacarpal osteoarthritis by arthroplasty with a pyrocarbon implant. <i>International Orthopaedics</i> , 2016 , 40, 1465-71	3.8	17
1	Clinical outcomes and structural integrity rate of arthroscopic augmented rotator cuff repairs using extracellular porcine matrix patch. <i>Shoulder and Elbow</i> , 175857322098260	1.8	