

# Ron W Summers

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6906372/publications.pdf>

Version: 2024-02-01

45  
papers

719  
citations

516710

16  
h-index

580821

25  
g-index

45  
all docs

45  
docs citations

45  
times ranked

746  
citing authors

#	ARTICLE	IF	CITATIONS
1	Capercaillie <i>Tetrao urogallus</i> in Scotland –demography of a declining population. <i>Ibis</i> , 2000, 142, 259-267.	1.9	53
2	Microsatellite and mitochondrial DNA homogeneity among phenotypically diverse crossbill taxa in the UK. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001, 268, 1511-1517.	2.6	45
3	Point transect sampling with traps or lures. <i>Journal of Applied Ecology</i> , 2006, 43, 377-384.	4.0	45
4	Habitat selection and diet of the Capercaillie <i>Tetrao urogallus</i> in Abernethy Forest, Strathspey, Scotland. <i>Bird Study</i> , 2004, 51, 58-68.	1.0	39
5	The distribution and habitats of crossbills <i>Loxia</i> spp. in Britain, with special reference to the Scottish Crossbill <i>Loxia scotica</i> . <i>Ibis</i> , 2002, 144, 393-410.	1.9	32
6	Assortative mating and patterns of inheritance indicate that the three crossbill taxa in Scotland are species. <i>Journal of Avian Biology</i> , 2007, 38, 153-162.	1.2	31
7	Testing prescribed fire as a tool to promote Scots pine <i>Pinus sylvestris</i> regeneration. <i>European Journal of Forest Research</i> , 2009, 128, 319-333.	2.5	29
8	Wintering Purple Sandpipers <i>Calidris maritima</i> in Troms County, Northern Norway. <i>Ornis Scandinavica</i> , 1990, 21, 248.	1.0	28
9	Capercaillie <i>Tetrao urogallus</i> Nest Loss and Attendance at Abernethy Forest, Scotland. <i>Wildlife Biology</i> , 2009, 15, 319-327.	1.4	28
10	The structure of Abernethy Forest, Strathspey, Scotland. <i>Botanical Journal of Scotland</i> , 1997, 49, 39-55.	0.3	27
11	Burning and mowing as habitat management for capercaillie <i>Tetrao urogallus</i> : An experimental test. <i>Forest Ecology and Management</i> , 2011, 262, 509-521.	3.2	27
12	Timing and duration of moult in three populations of Purple Sandpipers <i>Calidris maritima</i> with different moult/migration patterns. <i>Ibis</i> , 2004, 146, 394-403.	1.9	24
13	The effect of experimental prescribed fire on the establishment of Scots pine <i>Pinus sylvestris</i> seedlings on heather <i>Calluna vulgaris</i> moorland. <i>Forest Ecology and Management</i> , 2005, 212, 199-213.	3.2	24
14	Bill length: a reliable method for sexing Purple Sandpipers. <i>Journal of Field Ornithology</i> , 2008, 79, 87-92.	0.5	23
15	Geographical variation in the breeding biology of the Purple Sandpiper <i>Calidris maritima</i> . <i>Ibis</i> , 2004, 146, 303-313.	1.9	18
16	Using cattle for conservation objectives in a Scots pine <i>Pinus sylvestris</i> forest: results of two trials. <i>European Journal of Forest Research</i> , 2010, 129, 299-312.	2.5	18
17	Numbers and breeding success of Capercaillies<i>Tetrao urogallus</i> and Black Grouse<i>T. tetrix</i> at Abernethy Forest, Scotland. <i>Bird Study</i> , 2010, 57, 437-446.	1.0	18
18	Use of pine snags by birds in different stand types of Scots Pine<i>Pinus sylvestris</i>. <i>Bird Study</i> , 2004, 51, 212-221.	1.0	15

#	ARTICLE	IF	CITATIONS
19	Age structure and history of stand types of <i>Pinus sylvestris</i> in Abernethy Forest, Scotland. <i>Scandinavian Journal of Forest Research</i> , 2008, 23, 28-37.	1.4	15
20	Geolocator tagging reveals Pacific migration of Red-necked Phalarope <i>Phalaropus lobatus</i> breeding in Scotland. <i>Ibis</i> , 2014, 156, 870-873.	1.9	15
21	Assortative mating and patterns of inheritance indicate that the three crossbill taxa in Scotland are species. <i>Journal of Avian Biology</i> , 2007, 38, 153-162.	1.2	14
22	Temporal variation in breeding and cone size selection by three species of crossbills <i>Loxia</i> spp. in a native Scots pinewood. <i>Journal of Avian Biology</i> , 2010, 41, 219-228.	1.2	13
23	A first survey of the global population size and distribution of the Scottish Crossbill <i>Loxia scotica</i> . <i>Bird Conservation International</i> , 2011, 21, 186-198.	1.3	13
24	Stand selection by birds in Scots pinewoods in Scotland: the need for more old-growth pinewood. <i>Ibis</i> , 2007, 149, 175-182.	1.9	12
25	Associations between crossbills and North American conifers in Scotland. <i>Forest Ecology and Management</i> , 2012, 271, 37-45.	3.2	12
26	Resource stability and geographic isolation are associated with genome divergence in western Palearctic crossbills. <i>Journal of Evolutionary Biology</i> , 2018, 31, 1715-1731.	1.7	11
27	THE MIGRATION PATTERNS OF THE PURPLE SANDPIPER <i>CALIDRIS MARITIMA</i> . <i>Ostrich</i> , 1994, 65, 167-173.	1.1	9
28	Population structure, biometrics and moult of migrant Purple Sandpipers <i>Calidris maritima</i> in southwest Iceland in spring. <i>Bird Study</i> , 2009, 56, 357-368.	1.0	9
29	Patterns of exploitation of annually varying <i>Pinus sylvestris</i> cone crops by seed-eaters of differing dispersal ability. <i>Ecography</i> , 2011, 34, 723-728.	4.5	9
30	Movements of British hen harriers <i>Circus cyaneus</i> outside the breeding season. <i>Ringing and Migration</i> , 2006, 23, 6-14.	0.4	8
31	Correlates of Breeding Success of Horned Grebes in Scotland. <i>Waterbirds</i> , 2009, 32, 265-275.	0.3	7
32	Population structure and origins of Purple Sandpipers <i>Calidris maritima</i> in north Norway during winter. <i>Ringing and Migration</i> , 2006, 23, 95-100.	0.4	6
33	Non-breeding areas and timing of migration in relation to weather of Scottish breeding common sandpipers <i>Actitis hypoleucos</i> . <i>Journal of Avian Biology</i> , 2019, 50, .	1.2	6
34	Surveying abundance and stand type associations of <i>Formica aquilonia</i> and <i>F. lugubris</i> (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 T Entomology, 2012, 109, 47-53.	1.2	6
35	Sex ratio and sexual size dimorphism in Purple Sandpiper <i>Calidris maritima</i> chicks. <i>Bird Study</i> , 2011, 58, 44-49.	1.0	5
36	Breeding numbers and stand type preferences of Redstarts <i>Phoenicurus phoenicurus</i> and Tree Pipits <i>Anthus trivialis</i> in a Scots Pine <i>Pinus sylvestris</i> wood. <i>Bird Study</i> , 2009, 56, 120-126.	1.0	4

#	ARTICLE	IF	CITATIONS
37	Lake characteristics and their selection by breeding Slavonian Grebes <i>Podiceps auritus</i> in Scotland. <i>Bird Study</i> , 2011, 58, 349-356.	1.0	4
38	Provisioning of Slavonian Grebe <i>Podiceps auritus</i> chicks at nests in Scotland. <i>Bird Study</i> , 2010, 57, 563-567.	1.0	3
39	The Winter Range of Nearctic Purple Sandpipers <i>Calidris maritima</i> on the East Atlantic Flyway. <i>Ardea</i> , 2012, 100, 13-18.	0.6	3
40	Local and global influences on population declines of coastal waders: Purple Sandpiper <i>Calidris maritima</i> numbers in the Moray Firth, Scotland. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 102-103, 126-132.	2.1	3
41	Sex ratios of waders at the northern end of the East Atlantic flyway in winter. <i>Bird Study</i> , 2013, 60, 437-445.	1.0	3
42	How important are different non-native conifers in Britain to Common Crossbills <i>Loxia curvirostra curvirostra</i> ? <i>Bird Study</i> , 2019, 66, 64-72.	1.0	3
43	The origin and population structure of Purple Sandpipers <i>Calidris maritima</i> in northern France. <i>Ring and Migration</i> , 2011, 26, 109-113.	0.4	2
44	Scottish-breeding Greenshanks <i>Tringa nebularia</i> do not migrate far. <i>Bird Study</i> , 2020, 67, 1-7.	1.0	0
45	The time of singing by male Capercaillies <i>Tetrao urogallus</i> at leks. <i>Bird Study</i> , 0, , 1-3.	1.0	0