

# Veryan Codd

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6907921/publications.pdf>

Version: 2024-02-01

69  
papers

6,364  
citations

117453

34  
h-index

106150

65  
g-index

79  
all docs

79  
docs citations

79  
times ranked

11949  
citing authors

#	ARTICLE	IF	CITATIONS
1	Telomere length is independently associated with all-cause mortality in chronic heart failure. <i>Heart</i> , 2022, 108, 124-129.	1.2	5
2	Pilates and telomere dynamics: A 12-month longitudinal study. <i>Journal of Bodywork and Movement Therapies</i> , 2022, 30, 118-124.	0.5	6
3	Measurement and initial characterization of leukocyte telomere length in 474,074 participants in UK Biobank. <i>Nature Aging</i> , 2022, 2, 170-179.	5.3	75
4	Association of shorter leukocyte telomere length with risk of frailty. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1741-1751.	2.9	13
5	Mendelian randomization supports bidirectional causality between telomere length and clonal hematopoiesis of indeterminate potential. <i>Science Advances</i> , 2022, 8, eabl6579.	4.7	36
6	Investigation of a UK biobank cohort reveals causal associations of self-reported walking pace with telomere length. <i>Communications Biology</i> , 2022, 5, 381.	2.0	17
7	Modifiable traits, healthy behaviours, and leukocyte telomere length: a population-based study in UK Biobank. <i>The Lancet Healthy Longevity</i> , 2022, 3, e321-e331.	2.0	27
8	Elite swimmers possess shorter telomeres than recreationally active controls. <i>Gene</i> , 2021, 769, 145242.	1.0	5
9	Comparison of Telomere Length in Young and Master Endurance Runners and Sprinters. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-7.	0.5	1
10	Longitudinal telomere length and body composition in healthy term-born infants during the first two years of life. <i>PLoS ONE</i> , 2021, 16, e0246400.	1.1	6
11	Shorter leukocyte telomere length is associated with adverse COVID-19 outcomes: A cohort study in UK Biobank. <i>EBioMedicine</i> , 2021, 70, 103485.	2.7	36
12	Polygenic basis and biomedical consequences of telomere length variation. <i>Nature Genetics</i> , 2021, 53, 1425-1433.	9.4	145
13	Evidence for Accelerated Biological Aging in Young Adults with Prader-Willi Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2053-2059.	1.8	6
14	Inherited myeloproliferative neoplasm risk affects haematopoietic stem cells. <i>Nature</i> , 2020, 586, 769-775.	13.7	101
15	Genetic Associations With Plasma Angiotensin Converting Enzyme 2 Concentration. <i>Circulation</i> , 2020, 142, 1117-1119.	1.6	16
16	Telomere Instability in Lynch Syndrome Families Leads to Some Shorter Telomeres in MSH2+/- Carriers. <i>Life</i> , 2020, 10, 265.	1.1	3
17	Genetic determinants of telomere length and cancer risk. <i>Current Opinion in Genetics and Development</i> , 2020, 60, 63-68.	1.5	15
18	The effect of a 12-week resistance training intervention on leukocyte telomere length. <i>Heliyon</i> , 2020, 6, e04151.	1.4	13

#	ARTICLE	IF	CITATIONS
19	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020, 106, 389-404.	2.6	118
20	Exome Sequencing Analysis Identifies Rare Variants in ATM and RPL8 That Are Associated With Shorter Telomere Length. <i>Frontiers in Genetics</i> , 2020, 11, 337.	1.1	4
21	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504.	9.4	138
22	Metabolomics reveals a link between homocysteine and lipid metabolism and leukocyte telomere length: the ENGAGE consortium. <i>Scientific Reports</i> , 2019, 9, 11623.	1.6	13
23	Response to the letter by Esteves et al.. <i>Neuropsychopharmacology</i> , 2018, 43, 2164-2164.	2.8	0
24	Coronary Artery Disease-associated <i>LIPA</i> Coding Variant rs1051338 Reduces Lysosomal Acid Lipase Levels and Activity in Lysosomes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1050-1057.	1.1	32
25	Telomere Length in Newborns is Related to Maternal Stress During Pregnancy. <i>Neuropsychopharmacology</i> , 2017, 42, 2407-2413.	2.8	83
26	Short telomere length is associated with impaired cognitive performance in European ancestry cohorts. <i>Translational Psychiatry</i> , 2017, 7, e1100-e1100.	2.4	61
27	Large-Scale Analysis of Determinants, Stability, and Heritability of High-Density Lipoprotein Cholesterol Efflux Capacity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1956-1962.	1.1	33
28	Relative Telomere Repeat Mass in Buccal and Leukocyte-Derived DNA. <i>PLoS ONE</i> , 2017, 12, e0170765.	1.1	22
29	Effects of size at birth, childhood growth patterns and growth hormone treatment on leukocyte telomere length. <i>PLoS ONE</i> , 2017, 12, e0171825.	1.1	8
30	Genetic Variation Associated with Longer Telomere Length Increases Risk of Chronic Lymphocytic Leukemia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1043-1049.	1.1	61
31	Common genetic variants associated with telomere length confer risk for neuroblastoma and other childhood cancers. <i>Carcinogenesis</i> , 2016, 37, 576-582.	1.3	60
32	Metabolomics profiling reveals novel markers for leukocyte telomere length. <i>Aging</i> , 2016, 8, 77-86.	1.4	33
33	Leukocyte Telomere Length in Young Adults Born Preterm: Support for Accelerated Biological Ageing. <i>PLoS ONE</i> , 2015, 10, e0143951.	1.1	24
34	Reproducibility of telomere length assessment: Authors' Response to Damjan Krstajic and Ljubomir Buturovic. <i>International Journal of Epidemiology</i> , 2015, 44, 1739-1741.	0.9	8
35	<i>DCAF4</i> , a novel gene associated with leukocyte telomere length. <i>Journal of Medical Genetics</i> , 2015, 52, 157-162.	1.5	66
36	Low Birth Weight in MZ Twins Discordant for Birth Weight is Associated with Shorter Telomere Length and lower IQ, but not Anxiety/Depression in Later Life. <i>Twin Research and Human Genetics</i> , 2015, 18, 198-209.	0.3	17

#	ARTICLE	IF	CITATIONS
37	Is Southern blotting necessary to measure telomere length reproducibly? Authors'™ Response to: Commentary: The reliability of telomere length measurements. <i>International Journal of Epidemiology</i> , 2015, 44, 1686-1687.	0.9	8
38	Reproducibility of telomere length assessment: an international collaborative study. <i>International Journal of Epidemiology</i> , 2015, 44, 1673-1683.	0.9	133
39	Longer genotypically-estimated leukocyte telomere length is associated with increased adult glioma risk. <i>Oncotarget</i> , 2015, 6, 42468-42477.	0.8	87
40	Leukocyte telomere length associates with prospective mortality independent of immune-related parameters and known genetic markers. <i>International Journal of Epidemiology</i> , 2014, 43, 878-886.	0.9	95
41	Telomere length loss due to smoking and metabolic traits. <i>Journal of Internal Medicine</i> , 2014, 275, 155-163.	2.7	151
42	Association of adiponectin and leptin with relative telomere length in seven independent cohorts including 11,448 participants. <i>European Journal of Epidemiology</i> , 2014, 29, 629-638.	2.5	23
43	Telomere length in circulating leukocytes is associated with lung function and disease. <i>European Respiratory Journal</i> , 2014, 43, 983-992.	3.1	103
44	Genome-Wide Association Study Identifies Variants in Casein Kinase II ( <i>CSNK2A2</i> ) to be Associated With Leukocyte Telomere Length in a Punjabi Sikh Diabetic Cohort. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 287-295.	5.1	46
45	Variants near TERT and TERC influencing telomere length are associated with high-grade glioma risk. <i>Nature Genetics</i> , 2014, 46, 731-735.	9.4	161
46	The coronary artery disease associated variant at 10q23.31 is associated with increased lysosomal acid lipase A activity. <i>Atherosclerosis</i> , 2014, 237, e5-e6.	0.4	0
47	Identification of seven loci affecting mean telomere length and their association with disease. <i>Nature Genetics</i> , 2013, 45, 422-427.	9.4	808
48	Meta-analysis of telomere length in 19%713 subjects reveals high heritability, stronger maternal inheritance and a paternal age effect. <i>European Journal of Human Genetics</i> , 2013, 21, 1163-1168.	1.4	380
49	Longer Leukocyte Telomeres Are Associated with Ultra-Endurance Exercise Independent of Cardiovascular Risk Factors. <i>PLoS ONE</i> , 2013, 8, e69377.	1.1	84
50	Posttraumatic Stress Disorder and Not Depression Is Associated with Shorter Leukocyte Telomere Length: Findings from 3,000 Participants in the Population-Based KORA F4 Study. <i>PLoS ONE</i> , 2013, 8, e64762.	1.1	54
51	Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. <i>Nature Genetics</i> , 2011, 43, 333-338.	9.4	1,685
52	70 Gene expression at the 9p21 locus and cad risk. <i>Heart</i> , 2011, 97, A42-A42.	1.2	0
53	Circulating Leukocyte and Carotid Atherosclerotic Plaque Telomere Length. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1219-1225.	1.1	40
54	Leukocyte telomere length and marital status among middle-aged adults. <i>Age and Ageing</i> , 2011, 40, 73-78.	0.7	35

#	ARTICLE	IF	CITATIONS
55	Effect of Healthy Lifestyle Behaviors on the Association Between Leukocyte Telomere Length and Coronary Artery Calcium. <i>American Journal of Cardiology</i> , 2010, 106, 659-663.	0.7	42
56	Telomere length and outcome in heart failure. <i>Annals of Medicine</i> , 2010, 42, 36-44.	1.5	37
57	Association Between Left Ventricular Mass and Telomere Length in a Population Study. <i>American Journal of Epidemiology</i> , 2010, 172, 440-450.	1.6	53
58	Genetic Architecture of Ambulatory Blood Pressure in the General Population. <i>Hypertension</i> , 2010, 56, 1069-1076.	1.3	64
59	The (pro)renin receptor in health and disease. <i>Annals of Medicine</i> , 2010, 42, 13-18.	1.5	49
60	Anaemia is associated with shorter leukocyte telomere length in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2010, 12, 348-353.	2.9	19
61	Common variants near TERC are associated with mean telomere length. <i>Nature Genetics</i> , 2010, 42, 197-199.	9.4	296
62	Leukocyte telomere length and coronary artery calcification. <i>Atherosclerosis</i> , 2010, 210, 262-267.	0.4	64
63	Renal dysfunction is associated with shorter telomere length in heart failure. <i>Clinical Research in Cardiology</i> , 2009, 98, 629-634.	1.5	33
64	Telomere length predicts left ventricular mass in a general population. <i>International Journal of Cardiology</i> , 2009, 137, S82-S83.	0.8	0
65	TNF- $\alpha$ gene promoter polymorphism at nucleotide $\sim$ 308 and the inflammatory response and oxidative stress induced by cardiac surgery: role of heart failure and medical treatment $\dagger$ . <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 332-337.	0.6	16
66	Circadian Rhythm Gene Regulation in the Housefly <i>Musca domestica</i> . <i>Genetics</i> , 2007, 177, 1539-1551.	1.2	39
67	Circadian clock genes cause activation of the human PAI-1 gene promoter with 4G/5G allelic preference. <i>FEBS Letters</i> , 2006, 580, 4469-4472.	1.3	28
68	A constitutively active cryptochrome in <i>Drosophila melanogaster</i> . <i>Nature Neuroscience</i> , 2004, 7, 834-840.	7.1	143
69	Light-dependent interaction between <i>Drosophila</i> CRY and the clock protein PER mediated by the carboxy terminus of CRY. <i>Current Biology</i> , 2001, 11, 909-917.	1.8	160