

Fiona M Sansom

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6909067/publications.pdf>

Version: 2024-02-01

38
papers

1,177
citations

471509

17
h-index

395702

33
g-index

39
all docs

39
docs citations

39
times ranked

1295
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of the <i>Legionella longbeachae</i> Genome and Transcriptome Uncovers Unique Strategies to Cause Legionnaires' Disease. <i>PLoS Genetics</i> , 2010, 6, e1000851.	3.5	143
2	The <i>Legionella pneumophila</i> F-box protein Lpp2082 (AnkB) modulates ubiquitination of the host protein parvin B and promotes intracellular replication. <i>Cellular Microbiology</i> , 2010, 12, 1272-1291.	2.1	134
3	Sel1 Repeat Protein LpnE Is a <i>Legionella pneumophila</i> Virulence Determinant That Influences Vacuolar Trafficking. <i>Infection and Immunity</i> , 2007, 75, 5575-5585.	2.2	89
4	Possible Effects of Microbial Ecto-Nucleoside Triphosphate Diphosphohydrolases on Host-Pathogen Interactions. <i>Microbiology and Molecular Biology Reviews</i> , 2008, 72, 765-781.	6.6	87
5	A bacterial ecto-triphosphate diphosphohydrolase similar to human CD39 is essential for intracellular multiplication of <i>Legionella pneumophila</i> . <i>Cellular Microbiology</i> , 2007, 9, 1922-1935.	2.1	72
6	Identification of <i>Legionella pneumophila</i> -Specific Genes by Genomic Subtractive Hybridization with <i>Legionella micdadei</i> and Identification of lpnE, a Gene Required for Efficient Host Cell Entry. <i>Infection and Immunity</i> , 2006, 74, 1683-1691.	2.2	60
7	Enzymatic Properties of an Ecto-nucleoside Triphosphate Diphosphohydrolase from <i>Legionella pneumophila</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 12909-12918.	3.4	54
8	The major membrane nuclease MnuA degrades neutrophil extracellular traps induced by <i>Mycoplasma bovis</i> . <i>Veterinary Microbiology</i> , 2018, 218, 13-19.	1.9	49
9	Koala retrovirus genotyping analyses reveal a low prevalence of KoRV-A in Victorian koalas and an association with clinical disease. <i>Journal of Medical Microbiology</i> , 2017, 66, 236-244.	1.8	44
10	Cutting Edge: Pulmonary <i>Legionella pneumophila</i> Is Controlled by Plasmacytoid Dendritic Cells but Not Type I IFN. <i>Journal of Immunology</i> , 2010, 184, 5429-5433.	0.8	43
11	The role of the NTPDase enzyme family in parasites: what do we know, and where to from here?. <i>Parasitology</i> , 2012, 139, 963-980.	1.5	40
12	Crystal Structure of a <i>Legionella pneumophila</i> Ecto -Triphosphate Diphosphohydrolase, A Structural and Functional Homolog of the Eukaryotic NTPDases. <i>Structure</i> , 2010, 18, 228-238.	3.3	39
13	Comparative Metabolomics of <i>Mycoplasma bovis</i> and <i>Mycoplasma gallisepticum</i> Reveals Fundamental Differences in Active Metabolic Pathways and Suggests Novel Gene Annotations. <i>MSystems</i> , 2017, 2, .	3.8	35
14	Significant Role for <i>ladC</i> in Initiation of <i>Legionella pneumophila</i> Infection. <i>Infection and Immunity</i> , 2008, 76, 3075-3085.	2.2	31
15	Identification of unusual <i>Chlamydia pecorum</i> genotypes in Victorian koalas (<i>Phascolarctos cinereus</i>) and clinical variables associated with infection. <i>Journal of Medical Microbiology</i> , 2016, 65, 420-428.	1.8	29
16	<i>Chlamydia pecorum</i> Infection in Free-ranging Koalas (<i>Phascolarctos cinereus</i>) on French Island, Victoria, Australia. <i>Journal of Wildlife Diseases</i> , 2016, 52, 426-429.	0.8	19
17	<i>Leishmania major</i> Methionine Sulfoxide Reductase A Is Required for Resistance to Oxidative Stress and Efficient Replication in Macrophages. <i>PLoS ONE</i> , 2013, 8, e56064.	2.5	18
18	Targeted mutagenesis of <i>Mycoplasma gallisepticum</i> using its endogenous CRISPR/Cas system. <i>Veterinary Microbiology</i> , 2020, 250, 108868.	1.9	17

#	ARTICLE	IF	CITATIONS
19	Golgi-Located NTPDase1 of <i>Leishmania major</i> Is Required for Lipophosphoglycan Elongation and Normal Lesion Development whereas Secreted NTPDase2 Is Dispensable for Virulence. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3402.	3.0	16
20	A 25-year retrospective study of <i>Chlamydia psittaci</i> in association with equine reproductive loss in Australia. <i>Journal of Medical Microbiology</i> , 2021, 70, .	1.8	16
21	Molecular Detection of <i>Legionella</i> : Moving on From mip. <i>Frontiers in Microbiology</i> , 2010, 1, 123.	3.5	15
22	A combined metabolomic and bioinformatic approach to investigate the function of transport proteins of the important pathogen <i>Mycoplasma bovis</i> . <i>Veterinary Microbiology</i> , 2019, 234, 8-16.	1.9	15
23	De novo NAD synthesis is required for intracellular replication of <i>Coxiella burnetii</i> , the causative agent of the neglected zoonotic disease Q fever. <i>Journal of Biological Chemistry</i> , 2018, 293, 18636-18645.	3.4	14
24	Variation in the microbiome of the urogenital tract of <i>Chlamydia</i> -free female koalas (<i>Phascolarctos</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	2.5	14
25	Multiple ecto-nucleoside triphosphate diphosphohydrolases facilitate intracellular replication of <i>Legionella pneumophila</i> . <i>Biochemical Journal</i> , 2014, 462, 279-289.	3.7	11
26	SdrA, an NADP(H)-regenerating enzyme, is crucial for <i>Coxiella burnetii</i> to resist oxidative stress and replicate intracellularly. <i>Cellular Microbiology</i> , 2020, 22, e13154.	2.1	11
27	<i>Coxiella burnetii</i> utilizes both glutamate and glucose during infection with glucose uptake mediated by multiple transporters. <i>Biochemical Journal</i> , 2019, 476, 2851-2867.	3.7	11
28	Metabolite profiling of <i>Mycoplasma gallisepticum</i> mutants, combined with bioinformatic analysis, can reveal the likely functions of virulence-associated genes. <i>Veterinary Microbiology</i> , 2018, 223, 160-167.	1.9	10
29	Detection of <i>Coxiella burnetii</i> and equine herpesvirus 1, but not <i>Leptospira</i> spp. or <i>Toxoplasma gondii</i> , in cases of equine abortion in Australia - a 25 year retrospective study. <i>PLoS ONE</i> , 2020, 15, e0233100.	2.5	10
30	EirA Is a Novel Protein Essential for Intracellular Replication of <i>Coxiella burnetii</i> . <i>Infection and Immunity</i> , 2020, 88, .	2.2	7
31	A <i>Mycoplasma gallisepticum</i> Glycerol ABC Transporter Involved in Pathogenicity. <i>Applied and Environmental Microbiology</i> , 2021, 87, .	3.1	7
32	Efficient disruption of the function of the <i>mnuA</i> nuclease gene using the endogenous CRISPR/Cas system in <i>Mycoplasma gallisepticum</i> . <i>Veterinary Microbiology</i> , 2022, 269, 109436.	1.9	7
33	<i>Mycoplasma bovis</i> <i>mbfN</i> Encodes a Novel LRR Lipoprotein That Undergoes Proteolytic Processing and Binds Host Extracellular Matrix Components. <i>Journal of Bacteriology</i> , 2020, 203, .	2.2	3
34	Meso-tartrate inhibits intracellular replication of <i>Coxiella burnetii</i> , the causative agent of the zoonotic disease Q fever. <i>Pathogens and Disease</i> , 2019, 77, .	2.0	2
35	Koala and Wombat Gammaherpesviruses Encode the First Known Viral NTPDase Homologs and Are Phylogenetically Divergent from All Known Gammaherpesviruses. <i>Journal of Virology</i> , 2019, 93, .	3.4	2
36	Characterisation of putative lactate synthetic pathways of <i>Coxiella burnetii</i> . <i>PLoS ONE</i> , 2021, 16, e0255925.	2.5	2

#	ARTICLE	IF	CITATIONS
37	Eukaryotic-Like Proteins of <i>Legionella pneumophila</i> as Potential Virulence Factors. , 0, , 246-250.		1
38	Role of <i>Legionella pneumophila</i> -Specific Genes in Pathogenesis. , 0, , 251-254.		0