

# Monika Kasper-Sonnenberg

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6909974/monika-kasper-sonnenberg-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30  
papers

915  
citations

17  
h-index

30  
g-index

31  
ext. papers

1,146  
ext. citations

6.9  
avg, IF

4.1  
L-index

#	Paper	IF	Citations
30	Human-Biomonitoring derived exposure and Daily Intakes of Bisphenol A and their associations with neurodevelopmental outcomes among children of the Polish Mother and Child Cohort Study. <i>Environmental Health</i> , <b>2021</b> , 20, 95	6	2
29	Human-Biomonitoring derived exposure and Daily Intakes of Bisphenol A and their associations with neurodevelopmental outcomes among children of the Polish Mother and Child Cohort Study. <i>Environmental Health</i> , <b>2021</b> , 20, 95	6	
28	Bisphenol A and six other environmental phenols in urine of children and adolescents in Germany - human biomonitoring results of the German Environmental Survey 2014-2017 (GerES V). <i>Science of the Total Environment</i> , <b>2021</b> , 763, 144615	10.2	16
27	The European human biomonitoring platform - Design and implementation of a laboratory quality assurance/quality control (QA/QC) programme for selected priority chemicals. <i>International Journal of Hygiene and Environmental Health</i> , <b>2021</b> , 234, 113740	6.9	17
26	Alkyl pyrrolidone solvents N-methyl-2-pyrrolidone (NMP) and N-ethyl-2-pyrrolidone (NEP) in urine of children and adolescents in Germany - human biomonitoring results of the German Environmental Survey 2014-2017 (GerESV). <i>Environment International</i> , <b>2021</b> , 146, 106221	12.9	6
25	Parabens in urine of children and adolescents in Germany - human biomonitoring results of the german environmental survey 2014-2017 (GerES V). <i>Environmental Research</i> , <b>2021</b> , 194, 110502	7.9	9
24	Biomarkers, matrices and analytical methods targeting human exposure to chemicals selected for a European human biomonitoring initiative. <i>Environment International</i> , <b>2021</b> , 146, 106082	12.9	31
23	Effect-based evaluation of ozone treatment for removal of micropollutants and their transformation products in waste water. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2021</b> , 84, 418-439	3.2	4
22	Prenatal exposure to endocrine disrupting chemicals is associated with altered DNA methylation in cord blood. <i>Epigenetics</i> , <b>2021</b> , 1-18	5.7	2
21	Time course of phthalate cumulative risks to male developmental health over a 27-year period: Biomonitoring samples of the German Environmental Specimen Bank. <i>Environment International</i> , <b>2020</b> , 137, 105467	12.9	17
20	Time trend of exposure to the phthalate plasticizer substitute DINCH in Germany from 1999 to 2017: Biomonitoring data on young adults from the Environmental Specimen Bank (ESB). <i>International Journal of Hygiene and Environmental Health</i> , <b>2019</b> , 222, 1084-1092	6.9	33
19	Obesity or diet? Levels and determinants of phthalate body burden - A case study on Portuguese children. <i>International Journal of Hygiene and Environmental Health</i> , <b>2018</b> , 221, 519-530	6.9	30
18	Exposure assessment to bisphenol A (BPA) in Portuguese children by human biomonitoring. <i>Environmental Science and Pollution Research</i> , <b>2017</b> , 24, 27502-27514	5.1	12
17	Exposure to elemental composition of outdoor PM at birth and cognitive and psychomotor function in childhood in four European birth cohorts. <i>Environment International</i> , <b>2017</b> , 109, 170-180	12.9	23
16	Pre-pubertal exposure with phthalates and bisphenol A and pubertal development. <i>PLoS ONE</i> , <b>2017</b> , 12, e0187922	3.7	32
15	Perfluoroalkyl acids (PFAAs) and anthropometric measures in the first year of life: Results from the Duisburg Birth Cohort. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2016</b> , 79, 1041-1049	3.2	16
14	Perfluoroalkyl acids in children and their mothers: Association with drinking water and time trends of inner exposures--Results of the Duisburg birth cohort and Bochum cohort studies. <i>International Journal of Hygiene and Environmental Health</i> , <b>2015</b> , 218, 645-55	6.9	14

13	The influence of low level pre- and perinatal exposure to PCDD/Fs, PCBs, and lead on attention performance and attention-related behavior among German school-aged children: results from the Duisburg Birth Cohort Study. <i>International Journal of Hygiene and Environmental Health</i> , <b>2015</b> , 218, 153-62	6.9	70
12	Prenatal exposure to PCB-153, p,pVDE and birth outcomes in 9000 mother-child pairs: exposure-response relationship and effect modifiers. <i>Environment International</i> , <b>2015</b> , 74, 23-31	12.9	72
11	Influence of Low-Level Prenatal Exposure to PCDD/Fs and PCBs on Empathizing, Systemizing and Autistic Traits: Results from the Duisburg Birth Cohort Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129906	3.7	46
10	Prenatal and Postnatal Exposure to Persistent Organic Pollutants and Infant Growth: A Pooled Analysis of Seven European Birth Cohorts. <i>Environmental Health Perspectives</i> , <b>2015</b> , 123, 730-6	8.4	92
9	Phthalate metabolites and bisphenol A in urines from German school-aged children: results of the Duisburg birth cohort and Bochum cohort studies. <i>International Journal of Hygiene and Environmental Health</i> , <b>2014</b> , 217, 830-8	6.9	46
8	Behavioral sexual dimorphism in school-age children and early developmental exposure to dioxins and PCBs: a follow-up study of the Duisburg Cohort. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 292-8	8.4	49
7	Prenatal exposure to DDE and PCB 153 and respiratory health in early childhood: a meta-analysis. <i>Epidemiology</i> , <b>2014</b> , 25, 544-53	3.1	31
6	Determination of bisphenol a in urine from mother-child pairs-results from the duisburg birth cohort study, Germany. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2012</b> , 75, 429-37	3.2	37
5	Levels of phthalate metabolites in urine among mother-child-pairs - results from the Duisburg birth cohort study, Germany. <i>International Journal of Hygiene and Environmental Health</i> , <b>2012</b> , 215, 373-82	6.9	100
4	Prenatal and early life exposure to polychlorinated dibenzo-p-dioxins, dibenzofurans and biphenyls may influence dehydroepiandrosterone sulfate levels at prepubertal age: results from the Duisburg birth cohort study. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2012</b> , 75, 1232-40	3.2	19
3	Prevalence of nickel sensitization and urinary nickel content of children are increased by nickel in ambient air. <i>Environmental Research</i> , <b>2011</b> , 111, 266-73	7.9	15
2	A protein interaction node at the neurotransmitter release site: domains of Aczonin/Piccolo, Bassoon, CAST, and rim converge on the N-terminal domain of Munc13-1. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 12584-96	6.6	71
1	Egg size and hybrid syndrome-dependent embryo mortality in Chironomus hybrids (Diptera: Chironomidae). <i>European Journal of Entomology</i> , <b>2000</b> , 97, 1-6		3