

Audrey M Neyrinck

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6910078/audrey-m-neyrinck-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

19,976
citations

50
h-index

132
g-index

132
ext. papers

23,197
ext. citations

5.8
avg, IF

6.35
L-index

#	Paper	IF	Citations
127	Physical activity enhances the improvement of body mass index and metabolism by inulin: a multicenter randomized placebo-controlled trial performed in obese individuals.. <i>BMC Medicine</i> , 2022 , 20, 110	11.4	1
126	Restoring an adequate dietary fiber intake by inulin supplementation: a pilot study showing an impact on gut microbiota and sociability in alcohol use disorder patients.. <i>Gut Microbes</i> , 2022 , 14, 2007042	8.8	3
125	Liver alterations are not improved by inulin supplementation in alcohol use disorder patients during alcohol withdrawal: A pilot randomized, double-blind, placebo-controlled study.. <i>EBioMedicine</i> , 2022 , 80, 104033	8.8	1
124	Breath volatile metabolome reveals the impact of dietary fibres on the gut microbiota: Proof of concept in healthy volunteers.. <i>EBioMedicine</i> , 2022 , 80, 104051	8.8	1
123	Commentary on : Prebiotic effects: metabolic and health benefits. <i>British Journal of Nutrition</i> , 2021 , 1-7	3.6	2
122	Prebiotic Effect of Berberine and Curcumin Is Associated with the Improvement of Obesity in Mice. <i>Nutrients</i> , 2021 , 13,	6.7	5
121	Specific gut microbial, biological, and psychiatric profiling related to binge eating disorders: A cross-sectional study in obese patients. <i>Clinical Nutrition</i> , 2021 , 40, 2035-2044	5.9	5
120	Prebiotic effect on mood in obese patients is determined by the initial gut microbiota composition: A randomized, controlled trial. <i>Brain, Behavior, and Immunity</i> , 2021 , 94, 289-298	16.6	11
119	Dietary fiber deficiency as a component of malnutrition associated with psychological alterations in alcohol use disorder. <i>Clinical Nutrition</i> , 2021 , 40, 2673-2682	5.9	2
118	Biomarkers for assessment of intestinal permeability in clinical practice. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, G11-G17	5.1	11
117	Noninvasive monitoring of fibre fermentation in healthy volunteers by analyzing breath volatile metabolites: lessons from the FiberTAG intervention study. <i>Gut Microbes</i> , 2021 , 13, 1-16	8.8	2
116	Improvement of gastrointestinal discomfort and inflammatory status by a synbiotic in middle-aged adults: a double-blind randomized placebo-controlled trial. <i>Scientific Reports</i> , 2021 , 11, 2627	4.9	8
115	Multi-compartment metabolomics and metagenomics reveal major hepatic and intestinal disturbances in cancer cachectic mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 456-475	10.3	12
114	Prebiotic dietary fibre intervention improves fecal markers related to inflammation in obese patients: results from the Food4Gut randomized placebo-controlled trial. <i>European Journal of Nutrition</i> , 2021 , 60, 3159-3170	5.2	9
113	Hepatoprotective Effects of Indole, a Gut Microbial Metabolite, in Leptin-Deficient Obese Mice. <i>Journal of Nutrition</i> , 2021 , 151, 1507-1516	4.1	8
112	A dynamic association between myosteatosis and liver stiffness: Results from a prospective interventional study in obese patients. <i>JHEP Reports</i> , 2021 , 3, 100323	10.3	4
111	Microbiota analysis and transient elastography reveal new extra-hepatic components of liver steatosis and fibrosis in obese patients. <i>Scientific Reports</i> , 2021 , 11, 659	4.9	7

110	Inflammation-induced cholestasis in cancer cachexia. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 70-90	10.3	7
109	Microbiota and Metabolite Profiling as Markers of Mood Disorders: A Cross-Sectional Study in Obese Patients.. <i>Nutrients</i> , 2021 , 14,	6.7	1
108	Influence of the Mediterranean diet on the production of short-chain fatty acids in women at risk for breast cancer (LIBRE). <i>Proceedings of the Nutrition Society</i> , 2020 , 79,	2.9	2
107	Discovery of the gut microbial signature driving the efficacy of prebiotic intervention in obese patients. <i>Gut</i> , 2020 , 69, 1975-1987	19.2	67
106	approach to evaluate the fermentation pattern of inulin-rich food in obese individuals. <i>British Journal of Nutrition</i> , 2020 , 123, 472-479	3.6	2
105	Gut Microbiota-Induced Changes in D-Hydroxybutyrate Metabolism Are Linked to Altered Sociability and Depression in Alcohol Use Disorder. <i>Cell Reports</i> , 2020 , 33, 108238	10.6	32
104	Microbiome response to diet: focus on obesity and related diseases. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2020 , 21, 369-380	10.5	17
103	Development of a Repertoire and a Food Frequency Questionnaire for Estimating Dietary Fiber Intake Considering Prebiotics: Input from the FiberTAG Project. <i>Nutrients</i> , 2020 , 12,	6.7	3
102	Metabolite profiling reveals the interaction of chitin-glucan with the gut microbiota. <i>Gut Microbes</i> , 2020 , 12, 1810530	8.8	9
101	Nutritional interest of dietary fiber and prebiotics in obesity: Lessons from the MyNewGut consortium. <i>Clinical Nutrition</i> , 2020 , 39, 414-424	5.9	51
100	Link between gut microbiota and health outcomes in inulin -treated obese patients: Lessons from the Food4Gut multicenter randomized placebo-controlled trial. <i>Clinical Nutrition</i> , 2020 , 39, 3618-3628	5.9	37
99	Functional Effects of EPS-Producing Administration on Energy Metabolic Alterations of Diet-Induced Obese Mice. <i>Frontiers in Microbiology</i> , 2019 , 10, 1809	5.7	19
98	Chitin-glucan and pomegranate polyphenols improve endothelial dysfunction. <i>Scientific Reports</i> , 2019 , 9, 14150	4.9	14
97	Effects of a diet based on inulin-rich vegetables on gut health and nutritional behavior in healthy humans. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1683-1695	7	60
96	Contribution of the gut microbiota to the regulation of host metabolism and energy balance: a focus on the gut-liver axis. <i>Proceedings of the Nutrition Society</i> , 2019 , 78, 319-328	2.9	44
95	A Preventive Prebiotic Supplementation Improves the Sweet Taste Perception in Diet-Induced Obese Mice. <i>Nutrients</i> , 2019 , 11,	6.7	9
94	Milk Polar Lipids in a High-Fat Diet Can Prevent Body Weight Gain: Modulated Abundance of Gut Bacteria in Relation with Fecal Loss of Specific Fatty Acids. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1801078	5.9	24
93	The Janus Face of Cereals: Wheat-Derived Prebiotics Counteract the Detrimental Effect of Gluten on Metabolic Homeostasis in Mice Fed a High-Fat/High-Sucrose Diet. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1900632	5.9	10

92	Microbiota and nonalcoholic fatty liver disease: promising prospects for clinical interventions?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2019 , 22, 393-400	3.8	19
91	High-fat diet induces depression-like behaviour in mice associated with changes in microbiome, neuropeptide Y, and brain metabolome. <i>Nutritional Neuroscience</i> , 2019 , 22, 877-893	3.6	77
90	Efficacy of advanced pace-mapping technology for idiopathic premature ventricular complexes ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 51, 271-277	2.4	6
89	Wheat-derived arabinoxylan oligosaccharides with bifidogenic properties abolishes metabolic disorders induced by western diet in mice. <i>Nutrition and Diabetes</i> , 2018 , 8, 15	4.7	22
88	Characterization of fructans and dietary fibre profiles in raw and steamed vegetables. <i>International Journal of Food Sciences and Nutrition</i> , 2018 , 69, 682-689	3.7	21
87	Particle size determines the anti-inflammatory effect of wheat bran in a model of fructose over-consumption: Implication of the gut microbiota. <i>Journal of Functional Foods</i> , 2018 , 41, 155-162	5.1	19
86	Targeting the gut microbiota with inulin-type fructans: preclinical demonstration of a novel approach in the management of endothelial dysfunction. <i>Gut</i> , 2018 , 67, 271-283	19.2	100
85	The gut microbiota metabolite indole alleviates liver inflammation in mice. <i>FASEB Journal</i> , 2018 , 32, fj201800544	19.2	100
84	Inulin Improves Postprandial Hypertriglyceridemia by Modulating Gene Expression in the Small Intestine. <i>Nutrients</i> , 2018 , 10,	6.7	14
83	Towards microbiome-informed dietary recommendations for promoting metabolic and mental health: Opinion papers of the MyNewGut project. <i>Clinical Nutrition</i> , 2018 , 37, 2191-2197	5.9	20
82	Klebsiella oxytoca expands in cancer cachexia and acts as a gut pathobiont contributing to intestinal dysfunction. <i>Scientific Reports</i> , 2018 , 8, 12321	4.9	50
81	Increased gut permeability in cancer cachexia: mechanisms and clinical relevance. <i>Oncotarget</i> , 2018 , 9, 18224-18238	3.3	50
80	The Potential Role of the Dipeptidyl Peptidase-4-Like Activity From the Gut Microbiota on the Host Health. <i>Frontiers in Microbiology</i> , 2018 , 9, 1900	5.7	29
79	Implication of trans-11,trans-13 conjugated linoleic acid in the development of hepatic steatosis. <i>PLoS ONE</i> , 2018 , 13, e0192447	3.7	5
78	The DPP-4 inhibitor vildagliptin impacts the gut microbiota and prevents disruption of intestinal homeostasis induced by a Western diet in mice. <i>Diabetologia</i> , 2018 , 61, 1838-1848	10.3	41
77	Rhubarb extract prevents hepatic inflammation induced by acute alcohol intake, an effect related to the modulation of the gut microbiota. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1500899	5.9	96
76	Ffar2 expression regulates leukaemic cell growth in vivo. <i>British Journal of Cancer</i> , 2017 , 117, 1336-1340	8.7	8
75	Fat binding capacity and modulation of the gut microbiota both determine the effect of wheat bran fractions on adiposity. <i>Scientific Reports</i> , 2017 , 7, 5621	4.9	33

74	A polyphenolic extract from green tea leaves activates fat browning in high-fat-diet-induced obese mice. <i>Journal of Nutritional Biochemistry</i> , 2017 , 49, 15-21	6.3	50
73	Spirulina Protects against Hepatic Inflammation in Aging: An Effect Related to the Modulation of the Gut Microbiota?. <i>Nutrients</i> , 2017 , 9,	6.7	33
72	Microbiome and metabolic disorders related to obesity: Which lessons to learn from experimental models?. <i>Trends in Food Science and Technology</i> , 2016 , 57, 256-264	15.3	19
71	Synbiotic approach restores intestinal homeostasis and prolongs survival in leukaemic mice with cachexia. <i>ISME Journal</i> , 2016 , 10, 1456-70	11.9	100
70	Intestinal Sucrase as a Novel Target Contributing to the Regulation of Glycemia by Prebiotics. <i>PLoS ONE</i> , 2016 , 11, e0160488	3.7	20
69	Nutritional depletion in n-3 PUFA in apoE knock-out mice: A new model of endothelial dysfunction associated with fatty liver disease. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 2198-2207	5.9	3
68	Gut microorganisms as promising targets for the management of type 2 diabetes. <i>Diabetologia</i> , 2015 , 58, 2206-17	10.3	169
67	Ezetimibe and simvastatin modulate gut microbiota and expression of genes related to cholesterol metabolism. <i>Life Sciences</i> , 2015 , 132, 77-84	6.8	32
66	Ability of the gut microbiota to produce PUFA-derived bacterial metabolites: Proof of concept in germ-free versus conventionalized mice. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 1603-13	5.9	41
65	Inulin-type fructans modulate intestinal Bifidobacterium species populations and decrease fecal short-chain fatty acids in obese women. <i>Clinical Nutrition</i> , 2015 , 34, 501-7	5.9	162
64	Lack of anti-inflammatory effect of coenzyme Q10 supplementation in the liver of rodents after lipopolysaccharide challenge. <i>Clinical Nutrition Experimental</i> , 2015 , 1, 10-18	2	2
63	Non Digestible Oligosaccharides Modulate the Gut Microbiota to Control the Development of Leukemia and Associated Cachexia in Mice. <i>PLoS ONE</i> , 2015 , 10, e0131009	3.7	77
62	Gut microbial metabolites of polyunsaturated fatty acids correlate with specific fecal bacteria and serum markers of metabolic syndrome in obese women. <i>Lipids</i> , 2014 , 49, 397-402	1.6	41
61	Positive interaction between prebiotics and thiazolidinedione treatment on adiposity in diet-induced obese mice. <i>Obesity</i> , 2014 , 22, 1653-61	8	8
60	Intestinal permeability, gut-bacterial dysbiosis, and behavioral markers of alcohol-dependence severity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4485-93	11.5	455
59	Modulation of the gut microbiota by nutrients with prebiotic and probiotic properties. <i>Advances in Nutrition</i> , 2014 , 5, 624S-633S	10	68
58	Prebiotics supplementation improves the endothelial dysfunction in n-3 PUFA-depleted ApoE-/- mice. <i>Archives of Public Health</i> , 2014 , 72, O5	2.6	1
57	Gut microbiota controls adipose tissue expansion, gut barrier and glucose metabolism: novel insights into molecular targets and interventions using prebiotics. <i>Beneficial Microbes</i> , 2014 , 5, 3-17	4.9	193

56	Role of the lower and upper intestine in the production and absorption of gut microbiota-derived PUFA metabolites. <i>PLoS ONE</i> , 2014 , 9, e87560	3.7	53
55	Polyphenol-rich extract of pomegranate peel alleviates tissue inflammation and hypercholesterolaemia in high-fat diet-induced obese mice: potential implication of the gut microbiota. <i>British Journal of Nutrition</i> , 2013 , 109, 802-9	3.6	167
54	Prebiotic approach alleviates hepatic steatosis: implication of fatty acid oxidative and cholesterol synthesis pathways. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 347-59	5.9	76
53	Insight into the prebiotic concept: lessons from an exploratory, double blind intervention study with inulin-type fructans in obese women. <i>Gut</i> , 2013 , 62, 1112-21	19.2	517
52	Implication of fermentable carbohydrates targeting the gut microbiota on conjugated linoleic acid production in high-fat-fed mice. <i>British Journal of Nutrition</i> , 2013 , 110, 998-1011	3.6	29
51	Gut microbiota and metabolic disorders: How prebiotic can work?. <i>British Journal of Nutrition</i> , 2013 , 109 Suppl 2, S81-5	3.6	114
50	Curcuma longa extract associated with white pepper lessens high fat diet-induced inflammation in subcutaneous adipose tissue. <i>PLoS ONE</i> , 2013 , 8, e81252	3.7	36
49	Dietary modulation of clostridial cluster XIVa gut bacteria (<i>Roseburia</i> spp.) by chitin-glucan fiber improves host metabolic alterations induced by high-fat diet in mice. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 51-9	6.3	185
48	Gut microbiota-derived propionate reduces cancer cell proliferation in the liver. <i>British Journal of Cancer</i> , 2012 , 107, 1337-44	8.7	181
47	Sirtuin inhibition attenuates the production of inflammatory cytokines in lipopolysaccharide-stimulated macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 420, 857-61	3.4	36
46	Role of intestinal permeability and inflammation in the biological and behavioral control of alcohol-dependent subjects. <i>Brain, Behavior, and Immunity</i> , 2012 , 26, 911-8	16.6	186
45	Implication du microbiote intestinal dans l'obésité et les pathologies associées : quelles perspectives thérapeutiques et nutritionnelles ?. <i>Obesité</i> , 2012 , 7, 234-239	0.1	1
44	The loss of metabolic control on alcohol drinking in heavy drinking alcohol-dependent subjects. <i>PLoS ONE</i> , 2012 , 7, e38682	3.7	52
43	Wheat-derived arabinoxylan oligosaccharides with prebiotic effect increase satietogenic gut peptides and reduce metabolic endotoxemia in diet-induced obese mice. <i>Nutrition and Diabetes</i> , 2012 , 2, e28	4.7	157
42	Restoring specific lactobacilli levels decreases inflammation and muscle atrophy markers in an acute leukemia mouse model. <i>PLoS ONE</i> , 2012 , 7, e37971	3.7	127
41	Targeting gut microbiota in obesity: effects of prebiotics and probiotics. <i>Nature Reviews Endocrinology</i> , 2011 , 7, 639-46	15.2	540
40	Responses of gut microbiota and glucose and lipid metabolism to prebiotics in genetic obese and diet-induced leptin-resistant mice. <i>Diabetes</i> , 2011 , 60, 2775-86	0.9	701
39	Inulin-type fructans with prebiotic properties counteract GPR43 overexpression and PPAR γ -related adipogenesis in the white adipose tissue of high-fat diet-fed mice. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 712-22	6.3	204

38	Modulation of the gut microbiota by nutrients with prebiotic properties: consequences for host health in the context of obesity and metabolic syndrome. <i>Microbial Cell Factories</i> , 2011 , 10 Suppl 1, S10	6.4	142
37	Involvement of gut microbial fermentation in the metabolic alterations occurring in n-3 polyunsaturated fatty acids-depleted mice. <i>Nutrition and Metabolism</i> , 2011 , 8, 44	4.6	15
36	Nicotinamide enhances apoptosis of G(M)-CSF-treated neutrophils and attenuates endotoxin-induced airway inflammation in mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2011 , 300, L354-61	5.8	10
35	Prebiotic effects of wheat arabinoxylan related to the increase in bifidobacteria, Roseburia and Bacteroides/Prevotella in diet-induced obese mice. <i>PLoS ONE</i> , 2011 , 6, e20944	3.7	317
34	Hepatic n-3 polyunsaturated fatty acid depletion promotes steatosis and insulin resistance in mice: genomic analysis of cellular targets. <i>PLoS ONE</i> , 2011 , 6, e23365	3.7	61
33	Changes in intestinal bifidobacteria levels are associated with the inflammatory response in magnesium-deficient mice. <i>Journal of Nutrition</i> , 2010 , 140, 509-14	4.1	62
32	Prebiotic effects: metabolic and health benefits. <i>British Journal of Nutrition</i> , 2010 , 104 Suppl 2, S1-63	3.6	1440
31	Potential interest of gut microbial changes induced by non-digestible carbohydrates of wheat in the management of obesity and related disorders. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010 , 13, 722-8	3.8	49
30	Gut microbiota fermentation of prebiotics increases satietogenic and incretin gut peptide production with consequences for appetite sensation and glucose response after a meal. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1236-43	7	502
29	Changes in gut microbiota control inflammation in obese mice through a mechanism involving GLP-2-driven improvement of gut permeability. <i>Gut</i> , 2009 , 58, 1091-103	19.2	1643
28	Lipid peroxidation is not a prerequisite for the development of obesity and diabetes in high-fat-fed mice. <i>British Journal of Nutrition</i> , 2009 , 102, 462-9	3.6	22
27	Coenzyme Q10 supplementation lowers hepatic oxidative stress and inflammation associated with diet-induced obesity in mice. <i>Biochemical Pharmacology</i> , 2009 , 78, 1391-400	6	117
26	Assessment of liver phagocytic activity using EPR spectrometry and imaging. <i>Magnetic Resonance Imaging</i> , 2009 , 27, 565-9	3.3	6
25	Critical role of Kupffer cells in the management of diet-induced diabetes and obesity. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 385, 351-6	3.4	77
24	Dietary supplementation with chitosan derived from mushrooms changes adipocytokine profile in diet-induced obese mice, a phenomenon linked to its lipid-lowering action. <i>International Immunopharmacology</i> , 2009 , 9, 767-73	5.8	67
23	Physiological effects of dietary fructans extracted from Agave tequilana Gto. and Dasyliirion spp. <i>British Journal of Nutrition</i> , 2008 , 99, 254-61	3.6	108
22	Response to "Comment on: Dietary supplementation with laminarin, a fermentable marine [(1-3) glucan, protects against hepatotoxicity induced by LPS in rat by modulating immune response in the hepatic tissue". <i>International Immunopharmacology</i> , 2008 , 8, 516-517	5.8	2
21	Immunomodulatory properties of two wheat bran fractions - aleurone-enriched and crude fractions - in obese mice fed a high fat diet. <i>International Immunopharmacology</i> , 2008 , 8, 1423-32	5.8	21

20	Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. <i>Diabetes</i> , 2008 , 57, 1470-81	0.9	3072
19	Hepatic steatosis in n-3 fatty acid depleted mice: focus on metabolic alterations related to tissue fatty acid composition. <i>BMC Physiology</i> , 2008 , 8, 21	0	39
18	Selective increases of bifidobacteria in gut microflora improve high-fat-diet-induced diabetes in mice through a mechanism associated with endotoxaemia. <i>Diabetologia</i> , 2007 , 50, 2374-83	10.3	1248
17	Modulation of glucagon-like peptide 1 and energy metabolism by inulin and oligofructose: experimental data. <i>Journal of Nutrition</i> , 2007 , 137, 2547S-2551S	4.1	137
16	Metabolic endotoxemia initiates obesity and insulin resistance. <i>Diabetes</i> , 2007 , 56, 1761-72	0.9	3888
15	Dietary supplementation with laminarin, a fermentable marine beta (1-3) glucan, protects against hepatotoxicity induced by LPS in rat by modulating immune response in the hepatic tissue. <i>International Immunopharmacology</i> , 2007 , 7, 1497-506	5.8	74
14	Effect on components of the intestinal microflora and plasma neuropeptide levels of feeding <i>Lactobacillus delbrueckii</i> , <i>Bifidobacterium lactis</i> , and inulin to adult and elderly rats. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 6533-8	4.8	49
13	Role of apoptotic signaling pathway in metabolic disturbances occurring in liver tissue after cryopreservation: Study on rat precision-cut liver slices. <i>Life Sciences</i> , 2006 , 78, 1570-7	6.8	17
12	Impact of inulin and oligofructose on gastrointestinal peptides. <i>British Journal of Nutrition</i> , 2005 , 93 Suppl 1, S157-61	3.6	216
11	Oligofructose promotes satiety in rats fed a high-fat diet: involvement of glucagon-like Peptide-1. <i>Obesity</i> , 2005 , 13, 1000-7		275
10	Insight into the involvement of Kupffer cell-derived mediators in the hepatoprotective effect of glycine upon inflammation: study on rat precision-cut liver slices. <i>Inflammation Research</i> , 2005 , 54, 106-12	7.2	12
9	Kupffer cell activity is involved in the hepatoprotective effect of dietary oligofructose in rats with endotoxic shock. <i>Journal of Nutrition</i> , 2004 , 134, 1124-9	4.1	21
8	Potential modulation of plasma ghrelin and glucagon-like peptide-1 by anorexigenic cannabinoid compounds, SR141716A (rimonabant) and oleoylethanolamide. <i>British Journal of Nutrition</i> , 2004 , 92, 757-61	3.6	126
7	Precision-cut liver slices in culture as a tool to assess the physiological involvement of Kupffer cells in hepatic metabolism. <i>Comparative Hepatology</i> , 2004 , 3 Suppl 1, S45		12
6	Kupffer cell-derived prostaglandin E2 is involved in regulation of lipid synthesis in rat liver tissue. <i>Cell Biochemistry and Function</i> , 2004 , 22, 327-32	4.2	14
5	Prebiotics: actual and potential effects in inflammatory and malignant colonic diseases. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2003 , 6, 581-6	3.8	22
4	Inhibition of Kupffer cell activity induces hepatic triglyceride synthesis in fasted rats, independent of lipopolysaccharide challenge. <i>Journal of Hepatology</i> , 2002 , 36, 466-73	13.4	21
3	Are Kupffer cells involved in the metabolic adaptation of the liver to dietary carbohydrates given after fasting?. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2000 , 1475, 238-44	4	7

- | | | | |
|---|---|-----|----|
| 2 | Modulation of paracetamol metabolism by Kupffer cells: a study on rat liver slices. <i>Life Sciences</i> , 1999 , 65, 2851-9 | 6.8 | 24 |
| 1 | Prebiotics and Lipid Metabolism183-192 | | 6 |