

# Chun-Li Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/69111130/publications.pdf>

Version: 2024-02-01

57  
papers

727  
citations

567144

15  
h-index

610775

24  
g-index

57  
all docs

57  
docs citations

57  
times ranked

1347  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of major bleeding associated with concomitant use of anticancer drugs and direct oral anticoagulant in patients with cancer and atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2022, 53, 633-645.	1.0	9
2	Major Bleeding Risk in Patients With Non-valvular Atrial Fibrillation Concurrently Taking Direct Oral Anticoagulants and Antidepressants. <i>Frontiers in Aging Neuroscience</i> , 2022, 14, 791285.	1.7	6
3	Oral Anticoagulant Use for Patients with Atrial Fibrillation with Concomitant Anemia and/or Thrombocytopenia. <i>American Journal of Medicine</i> , 2022, 135, e248-e256.	0.6	5
4	Major Bleeding Risk in Atrial Fibrillation Patients Co-Medicated With Non-Vitamin K Oral Anticoagulants and Antipsychotics. <i>Frontiers in Pharmacology</i> , 2022, 13, 819878.	1.6	2
5	Incidence and consequences of resuming oral anticoagulant therapy following hematuria and risks of ischemic stroke and major bleeding in patients with atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, 51, 58-66.	1.0	3
6	Resuscitation outcomes of a wireless ECG telemonitoring system for cardiovascular ward patients experiencing in-hospital cardiac arrest. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 551-558.	0.8	3
7	Incremental prognostic value of global myocardial work over ejection fraction and global longitudinal strain in patients with heart failure and reduced ejection fraction. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 348-356.	0.5	42
8	Hypoglycemia Associated With Drug-Drug Interactions in Patients With Type 2 Diabetes Mellitus Using Dipeptidylpeptidase-4 Inhibitors. <i>Frontiers in Pharmacology</i> , 2021, 12, 570835.	1.6	5
9	Bleeding associated with co-administration of clopidogrel and ACEi in patients undergoing PCI and DAPT. <i>Atherosclerosis</i> , 2021, 324, 76-83.	0.4	1
10	2021 TSOC Expert Consensus on the Clinical Features, Diagnosis, and Clinical Management of Cardiac Manifestations of Fabry Disease. <i>Acta Cardiologica Sinica</i> , 2021, 37, 337-354.	0.1	3
11	Is the Median Hourly Ambulatory Heart Rate Range Helpful in Stratifying Mortality Risk among Newly Diagnosed Atrial Fibrillation Patients?. <i>Journal of Personalized Medicine</i> , 2021, 11, 1202.	1.1	2
12	Safety and Effectiveness of Direct Oral Anticoagulants vs. Warfarin in Patients With Atrial Fibrillation and Endoscopy-Diagnosed Peptic Ulcer. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 774072.	1.1	1
13	Angiotensin Receptor Neprilysin Inhibitor for Patients With Heart Failure and Reduced Ejection Fraction: Real-World Experience From Taiwan. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2020, 25, 152-157.	1.0	19
14	Female sex as a risk factor for ischaemic stroke varies with age in patients with atrial fibrillation. <i>Heart</i> , 2020, 106, 534-540.	1.2	17
15	Response to the "Breaking the rules for studies using real-world observational data: the case of direct-acting anticoagulants and antiepileptic drugs by Dr Brown et al."™. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 157-158.	1.4	0
16	Assessing major bleeding risk in atrial fibrillation patients concurrently taking non-vitamin K antagonist oral anticoagulants and antiepileptic drugs. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 147-154.	1.4	27
17	Novel Oral Anticoagulant versus Warfarin in Cancer Patients with Atrial Fibrillation: An 8-Year Population-Based Cohort Study. <i>Journal of Cancer</i> , 2020, 11, 92-99.	1.2	21
18	Novel oral anticoagulant vs. warfarin in elderly atrial fibrillation patients with normal, mid-range, and reduced left ventricular ejection fraction. <i>ESC Heart Failure</i> , 2020, 7, 2862-2870.	1.4	3

#	ARTICLE	IF	CITATIONS
19	Sacubitril/valsartan vs. angiotensin receptor inhibition in heart failure: a real-world study in Taiwan. <i>ESC Heart Failure</i> , 2020, 7, 3003-3012.	1.4	11
20	High Nighttime Heart Rate is Associated with Increased Risk of All-Cause Mortality in Patients with Heart Failure and Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 289-294.	0.5	5
21	Glycemic status and risks of thromboembolism and major bleeding in patients with atrial fibrillation. <i>Cardiovascular Diabetology</i> , 2020, 19, 30.	2.7	16
22	Sodium glucose cotransporter-2 inhibitor was associated with an improvement in left ventricular systolic function in patients with type 2 diabetes mellitus with impaired left ventricular systolic function. <i>ESC Heart Failure</i> , 2020, 7, 2784-2796.	1.4	6
23	Efficacy and safety of NOAC versus warfarin in AF patients with left atrial enlargement. <i>PLoS ONE</i> , 2020, 15, e0243866.	1.1	3
24	Sport disciplines and cardiac remodeling in elite university athletes competing in 2017 Taipei Summer Universiade. <i>Medicine (United States)</i> , 2020, 99, e23144.	0.4	4
25	Comparisons of Rivaroxaban Following Different Dosage Criteria (ROCKET AF or R-ROCKET AF Trials) in Asian Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2019, 8, e013053.	1.6	19
26	Familial aggregation of myocardial infarction and coaggregation of myocardial infarction and autoimmune disease: a nationwide population-based cross-sectional study in Taiwan. <i>BMJ Open</i> , 2019, 9, e023614.	0.8	4
27	Risk of cardiac arrhythmias in patients with chronic hepatitis B and C infections – A 13-year nationwide population-based study. <i>Journal of Cardiology</i> , 2019, 74, 333-338.	0.8	10
28	Adverse Outcomes Associated with Pre-Existing and New-Onset Atrial Fibrillation in Patients with Acute Coronary Syndrome: A Retrospective Cohort Study. <i>Cardiology and Therapy</i> , 2019, 8, 117-127.	1.1	8
29	Real-world Comparisons of Direct Oral Anticoagulants for Stroke Prevention in Asian Patients with Non-valvular Atrial Fibrillation: a Systematic Review and Meta-analysis. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 701-710.	1.3	24
30	Effectiveness and safety of non-vitamin-K antagonist oral anticoagulants versus warfarin in atrial fibrillation patients with thrombocytopenia. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 47, 512-519.	1.0	28
31	Efficacy and Safety of Apixaban, Dabigatran, Rivaroxaban, and Warfarin in Asians With Nonvalvular Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	113
32	Sutureless aortic bioprosthesis replacement in elderly Asian patients with aortic stenosis: Experience in a single institution. <i>Biomedical Journal</i> , 2018, 41, 265-272.	1.4	4
33	End-stage renal disease patients using angiotensin-converting enzyme inhibitors and angiotensin receptor blockers may reduce the risk of mortality: a Taiwanese Nationwide cohort study. <i>Internal Medicine Journal</i> , 2018, 48, 1123-1132.	0.5	4
34	Application of wireless remote electrocardiogram monitoring device in atrial fibrillation patients undergoing radiofrequency catheter ablation. <i>Journal of Electrocardiology</i> , 2018, 51, 818-823.	0.4	2
35	Ratio of transmitral early filling velocity to early diastolic strain rate predicts outcomes in patients with systolic heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 79-85.	0.5	26
36	Left bundle-branch block contraction patterns identified from radial-strain analysis predicts outcomes following cardiac resynchronization therapy. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 869-877.	0.7	8

#	ARTICLE	IF	CITATIONS
37	Association evidence of CCTTT repeat polymorphism in the iNOS promoter and the risk of atrial fibrillation in Taiwanese. <i>Scientific Reports</i> , 2017, 7, 42388.	1.6	3
38	Recent Advances in Echocardiography. <i>Journal of Medical Ultrasound</i> , 2017, 25, 65-67.	0.2	4
39	Impact of Chronic Kidney Disease on Long-Term Outcome in Coronary Bypass Candidates Treated with Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2017, 47, 50.	0.7	3
40	CHADS-VASc Score: A Simple But Not Appropriate Risk Score for Predicting Mortality Risk in Patients with Heart Failure. <i>Acta Cardiologica Sinica</i> , 2017, 33, 436-438.	0.1	1
41	Long-Term Survival of Patients with Pulmonary Arterial Hypertension at a Single Center in Taiwan. <i>Acta Cardiologica Sinica</i> , 2017, 33, 498-509.	0.1	19
42	Usefulness of Fragmented QRS Complex for Diagnosis and Outcome Prediction in Patients with Coronary Artery Disease. <i>Acta Cardiologica Sinica</i> , 2017, 33, 596-597.	0.1	2
43	MMP9 Rs3918242 Polymorphism Affects Tachycardia-Induced MMP9 Expression in Cultured Atrial-Derived Myocytes but Is Not a Risk Factor for Atrial Fibrillation among the Taiwanese. <i>International Journal of Molecular Sciences</i> , 2016, 17, 521.	1.8	6
44	Modeling the Pulse Signal by Wave-Shape Function and Analyzing by Synchrosqueezing Transform. <i>PLoS ONE</i> , 2016, 11, e0157135.	1.1	16
45	Acute Kidney Injury in Asians With Atrial Fibrillation Treated With Dabigatran or Warfarin. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2272-2283.	1.2	64
46	Combined Global Longitudinal Strain and Intraventricular Mechanical Dyssynchrony Predicts Long-Term Outcome in Patients With Systolic Heart Failure. <i>Circulation Journal</i> , 2016, 80, 177-185.	0.7	13
47	Echocardiography for Evaluation of Oncology Therapy-Related Cardiotoxicity. <i>Acta Cardiologica Sinica</i> , 2016, 32, 560-564.	0.1	6
48	Psychiatric Comorbidity and Psychosocial Factors Matter in Heart Failure. <i>Acta Cardiologica Sinica</i> , 2016, 32, 62-4.	0.1	2
49	Instantaneous Respiratory Estimation from Thoracic Impedance by Empirical Mode Decomposition. <i>Sensors</i> , 2015, 15, 16372-16387.	2.1	35
50	HAS-BLED score predicts risk of in-hospital major bleeding in patients with acute non-ST segment elevation myocardial infarction. <i>Thrombosis Research</i> , 2015, 136, 775-780.	0.8	11
51	C-Reactive Protein Gene Polymorphisms and the Risk of Atrial Fibrillation in a Chinese Population in Taiwan. <i>Acta Cardiologica Sinica</i> , 2013, 29, 208-16.	0.1	5
52	Predicting Trends in Dyspnea and Fatigue in Heart Failure Patients' Outcomes. <i>Acta Cardiologica Sinica</i> , 2013, 29, 488-95.	0.1	4
53	Clinical Assessment and Implication of Left Ventricular Mechanical Dyssynchrony in Patients with Heart Failure. <i>Acta Cardiologica Sinica</i> , 2013, 29, 505-14.	0.1	6
54	Recoordination Rather than Resynchronization Predicts Reverse Remodeling after Cardiac Resynchronization Therapy. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 611-620.	1.2	29

#	ARTICLE	IF	CITATIONS
55	Biplane assessment of left ventricular function during atrial fibrillation at beats with equal subsequent cycles. <i>International Journal of Cardiology</i> , 2006, 113, 54-60.	0.8	11
56	Refinement on Single-beat Determination of Left Ventricular Systolic Function in Patients with Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 913-918.	1.2	13
57	Simultaneous biplane single-beat assessment of left ventricular systolic function in patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 2004, 94, 942-944.	0.7	10