

Koji Nobe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6911852/publications.pdf>

Version: 2024-02-01

46
papers

673
citations

516710

16
h-index

580821

25
g-index

46
all docs

46
docs citations

46
times ranked

568
citing authors

#	ARTICLE	IF	CITATIONS
1	Potent efficacy of <i>Stachybotrys microspora</i> triprenyl phenol-7, a small molecule having anti-inflammatory and antioxidant activities, in a mouse model of acute kidney injury. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2022, 95, 2-O-072.	0.0	0
2	Evaluation of in vitro transdermal permeation, mass spectrometric imaging, and in vivo analgesic effects of pregabalin using a pluronic lecithin organogel formulation in mice. Pharmacology Research and Perspectives, 2022, 10, e00919.	2.4	1
3	Effects of dietary palmitoleic acid on vascular function in aorta of diabetic mice. BMC Endocrine Disorders, 2022, 22, 103.	2.2	2
4	SMTP-44D Exerts Antioxidant and Anti-Inflammatory Effects through Its Soluble Epoxide Hydrolase Inhibitory Action in Immortalized Mouse Schwann Cells upon High Glucose Treatment. International Journal of Molecular Sciences, 2022, 23, 5187.	4.1	4
5	Acetic acid treatment causes renal inflammation and chronic kidney disease in mice. Journal of Pharmacological Sciences, 2021, 146, 160-168.	2.5	2
6	Potent efficacy of <i>Stachybotrys microspora</i> triprenyl phenol-7, a small molecule having anti-inflammatory and antioxidant activities, in a mouse model of acute kidney injury. European Journal of Pharmacology, 2021, 910, 174496.	3.5	8
7	SMTP-44D improves diabetic neuropathy symptoms in mice through its antioxidant and anti-inflammatory activities. Pharmacology Research and Perspectives, 2020, 8, e00648.	2.4	11
8	Effects of fish oil ingestion on haemorheological examinations in the low oxygen training. Journal of Lipid Nutrition, 2020, 29, 127.	0.1	0
9	Chronic Treatment with α -Lipoic Acid Improves Endothelium-Dependent Vasorelaxation of Aortas in High-Fat Diet-Fed Mice. Biological and Pharmaceutical Bulletin, 2019, 42, 1456-1463.	1.4	4
10	Thrombolytic Therapy for Acute Ischemic Stroke: Past and Future. Current Pharmaceutical Design, 2019, 25, 242-250.	1.9	22
11	Evaluation of the effects of a new series of SMTPs in the acetic acid-induced embolic cerebral infarct mouse model. European Journal of Pharmacology, 2018, 818, 221-227.	3.5	17
12	Eicosapentaenoic acid ethyl ester improves endothelial dysfunction in type 2 diabetic mice. Lipids in Health and Disease, 2018, 17, 118.	3.0	7
13	Two Types of Overcontraction Are Involved in Intrarenal Artery Dysfunction in Type II Diabetic Mouse. Journal of Pharmacology and Experimental Therapeutics, 2014, 351, 77-86.	2.5	7
14	Adiponectin Enhances Calcium Dependency of Mouse Bladder Contraction Mediated by Protein Kinase C α Expression. Journal of Pharmacology and Experimental Therapeutics, 2013, 345, 62-68.	2.5	8
15	Two distinct dysfunctions in diabetic mouse mesenteric artery contraction are caused by changes in the Rho α -Rho kinase signaling pathway. European Journal of Pharmacology, 2012, 683, 217-225.	3.5	14
16	Insulin-induced hypertension in streptozotocin-induced diabetic mice involves α 1D α -adrenaline receptor-mediated overcontraction of the aorta and interlobar arteries. FASEB Journal, 2012, 26, 686.10.	0.5	0
17	Neuroprotective mechanisms of SMTP-7 in cerebral infarction model in mice. Naunyn-Schmiedeberg's Archives of Pharmacology, 2011, 384, 103-108.	3.0	27
18	A Novel Embolic Model of Cerebral Infarction and Evaluation of <i>Stachybotrys microspora</i> Triprenyl Phenol-7 (SMTP-7), a Novel Fungal Triprenyl Phenol Metabolite. Journal of Pharmacological Sciences, 2010, 114, 41-49.	2.5	39

#	ARTICLE	IF	CITATIONS
19	A novel finding of a low-molecular-weight compound, SMTP-7, having thrombolytic and anti-inflammatory effects in cerebral infarction of mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010, 382, 245-253.	3.0	43
20	Rho A and the Rho kinase pathway regulate fibroblast contraction: Enhanced contraction in constitutively active Rho A fibroblast cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 399, 292-299.	2.1	4
21	Glucose-Dependent Enhancement of Diabetic Bladder Contraction Is Associated with a Rho Kinase-Regulated Protein Kinase C Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 940-950.	2.5	23
22	Change in Calcium and Contractile Responses of Middle Cerebral Artery from Stroke-prone Spontaneously Hypertensive Rats. <i>FASEB Journal</i> , 2009, 23, 781.14.	0.5	0
23	Alterations of Glucose-Dependent and -Independent Bladder Smooth Muscle Contraction in Spontaneously Hypertensive and Hyperlipidemic Rat. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 324, 631-642.	2.5	16
24	High-Glucose-Altered Endothelial Cell Function Involves Both Disruption of Cell-to-Cell Connection and Enhancement of Force Development. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 318, 530-539.	2.5	16
25	Distinct Agonist Responsibilities of the First and Second Branches of Mouse Mesenteric Artery. <i>Journal of Cardiovascular Pharmacology</i> , 2006, 47, 422-427.	1.9	5
26	Thrombin-Induced Force Development in Vascular Endothelial Cells: Contribution to Alteration of Permeability Mediated by Calcium-Dependent and -Independent Pathways. <i>Journal of Pharmacological Sciences</i> , 2005, 99, 252-263.	2.5	26
27	Glucose-Dependent Enhancement of Spontaneous Phasic Contraction Is Suppressed in Diabetic Mouse Portal Vein: Association with Diacylglycerol-Protein Kinase C Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 1263-1272.	2.5	9
28	A Traditional Herbal Medicine, Rikkunshi-To (TJ-43), Prevents Intracellular Signaling Disorders in Gastric Smooth Muscle of Diabetic Rats. <i>The American Journal of Chinese Medicine</i> , 2004, 32, 245-256.	3.8	4
29	Novel diacylglycerol kinase inhibitor selectively suppressed an U46619-induced enhancement of mouse portal vein contraction under high glucose conditions. <i>British Journal of Pharmacology</i> , 2004, 143, 166-178.	5.4	18
30	Dysfunction of aorta involves different patterns of intracellular signaling pathways in diabetic rats. <i>European Journal of Pharmacology</i> , 2003, 471, 195-204.	3.5	7
31	Enhancement Effect under High-Glucose Conditions on U46619-Induced Spontaneous Phasic Contraction in Mouse Portal Vein. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 304, 1129-1142.	2.5	9
32	High-Glucose Enhances a Thromboxane A ₂ -Induced Aortic Contraction Mediated by an Alteration of Phosphatidylinositol Turnover. <i>Journal of Pharmacological Sciences</i> , 2003, 92, 267-282.	2.5	11
33	Fibroblast fiber contraction: role of C and Rho kinase in activation by thromboxane A ₂ . <i>American Journal of Physiology - Cell Physiology</i> , 2003, 285, C1411-C1419.	4.6	20
34	Rho kinase mediates serum-induced contraction in fibroblast fibers independent of myosin LC20 phosphorylation. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 284, C599-C606.	4.6	47
35	PMCA, SERCA and Na, K ATPase Alpha Isoforms and Ca ²⁺ Homeostasis in Smooth Muscle Evidence from Gene-Altered Mice. <i>Journal of Smooth Muscle Research Japanese Section</i> , 2003, 7, J1-J35.	0.1	0
36	Hyper-reactivity of diacylglycerol kinase is involved in the dysfunction of aortic smooth muscle contractility in streptozotocin-induced diabetic rats. <i>British Journal of Pharmacology</i> , 2002, 136, 441-451.	5.4	18

#	ARTICLE	IF	CITATIONS
37	Effects of Kampo medicine, keishi-ka shakuyaku-to (TJ-60) on alteration of diacylglycerol metabolism in gastrointestinal smooth muscle of diabetic rats. <i>Acta Pharmacologica Sinica</i> , 2002, 23, 1173-80.	6.1	3
38	Phospholamban regulation of bladder contractility: evidence from gene-altered mouse models. <i>Journal of Physiology</i> , 2001, 535, 867-878.	2.9	32
39	Distinct Pathways of Ca ²⁺ Sensitization in Porcine Coronary Artery. <i>Circulation Research</i> , 2001, 88, 1283-1290.	4.5	92
40	Preferential role of intracellular Ca ²⁺ stores in regulation of isometric force in NIH 3T3 fibroblast fibres. <i>Journal of Physiology</i> , 2000, 529, 669-679.	2.9	12
41	Effects of microtubules and microfilaments on [Ca ²⁺] _i and contractility in a reconstituted fibroblast fiber. <i>American Journal of Physiology - Cell Physiology</i> , 2000, 279, C785-C796.	4.6	15
42	Subcellular distribution of protein kinase C isoforms in gastric antrum smooth muscle of STZ-induced diabetic rats. <i>Life Sciences</i> , 1999, 64, 1933-1940.	4.3	12
43	Alternations of Diacylglycerol Kinase in Streptozotocin-Induced Diabetic Rats. <i>Cellular Signalling</i> , 1998, 10, 465-471.	3.6	19
44	Receptor-mediated diacylglycerol kinase translocation dependent on both transient increase in the intracellular calcium concentration and modification by protein kinase C. <i>Biochemical Pharmacology</i> , 1997, 53, 1683-1694.	4.4	10
45	Protein kinase C is involved in translocation of diacylglycerol kinase induced by carbachol in guinea pig taenia coli. <i>Biochemical Pharmacology</i> , 1995, 50, 591-599.	4.4	15
46	Activation of diacylglycerol kinase by carbachol in guinea pig taenia coli. <i>Biochemical Pharmacology</i> , 1994, 48, 2005-2014.	4.4	14