

H Craig Morton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6912630/publications.pdf>

Version: 2024-02-01

31
papers

2,046
citations

393982

19
h-index

476904

29
g-index

31
all docs

31
docs citations

31
times ranked

2448
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of triploid Atlantic cod (<i>Gadus morhua</i> L.) in commercial aquaculture. <i>Aquaculture</i> , 2016, 464, 699-709.	1.7	14
2	The frequency of spontaneous triploidy in farmed Atlantic salmon produced in Norway during the period 2007–2014. <i>BMC Genetics</i> , 2015, 16, 37.	2.7	35
3	Risk assessment of the environmental impact of Norwegian Atlantic salmon farming. <i>ICES Journal of Marine Science</i> , 2015, 72, 997-1021.	1.2	299
4	Low-dose exposure to alkylphenols adversely affects the sexual development of Atlantic cod (<i>Gadus morhua</i>) female cod. <i>Aquatic Toxicology</i> , 2011, 105, 136-150.	1.9	33
5	Development of Atlantic cod (<i>Gadus morhua</i>) exposed to produced water during early life stages: Effects on embryos, larvae, and juvenile fish. <i>Marine Environmental Research</i> , 2010, 70, 383-394.	1.1	62
6	Ontogeny of lymphoid organs and development of IgM-bearing cells in Atlantic halibut (<i>Hippoglossus hippoglossus</i>). <i>Journal of Experimental Biology</i> , 2007, 120, 41-50.	1.8	42
7	Effects of alkylphenols on the reproductive system of Atlantic cod (<i>Gadus morhua</i>). <i>Aquatic Toxicology</i> , 2007, 81, 207-218.	1.9	84
8	Oral and systemic administration of β -glucan protects against lipopolysaccharide-induced shock and organ injury in rats. <i>Clinical and Experimental Immunology</i> , 2007, 148, 168-177.	1.1	78
9	Fc Receptors for IgA. <i>Journal of Immunology</i> , 2007, 178, 90-110.		1
10	Cloning and characterization of equine CD89 and identification of the CD89 gene in chimpanzees and rhesus macaques. <i>Immunology</i> , 2005, 115, 74-84.	2.0	18
11	IgA Fc receptors in cattle and horses. <i>Veterinary Immunology and Immunopathology</i> , 2005, 108, 139-143.	0.5	7
12	Characterization of the Ligand Binding Site of the Bovine IgA Fc Receptor (bFc γ 2R). <i>Journal of Biological Chemistry</i> , 2004, 279, 54018-54022.	1.6	5
13	Cloning and characterization of an immunoglobulin A Fc receptor from cattle. <i>Immunology</i> , 2004, 111, 204-211.	2.0	25
14	Monocyte-like and mature macrophages produce CXCL13 (B cell-attracting chemokine 1) in inflammatory lesions with lymphoid neogenesis. <i>Blood</i> , 2004, 104, 3021-3027.	0.6	219
15	Characteristics of Mucosal B Cells with Emphasis on the Human Secretory Immune System. <i>Journal of Immunology</i> , 2004, 173, 223-246.		0
16	Expression and Modulation of the Human Immunoglobulin A Fc Receptor (CD89) and the Fc γ 3 Chain on Myeloid Cells in Blood and Tissue. <i>Scandinavian Journal of Immunology</i> , 2003, 57, 506-516.	1.3	52
17	Cloning and sequencing of a cDNA encoding the bovine Fc γ 3 chain. <i>Veterinary Immunology and Immunopathology</i> , 2001, 82, 101-106.	0.5	2
18	Identification of Residues within the Extracellular Domain 1 of Bovine Fc γ 2R Essential for Binding Bovine IgG2. <i>Journal of Biological Chemistry</i> , 2001, 276, 47794-47800.	1.6	8

#	ARTICLE	IF	CITATIONS
19	M cell pockets of human Peyer's patches are specialized extensions of germinal centers. <i>European Journal of Immunology</i> , 2001, 31, 107-117.	1.6	60
20	Regulation of switching and production of IgA in human B cells in donors with duplicated $\hat{I}\pm 1$ genes. <i>European Journal of Immunology</i> , 2001, 31, 3622-3630.	1.6	19
21	From B to A the mucosal way. <i>Nature Immunology</i> , 2001, 2, 1093-1094.	7.0	78
22	Activity of Human IgG and IgA Subclasses in Immune Defense Against <i>Neisseria meningitidis</i> Serogroup B. <i>Journal of Immunology</i> , 2001, 166, 6250-6256.	0.4	125
23	Immunoglobulin A cell distribution in the human small intestine: phenotypic and functional characteristics. <i>Immunology</i> , 2000, 101, 354-363.	2.0	67
24	Human Immunoglobulin A Receptor (Fc $\hat{\epsilon}$ RI, CD89) Function in Transgenic Mice Requires Both FcR \hat{I}^3 Chain and CR3 (CD11b/CD18). <i>Blood</i> , 1999, 93, 4387-4394.	0.6	126
25	Immunoglobulin-binding Sites of Human Fc $\hat{I}\pm$ RI (CD89) and Bovine Fc \hat{I}^3 2R Are Located in their Membrane-distal Extracellular Domains. <i>Journal of Experimental Medicine</i> , 1999, 189, 1715-1722.	4.2	62
26	The B-cell system of human mucosae and exocrine glands. <i>Immunological Reviews</i> , 1999, 171, 45-87.	2.8	268
27	Characterization of the human myeloid IgA Fc receptor I (CD89) gene in a cosmid clone. <i>Immunogenetics</i> , 1999, 49, 586-589.	1.2	8
28	Human Immunoglobulin A Receptor (Fc $\hat{\epsilon}$ RI, CD89) Function in Transgenic Mice Requires Both FcR \hat{I}^3 Chain and CR3 (CD11b/CD18). <i>Blood</i> , 1999, 93, 4387-4394.	0.6	14
29	Alternatively spliced forms of the human myeloid Fc $\hat{I}\pm$ receptor (CD89) in neutrophils. <i>Immunogenetics</i> , 1996, 43, 246-247.	1.2	15
30	Alternatively spliced forms of the human myeloid Fc $\hat{I}\pm$ receptor (CD89) in neutrophils. <i>Immunogenetics</i> , 1996, 43, 246-247.	1.2	39
31	Functional Association between the Human Myeloid Immunoglobulin A Fc Receptor (CD89) and FcR \hat{I}^3 Chain. <i>Journal of Biological Chemistry</i> , 1995, 270, 29781-29787.	1.6	181