

Teresa Juárez-Cedillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6913495/publications.pdf>

Version: 2024-02-01

66
papers

1,391
citations

361045

20
h-index

377514

34
g-index

72
all docs

72
docs citations

72
times ranked

2562
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship Between Genetic Variants of ACAT1 and APOE with the Susceptibility to Dementia (SADEM) Tj ETQq1 1.0.784314 rgBT / Overlock	1.9	6
2	Association between ApoE ϵ 4 Carrier Status and Cardiovascular Risk Factors on Mild Cognitive Impairment among Mexican Older Adults. <i>Brain Sciences</i> , 2021, 11, 68.	1.1	2
3	Influence of COMT polymorphism in cognitive performance on dementia in community-dwelling elderly Mexican (SADEM study). <i>Metabolic Brain Disease</i> , 2021, 36, 1223-1229.	1.4	1
4	Reduction of inappropriate prescriptions in older adults through the support of Asynchronous Geriatric Counseling Online (AGALink): Implemented in primary care. <i>PLoS ONE</i> , 2021, 16, e0258414.	1.1	0
5	Randomized Controlled Trial of Multi-Component Cognitive Stimulation Therapy (SADEM) in Community-Dwelling Demented Adults. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 1033-1045.	1.2	10
6	Association of genetic variants of ABCA1 with susceptibility to dementia: (SADEM study). <i>Metabolic Brain Disease</i> , 2020, 35, 915-922.	1.4	9
7	The Ser290Asn and Thr715Pro Polymorphisms of the SELP Gene Are Associated with A Lower Risk of Developing Acute Coronary Syndrome and Low Soluble P-Selectin Levels in A Mexican Population. <i>Biomolecules</i> , 2020, 10, 270.	1.8	4
8	Interleukin 10 gene polymorphisms and frailty syndrome in elderly Mexican people: (Sadem study). <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e918.	0.6	6
9	Molecular Characteristics of Pediatric Ependymomas: A Systematic Review. <i>SN Comprehensive Clinical Medicine</i> , 2019, 1, 861-868.	0.3	0
10	Cerebral Vascular Reactivity in Frail Older Adults with Vascular Cognitive Impairment. <i>Brain Sciences</i> , 2019, 9, 214.	1.1	11
11	Motoric Cognitive Risk Syndrome: Prevalence and Risk of Cognitive Impairment in a Population Studied in the Mexican Health and Aging Study 2012-2015. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 227-231.	1.5	24
12	ACAT1 as a Therapeutic Target and its Genetic Relationship with Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2019, 16, 699-709.	0.7	5
13	Prevalence of thyroid dysfunction and its impact on cognition in older mexican adults: (SADEM) Tj ETQq1 1.0.784314 rgBT / Overlock	1.8	35
14	Relationship of inflammatory profile of elderly patients serum and senescence-associated secretory phenotype with human breast cancer cells proliferation: Role of IL6/IL8 ratio. <i>Cytokine</i> , 2017, 91, 13-29.	1.4	32
15	Intranasal Administration of a Naked Plasmid Reached Brain Cells and Expressed Green Fluorescent Protein, a Candidate for Future Gene Therapy Studies. <i>Archives of Medical Research</i> , 2017, 48, 616-622.	1.5	6
16	Changes in Nutritional Needs With Aging. , 2017, , 17-22.		1
17	Clinical and Demographic Predictors of Conversion to Dementia in Mexican Elderly with Mild Cognitive Impairment. <i>Revista De Investigacion Clinica</i> , 2017, 69, 33-39.	0.2	6
18	Severe potential drug-drug interactions in older adults with dementia and associated factors. <i>Clinics</i> , 2016, 71, 17-21.	0.6	15

#	ARTICLE	IF	CITATIONS
19	Outcomes of elderly patients admitted to an oncological intensive care unit: A retrospective analysis. <i>European Geriatric Medicine</i> , 2016, 7, 386-389.	1.2	1
20	Association of interleukin-10 polymorphisms with risk factors of Alzheimer's disease and other dementias (SADEM study). <i>Immunology Letters</i> , 2016, 177, 47-52.	1.1	17
21	Clinical Weighting of Drug-Drug Interactions in Hospitalized Elderly. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 298-305.	1.2	9
22	Validation of a prognostic score for mortality in elderly patients admitted to Intensive Care Unit. <i>Indian Journal of Critical Care Medicine</i> , 2016, 20, 695-700.	0.3	6
23	Reliability of EQ-5D for use in population with and without dementia (SADEM study). <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 324-325.	1.3	5
24	The interleukin-1 β -511 T>C (rs16944) gene polymorphism is associated with risk of developing silent myocardial ischemia in diabetic patients. <i>Immunology Letters</i> , 2015, 168, 7-12.	1.1	12
25	The variant rs8048002 T>C in intron 3 of the MHC2TA gene is associated with risk of developing acute coronary syndrome. <i>Cytokine</i> , 2015, 71, 268-271.	1.4	4
26	TIMP2 gene polymorphisms are associated with hypertension in patients with myocardial infarction. <i>Journal of Genetics</i> , 2014, 93, 517-522.	0.4	3
27	Prevalence of HMTV in breast carcinomas and unaffected tissue from Mexican women. <i>BMC Cancer</i> , 2014, 14, 942.	1.1	16
28	Social Representation of Dementia and Its Influence on the Search for Early Care by Family Member Caregivers. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2014, 29, 344-353.	0.9	9
29	Prevalence of anemia and its impact on the state of frailty in elderly people living in the community: SADEM study. <i>Annals of Hematology</i> , 2014, 93, 2057-2062.	0.8	56
30	Value of EQ-5D in Mexican city older population with and without dementia (SADEM study). <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 478-488.	1.3	11
31	Frailty among community-dwelling elderly Mexican people: Prevalence and association with sociodemographic characteristics, health state and the use of health services. <i>Geriatrics and Gerontology International</i> , 2014, 14, 395-402.	0.7	94
32	Oral health status in older adults with social security in Mexico City: latent class analysis. <i>Journal of Clinical and Experimental Dentistry</i> , 2014, 6, e29-35.	0.5	9
33	Protective role of DDAH2 (rs805304) gene polymorphism in patients with myocardial infarction. <i>Experimental and Molecular Pathology</i> , 2014, 97, 393-398.	0.9	7
34	The TGF-B1 and IL-10 gene polymorphisms are associated with risk of developing silent myocardial ischemia in the diabetic patients. <i>Immunology Letters</i> , 2013, 156, 18-22.	1.1	19
35	Late-life depressive symptoms: Prediction models of change. <i>Journal of Affective Disorders</i> , 2013, 150, 886-894.	2.0	37
36	Factors associated with help-seeking behaviors in Mexican older individuals with depressive symptoms: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1260-1269.	1.3	9

#	ARTICLE	IF	CITATIONS
37	Nurse home visits with or without alert buttons versus usual care in the frail elderly: a randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2013, 8, 85.	1.3	24
38	Prevalence of Mild Cognitive Impairment and Its Subtypes in the Mexican Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 271-281.	0.7	46
39	Distribution of the IL-1RN, IL-6, IL-10, INF- β , and TNF- α Gene Polymorphisms in the Mexican Population. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 1246-1253.	0.3	21
40	Comparison of a geriatric unit with a general ward in Mexican elders. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e370-e375.	1.4	10
41	Overweight and obesity as markers for the evaluation of disease risk in older adults. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 14-20.	1.5	13
42	Anthropometric Measurements and Nutritional Status in the Healthy Elderly Population. , 2012, , 2709-2730.		1
43	Drug-drug interactions at hospital admission in geriatric patients in a single facility: a retrospective study. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2012, 50, 426-430.	0.3	4
44	A prediction model for root caries in an elderly population. <i>Community Dentistry and Oral Epidemiology</i> , 2011, 39, 44-52.	0.9	25
45	Health care utilization in the elderly Mexican population: Expenditures and determinants. <i>BMC Public Health</i> , 2011, 11, 192.	1.2	44
46	The relationship between potential drug-drug interactions and mortality rate of elderly hospitalized patients. <i>Revista De Investigacion Clinica</i> , 2011, 63, 564-73.	0.2	16
47	Depressive symptoms and APOE polymorphisms in an elderly population-based sample. <i>Psychiatric Genetics</i> , 2010, 20, 215-220.	0.6	6
48	Interleukin 1 receptor antagonist polymorphisms are associated with the risk of developing acute coronary syndrome in Mexicans. <i>Immunology Letters</i> , 2010, 133, 106-111.	1.1	23
49	Psychometric properties of the General Oral Health Assessment Index (GOHAI) and dental status of an elderly Mexican population. <i>Journal of Public Health Dentistry</i> , 2010, 70, 300-307.	0.5	49
50	Cost-effective analysis of genotyping using oral cells in the geriatric population. <i>Genetics and Molecular Research</i> , 2010, 9, 1886-1895.	0.3	6
51	The Interleukin 6 -572 C>G (rs1800796) Polymorphism Is Associated with the Risk of Developing Acute Coronary Syndrome. <i>Genetic Testing and Molecular Biomarkers</i> , 2010, 14, 759-763.	0.3	21
52	The Mini-mental State Examination revisited: ceiling and floor effects after score adjustment for educational level in an aging Mexican population. <i>International Psychogeriatrics</i> , 2010, 22, 72-81.	0.6	113
53	Direct costs associated with the appropriateness of hospital stay in elderly population. <i>BMC Health Services Research</i> , 2009, 9, 151.	0.9	24
54	Human Leukocyte Antigens I and II Haplotypes Associated With Human Papillomavirus 16-Positive Invasive Cervical Cancer in Mexican Women. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 1099-1106.	1.2	16

#	ARTICLE	IF	CITATIONS
55	Depressive Symptoms Among Older Adults in Mexico City. <i>Journal of General Internal Medicine</i> , 2008, 23, 1973-1980.	1.3	60
56	A simplified caries risk test in stimulated saliva from elderly patients. <i>Gerodontology</i> , 2008, 25, 26-33.	0.8	20
57	The hospital appropriateness evaluation protocol in elderly patients: a technique to evaluate admission and hospital stay. <i>Scandinavian Journal of Caring Sciences</i> , 2008, 22, 306-313.	1.0	14
58	Genetic admixture and diversity estimations in the Mexican Mestizo population from Mexico City using 15 STR polymorphic markers. <i>Forensic Science International: Genetics</i> , 2008, 2, e37-e39.	1.6	66
59	Apolipoprotein E polymorphisms in Mexican patients with coronary artery disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 481-5.	1.4	5
60	Usefulness of two instruments in assessing depression among elderly Mexicans in population studies and for primary care. <i>Salud Publica De Mexico</i> , 2008, 50, 447-456.	0.1	17
61	The risk of developing cervical cancer in Mexican women is associated to CYP1A1 MspI polymorphism. <i>European Journal of Cancer</i> , 2007, 43, 1590-1595.	1.3	25
62	Anthropometric measures and nutritional status in a healthy elderly population. <i>BMC Public Health</i> , 2007, 7, 2.	1.2	121
63	Oral health service utilization by elderly beneficiaries of the Mexican Institute of Social Security in MÃ©xico city. <i>BMC Health Services Research</i> , 2007, 7, 211.	0.9	13
64	Cytochrome P4501A1 polymorphisms in the Amerindian and Mestizo populations of Mexico. <i>Cell Biochemistry and Function</i> , 2005, 23, 189-193.	1.4	13
65	Angiotensin-Converting Enzyme Gene (ACE) Insertion/Deletion Polymorphism in Mexican Populations. <i>Human Biology</i> , 2003, 75, 889-896.	0.4	31
66	Diabetes Mellitus and Depression as Risk Factors for Dementia: SADEM Study. , 0, , .		0