
Koji Matsumoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6914479/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|---|--|-----|-----------|
| 1 | Exploratory analysis of predictors of revision surgery for proximal junctional kyphosis or additional postoperative vertebral fracture following adult spinal deformity surgery in elderly patients: a retrospective cohort study. Journal of Orthopaedic Surgery and Research, 2018, 13, 252. | 2.3 | 32 |
| 2 | Spinal Balance/Alignment—Clinical Relevance and Biomechanics. Journal of Biomechanical Engineering, 2019, 141, . | 1.3 | 22 |
| 3 | Clinical Results of Minimally Invasive Spine Stabilization for Spinal Metastases. Orthopedics, 2017, 40, e693-e698. | 1.1 | 11 |
| 4 | Compensatory mechanism of the spine after corrective surgery without lumbar-sacral fixation for traumatic thoracolumbar kyphotic spine deformity. Journal of Orthopaedic Science, 2018, 23, 253-257. | 1.1 | 7 |
| 5 | Clinical Results of Minimally Invasive Spine Stabilization for the Management of Metastatic Spinal Tumors Based on the Epidural Spinal Cord Compression Scale. BioMed Research International, 2018, 2018, 1-9. | 1.9 | 6 |
| 6 | Surgical management of coincidental metastases to upper cervical spine and skull from hepatocellular carcinoma: a case report. Journal of International Medical Research, 2018, 46, 4852-4859. | 1.0 | 3 |
| 7 | Durability and Biological Response of a New Posterior Dynamic Stabilization System Using Polyethylene with Vitamin E. BioMed Research International, 2018, 2018, 1-5. | 1.9 | 1 |
| 8 | Progressive diffuse idiopathic spinal hyperostosis: a case report. Journal of International Medical Research, 2019, 47, 3955-3962. | 1.0 | 1 |
| 9 | Fatigue wear test comparing vitamin-E-blended crosslinked polyethylene and conventional polyethylene in a Posterior Dynamic Stabilization System of the spine in the laboratory. Journal of Orthopaedic Science, 2021, , . | 1.1 | 1 |