

Joe M El-Khoury

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6914727/publications.pdf>

Version: 2024-02-01

42
papers

323
citations

1306789

7
h-index

887659

17
g-index

46
all docs

46
docs citations

46
times ranked

466
citing authors

#	ARTICLE	IF	CITATIONS
1	A Horseback Riding Lesson in Leadership. <i>journal of applied laboratory medicine, The</i> , 2022, 7, 629-631.	0.6	0
2	The ALT upper reference interval debate: Blame it on the alcohol. <i>Clinica Chimica Acta</i> , 2022, 526, 62-65.	0.5	0
3	Resolving Pseudohyponatremia: Validation of Plasma Sodium on Radiometer ABL800 Blood Gas Analyzers for Immediate Reflex Testing. <i>Laboratory Medicine</i> , 2022, , .	0.8	0
4	Association of renalase with clinical outcomes in hospitalized patients with COVID-19. <i>PLoS ONE</i> , 2022, 17, e0264178.	1.1	4
5	Rapid serum clot tubes reduce haemolysis due to pneumatic tube transport. <i>Journal of Clinical Pathology</i> , 2022, 75, 643-645.	1.0	2
6	Unexpectedly low hemoglobin A1c in a patient with chronic lymphocytic leukemia. <i>Clinica Chimica Acta</i> , 2022, 531, 91-93.	0.5	3
7	Nephrocheck®: Checkmate or reality check?. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 3-5.	0.8	4
8	The Dimethylarginines (Asymmetric and Symmetric): A Deadly Combination in Sepsis. <i>journal of applied laboratory medicine, The</i> , 2021, 6, 577-579.	0.6	1
9	AACC Guidance Document on Laboratory Investigation of Acute Kidney Injury. <i>journal of applied laboratory medicine, The</i> , 2021, 6, 1316-1337.	0.6	21
10	Current Utility and Reliability of Biological Variability. <i>Clinical Chemistry</i> , 2021, 67, 1050-1055.	1.5	1
11	Longitudinal Assessment of SARS-CoV-2 Antinucleocapsid and Antispike-1-RBD Antibody Testing Following PCR-Detected SARS-CoV-2 Infection. <i>journal of applied laboratory medicine, The</i> , 2021, 6, 1005-1011.	0.6	6
12	The 2021 PhD Board-Certified Clinical Chemist Compensation Survey. <i>journal of applied laboratory medicine, The</i> , 2021, 6, 1655-1659.	0.6	0
13	CO-Oximetry Interference in a Patient with Dyspnea Refractory to Oxygen Therapy. <i>journal of applied laboratory medicine, The</i> , 2021, 6, 1671-1676.	0.6	1
14	The case of the hyponatremias. <i>Clinica Chimica Acta</i> , 2021, 520, 76-77.	0.5	0
15	Preventing pseudohyponatremia: Intralipid®-based lipemia cutoffs for sodium are inappropriate. <i>Clinica Chimica Acta</i> , 2021, 520, 63-66.	0.5	8
16	Perimenopausal woman with elevated serum hCG and abdominal pain. <i>Clinica Chimica Acta</i> , 2021, 522, 141-143.	0.5	1
17	First- and Second-Trimester Reference Intervals for Thyroid Function Testing in a US Population. <i>American Journal of Clinical Pathology</i> , 2021, 155, 776-780.	0.4	6
18	Evolution of Blood Sample Transportation and Monitoring Technologies. <i>Clinical Chemistry</i> , 2021, 67, 812-819.	1.5	5

#	ARTICLE	IF	CITATIONS
19	Uromodulin to Osteopontin Ratio in Deceased Donor Urine Is Associated With Kidney Graft Outcomes. Transplantation, 2021, 105, 876-885.	0.5	10
20	Determination of 97.5th and 99th percentile upper reference limits for heart-type fatty acid-binding protein (H-FABP) in a US population. Clinica Chimica Acta, 2021, 523, 397-401.	0.5	5
21	Elevated Lipemia Index in Dark-Brown Plasma from a Bronze Baby. Clinical Chemistry, 2021, 67, 447-448.	1.5	0
22	New Sampson Low-Density Lipoprotein Equation: Better Than Friedewald and Martin-Hopkins. Clinical Chemistry, 2020, 66, 1120-1121.	1.5	8
23	Urinary cannabinoid mass spectrometry profiles differentiate dronabinol from cannabis use. Clinica Chimica Acta, 2020, 510, 515-521.	0.5	2
24	Investigating Interference with Lamotrigine Quantification by Liquid Chromatography-Tandem Mass Spectrometry. journal of applied laboratory medicine, The, 2020, 5, 609-611.	0.6	0
25	The 2018 AACC/SYCL PhD Clinical Chemist Compensation Survey. journal of applied laboratory medicine, The, 2020, 5, 377-387.	0.6	1
26	Hyperhomocysteinemia in a Gammopathy Patient: Malnutrition or Interference?. Clinical Chemistry, 2019, 65, 1063-1064.	1.5	1
27	Perspectives on the Changing Landscape of Measuring Cardiovascular Risk Related to LDL. Clinical Chemistry, 2019, 65, 1487-1492.	1.5	3
28	Practical Approach to Eliminate Bilirubin Interference in Icteric Samples for Creatinine Measurement. journal of applied laboratory medicine, The, 2019, 4, 477-479.	0.6	5
29	Unusual Drug Test Results for a Patient on Buprenorphine and Naloxone. Clinical Chemistry, 2019, 65, 1332-1333.	1.5	0
30	Comparison of Urine and Plasma Biomarker Concentrations Measured by Aptamer-Based versus Immunoassay Methods in Cardiac Surgery Patients. journal of applied laboratory medicine, The, 2019, 4, 331-342.	0.6	18
31	Commentary. Clinical Chemistry, 2018, 64, 445-445.	1.5	0
32	Emerging Biomarker of Kidney Disease: suPAR or Subpar?. Clinical Chemistry, 2018, 64, 1545-1547.	1.5	2
33	Erratic Serum Creatinine Concentrations in a Cardiac Patient. Clinical Chemistry, 2018, 64, 1543-1544.	1.5	3
34	Networking and the Career Opportunities It Affords in Clinical Chemistry. journal of applied laboratory medicine, The, 2017, 2, 284-285.	0.6	0
35	Comparison of symmetric dimethylarginine with creatinine, cystatin C and their eGFR equations as markers of kidney function. Clinical Biochemistry, 2016, 49, 1140-1143.	0.8	29
36	High-throughput measurement of 25-hydroxyvitamin D by LC-MS/MS with separation of the C3-epimer interference for pediatric populations. Clinica Chimica Acta, 2016, 454, 102-106.	0.5	17

#	ARTICLE	IF	CITATIONS
37	Recent advances in MS methods for nicotine and metabolite analysis in human matrices: clinical perspectives. <i>Bioanalysis</i> , 2014, 6, 2171-2183.	0.6	4
38	Stability of serum and plasma osmolality in common clinical laboratory storage conditions. <i>Clinical Biochemistry</i> , 2014, 47, 686-687.	0.8	6
39	Do deuterium labeled internal standards correct for matrix effects in LC-MS/MS assays? A case study using plasma free metanephrine and normetanephrine. <i>Clinica Chimica Acta</i> , 2014, 429, 4-5.	0.5	8
40	A simple and fast liquid chromatography-tandem mass spectrometry method for measurement of underivatized l-arginine, symmetric dimethylarginine, and asymmetric dimethylarginine and establishment of the reference ranges. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 771-779.	1.9	39
41	Progress of liquid chromatography-mass spectrometry in measurement of vitamin D metabolites and analogues. <i>Clinical Biochemistry</i> , 2011, 44, 66-76.	0.8	96
42	Public Misinformation and Science Communication in Times of Public Health Crises. <i>Clinical Chemistry</i> , 0, , .	1.5	0