

Kelly A Bowden-Davies

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6916226/publications.pdf>

Version: 2024-02-01

14
papers

371
citations

1162367
8
h-index

1125271
13
g-index

14
all docs

14
docs citations

14
times ranked

711
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced physical activity in young and older adults: metabolic and musculoskeletal implications. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019, 10, 204201881988882.	1.4	132
2	Short-term decreased physical activity with increased sedentary behaviour causes metabolic derangements and altered body composition: effects in individuals with and without a first-degree relative with type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 1282-1294.	2.9	91
3	Physical Activity and Sedentary Time: Association with Metabolic Health and Liver Fat. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1169-1177.	0.2	40
4	The effects of vitamin C and E on exercise-induced physiological adaptations: a systematic review and Meta-analysis of randomized controlled trials. <i>Critical Reviews in Food Science and Nutrition</i> , 2020, 60, 3669-3679.	5.4	26
5	Zinc-alpha2-glycoprotein, dysglycaemia and insulin resistance: a systematic review and meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2020, 21, 569-575.	2.6	16
6	The Clinical Application of Mealtime Whey Protein for the Treatment of Postprandial Hyperglycaemia for People With Type 2 Diabetes: A Long Whey to Go. <i>Frontiers in Nutrition</i> , 2020, 7, 587843.	1.6	12
7	Label-free profiling of white adipose tissue of rats exhibiting high or low levels of intrinsic exercise capacity. <i>Proteomics</i> , 2015, 15, 2342-2349.	1.3	11
8	Metabolic syndrome is associated with reduced flow mediated dilation independent of obesity status. <i>European Journal of Endocrinology</i> , 2020, 183, 211-220.	1.9	10
9	Diurnal Differences in Human Muscle Isometric Force In Vivo Are Associated with Differential Phosphorylation of Sarcomeric M-Band Proteins. <i>Proteomes</i> , 2020, 8, 22.	1.7	9
10	Thrice daily consumption of a novel, premeal shot containing a low dose of whey protein increases time in euglycemia during 7 days of free-living in individuals with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2022, 10, e002820.	1.2	7
11	Short-Term Physical Inactivity Induces Endothelial Dysfunction. <i>Frontiers in Physiology</i> , 2021, 12, 659834.	1.3	6
12	The Postprandial Glycaemic and Hormonal Responses Following the Ingestion of a Novel, Ready-to-Drink Shot Containing a Low Dose of Whey Protein in Centrally Obese and Lean Adult Males: A Randomised Controlled Trial. <i>Frontiers in Endocrinology</i> , 2021, 12, 696977.	1.5	6
13	Higher levels of cardiorespiratory fitness keep liver mitochondria happy!. <i>Journal of Physiology</i> , 2017, 595, 5719-5720.	1.3	5
14	Dysglycaemia and South Asian ethnicity: a proteomic discovery and confirmation analysis highlights differences in ZAG. <i>Journal of Proteins and Proteomics</i> , 2020, 11, 259-268.	1.0	0