## Miguel A Salinero-Fort

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6917376/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Validation of diabetes mellitus and hypertension diagnosis in computerized medical records in primary health care. BMC Medical Research Methodology, 2011, 11, 146.	1.4	73
2	Prevalence of Adherence to Treatment in Homebound Elderly People in Primary Health Care. Drugs and Aging, 2010, 27, 641-651.	1.3	60
3	Prevalence of depression in patients with type 2 diabetes mellitus in Spain (the DIADEMA Study) : results from the MADIABETES cohort. BMJ Open, 2018, 8, e020768.	0.8	58
4	Four-Year Incidence of Diabetic Retinopathy in a Spanish Cohort: The MADIABETES Study. PLoS ONE, 2013, 8, e76417.	1.1	52
5	Effectiveness of PRECEDE model for health education on changes and level of control of HbA1c, blood pressure, lipids, and body mass index in patients with type 2 diabetes mellitus. BMC Public Health, 2011, 11, 267.	1.2	47
6	Influenza vaccination in people with type 2 diabetes, coverage, predictors of uptake, and perceptions. Result of the MADIABETES cohort a 7years follow up study. Vaccine, 2017, 35, 101-108.	1.7	47
7	Carotid atherosclerosis severity in relation to glycemic status: A cross-sectional population study. Atherosclerosis, 2015, 242, 377-382.	0.4	42
8	Performance of the Finnish Diabetes Risk Score and a Simplified Finnish Diabetes Risk Score in a Community-Based, Cross-Sectional Programme for Screening of Undiagnosed Type 2 Diabetes Mellitus and Dysglycaemia in Madrid, Spain: The SPREDIA-2 Study. PLoS ONE, 2016, 11, e0158489.	1.1	38
9	National trends in incidence and outcomes of abdominal aortic aneurysm among elderly type 2 diabetic and non-diabetic patients in Spain (2003–2012). Cardiovascular Diabetology, 2015, 14, 48.	2.7	32
10	Cluster Randomized Trial to Evaluate the Effect of a Multimodal Hand Hygiene Improvement Strategy in Primary Care. Infection Control and Hospital Epidemiology, 2012, 33, 681-688.	1.0	31
11	Relationship of the Adherence to a Mediterranean Diet and Its Main Components with CRP Levels in the Spanish Population. Nutrients, 2018, 10, 379.	1.7	30
12	The relationship between social support and self-reported health status in immigrants: an adjusted analysis in the Madrid Cross Sectional Study. BMC Family Practice, 2011, 12, 46.	2.9	29
13	Effectiveness of Standardized Nursing Care Plans in Health Outcomes in Patients with Type 2 Diabetes Mellitus: A Two-Year Prospective Follow-Up Study. PLoS ONE, 2012, 7, e43870.	1.1	29
14	Prevalence of peripheral artery disease (PAD) and factors associated: An epidemiological analysis from the population-based Screening PRE-diabetes and type 2 DIAbetes (SPREDIA-2) study. PLoS ONE, 2017, 12, e0186220.	1.1	28
15	Trends in Hypertension Prevalence, Awareness, Treatment and Control in an Adult Type 2 Diabetes Spanish Population between 2003 and 2009. PLoS ONE, 2014, 9, e86713.	1.1	27
16	Cardiovascular and all-cause mortality in patients with type 2 diabetes mellitus in the MADIABETES Cohort Study: Association with chronic kidney disease. Journal of Diabetes and Its Complications, 2016, 30, 227-236.	1.2	27
17	Effectiveness of a training programme to improve hand hygiene compliance in primary healthcare. BMC Public Health, 2009, 9, 469.	1.2	24
18	Five-Year Incidence of Chronic Kidney Disease (Stage 3-5) and Associated Risk Factors in a Spanish Cohort: The MADIABETES Study. PLoS ONE, 2015, 10, e0122030.	1.1	24

MIGUEL A SALINERO-FORT

#	Article	IF	CITATIONS
19	Psychometric properties of the eight-item modified Medical Outcomes Study Social Support Survey based on Spanish outpatients. Quality of Life Research, 2014, 23, 2073-2078.	1.5	23
20	Self-Reported Health Status in Primary Health Care: The Influence of Immigration and Other Associated Factors. PLoS ONE, 2012, 7, e38462.	1.1	23
21	Validating prediction scales of type 2 diabetes mellitus in Spain: the SPREDIA-2 population-based prospective cohort study protocol. BMJ Open, 2015, 5, e007195.	0.8	21
22	Health-Related Quality of Life of Latin-American Immigrants and Spanish-Born Attended in Spanish Primary Health Care: Socio-Demographic and Psychosocial Factors. PLoS ONE, 2015, 10, e0122318.	1.1	20
23	Trends in the Prevalence of Depression in Hospitalized Patients with Type 2 Diabetes in Spain: Analysis of Hospital Discharge Data from 2001 to 2011. PLoS ONE, 2015, 10, e0117346.	1.1	20
24	Effectiveness and cost-effectiveness of knowledge transfer and behavior modification interventions in type 2 diabetes mellitus patients—the INDICA study: a cluster randomized controlled trial. Implementation Science, 2015, 10, 47.	2.5	19
25	Predictors of Adherence to Multiple Clinical Preventive Recommendations among Adults with Diabetes in Spain. PLoS ONE, 2015, 10, e0131844.	1.1	17
26	Type 2 Diabetes Mellitus and Thoracic Aortic Aneurysm and Dissection. Medicine (United States), 2016, 95, e3618.	0.4	17
27	Effect of depression on mortality and cardiovascular morbidity in type 2 diabetes mellitus after 3 years follow up. The DIADEMA study protocol. BMC Psychiatry, 2012, 12, 95.	1.1	14
28	Common mental disorders in primary health care: differences between Latin American-born and Spanish-born residents in Madrid, Spain. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 429-443.	1.6	14
29	Incidence, characteristic and outcomes of ventilator-associated pneumonia among type 2 diabetes patients: An observational population-based study in Spain. European Journal of Internal Medicine, 2017, 40, 72-78.	1.0	14
30	Predictors of in-hospital mortality following major lower extremity amputations in type 2 diabetic patients using artificial neural networks. BMC Medical Research Methodology, 2016, 16, 160.	1.4	13
31	Cardiovascular disease in nonagenarians: Prevalence and utilization of preventive therapies. European Journal of Preventive Cardiology, 2019, 26, 356-364.	0.8	13
32	R46L polymorphism in the PCSK9 gene: Relationship to lipid levels, subclinical vascular disease, and erectile dysfunction. Journal of Clinical Lipidology, 2018, 12, 1039-1046.e3.	0.6	12
33	Pre-infection HDL-cholesterol levels and mortality among elderly patients infected with SARS-CoV-2. Atherosclerosis, 2022, 341, 13-19.	0.4	11
34	Metabolic control and chronic complications during a 3-year follow-up period in a cohort of type 2 diabetic patients attended in primary care in the Community of Madrid (Spain). Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2014, 61, 11-17.	0.8	10
35	Peripheral Atherosclerosis in Patients With Erectile Dysfunction: A Population-Based Study. Journal of Sexual Medicine, 2016, 13, 63-69.	0.3	10
36	Factores de riesgo asociados con el grosor Ãntima-media y la presencia de placas en arteria carótida: Estudio ESPREDIA. ClÃnica E Investigación En Arteriosclerosis, 2018, 30, 49-55.	0.4	10

#	Article	IF	CITATIONS
37	Body mass index and all-cause mortality among type 2 diabetes mellitus patients: Findings from the 5-year follow-up of the MADIABETES cohort. European Journal of Internal Medicine, 2017, 43, 46-52.	1.0	9
38	Delayed Diagnosis of Hypertension in Diabetic Patients Monitored in Primary Care. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 700-706.	0.4	7
39	Incidence, surgical procedures, and outcomes of hip fracture among elderly type 2 diabetic and non-diabetic patients in Spain (2004–2013). Osteoporosis International, 2016, 27, 605-616.	1.3	7
40	Association of type 2 diabetes with in-hospital complications among women undergoing breast cancer surgical procedures. A retrospective study using the Spanish National Hospital Discharge Database, 2013–2014. BMJ Open, 2017, 7, e017676.	0.8	7
41	Population-based cross-sectional study of 11 645 Spanish nonagenarians with type 2 diabetes mellitus: cardiovascular profile, cardiovascular preventive therapies, achievement goals and sex differences. BMJ Open, 2019, 9, e030344.	0.8	7
42	Prevalence of atrial fibrillation and associated anticoagulant therapy in the nonagenarian population of the Community of Madrid, Spain. Geriatrics and Gerontology International, 2019, 19, 203-207.	0.7	7
43	Retraso diagnóstico de la hipertensión arterial en pacientes diabéticos atendidos en atención primaria. Revista Espanola De Cardiologia, 2013, 66, 700-706.	0.6	6
44	Effectiveness of standardized nursing care plans to achieve A1C, blood pressure, and LDL-C goals among people with poorly controlled type 2 diabetes mellitus at baseline: four-year follow-up study. BMC Family Practice, 2018, 19, 125.	2.9	6
45	Cardiovascular risk factors associated with acute myocardial infarction and stroke in the MADIABETES cohort. Scientific Reports, 2021, 11, 15245.	1.6	6
46	Effect of depression on mortality in type 2 diabetes mellitus after 8Âyears of follow-up. The DIADEMA study. Diabetes Research and Clinical Practice, 2021, 176, 108863.	1.1	5
47	All-cause mortality and cardiovascular events in a Spanish nonagenarian cohort according to type 2 diabetes mellitus status and established cardiovascular disease. BMC Geriatrics, 2022, 22, 224.	1.1	4
48	Dos años de fibrinolisis extrahospitalaria: experiencia del SUMMA 112 en la Comunidad de Madrid. Revista Espanola De Cardiologia, 2012, 65, 960-961.	0.6	3
49	Fenotipo de la haptoglobina y presencia de enfermedad vascular subclÃnica: estudio poblacional. ClÃnica E InvestigaciA³n En Arteriosclerosis, 2020, 32, 1-7.	0.4	3
50	Standardized nursing care plans in patients with type 2 diabetes mellitus: Are they effective in the long-term?. Atencion Primaria, 2015, 47, 186-189.	0.6	2
51	Renal transplant among type 1 and type 2 diabetes patients in Spain: A population-based study from 2002 to 2013. European Journal of Internal Medicine, 2017, 37, 64-68.	1.0	2
52	Prevalence of common mental disorders in Latin American-born immigrants seen in Primary Health Care: Differences over time. Atencion Primaria, 2014, 46, 269-270.	0.6	1
53	Body mass index and all-cause mortality among type 2 diabetes mellitus patients. European Journal of Internal Medicine, 2018, 47, e28.	1.0	1
54	Phenotype of haptoglobin and presence of subclinical vascular disease: Population study. ClÃnica E Investigación En Arteriosclerosis (English Edition), 2020, 32, 1-7.	0.1	1

#	Article	IF	CITATIONS
55	Use of statins and associated factors in nonagenarians in the Community of Madrid, Spain. Aging Clinical and Experimental Research, 2021, , 1.	1.4	1
56	Concentración de colesterol-HDL y riesgo de infección por SARS-CoV-2 en personas mayores de 75 años: una cohorte con medio millón de participantes de la Comunidad de Madrid. ClÃnica E Investigación En Arteriosclerosis, 2021, , .	0.4	1
57	Response to cardiovascular and all-cause mortality in patients with type 2 diabetes mellitus and chronic kidney disease. Journal of Diabetes and Its Complications, 2017, 31, 647.	1.2	0
58	HDL-cholesterol concentration and risk of SARS-CoV-2 infection in people over 75 years of age: a cohort with half a million participants from the Community of Madrid. ClÃnica E Investigación En Arteriosclerosis (English Edition), 2022, , .	0.1	0