Miguel A Salinero-Fort

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6917376/publications.pdf

Version: 2024-02-01

58 papers

1,108 citations

361045 20 h-index 454577 30 g-index

68 all docs 68 docs citations

68 times ranked 2046 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Pre-infection HDL-cholesterol levels and mortality among elderly patients infected with SARS-CoV-2. Atherosclerosis, 2022, 341, 13-19. | 0.4 | 11 |
| 2 | All-cause mortality and cardiovascular events in a Spanish nonagenarian cohort according to type 2 diabetes mellitus status and established cardiovascular disease. BMC Geriatrics, 2022, 22, 224. | 1.1 | 4 |
| 3 | HDL-cholesterol concentration and risk of SARS-CoV-2 infection in people over 75 years of age: a cohort with half a million participants from the Community of Madrid. ClÃnica E Investigación En Arteriosclerosis (English Edition), 2022, , . | 0.1 | 0 |
| 4 | Effect of depression on mortality in type 2 diabetes mellitus after 8Âyears of follow-up. The DIADEMA study. Diabetes Research and Clinical Practice, 2021, 176, 108863. | 1.1 | 5 |
| 5 | Cardiovascular risk factors associated with acute myocardial infarction and stroke in the MADIABETES cohort. Scientific Reports, 2021, 11, 15245. | 1.6 | 6 |
| 6 | Use of statins and associated factors in nonagenarians in the Community of Madrid, Spain. Aging Clinical and Experimental Research, $2021, 1.$ | 1.4 | 1 |
| 7 | Concentración de colesterol-HDL y riesgo de infección por SARS-CoV-2 en personas mayores de 75 años: una cohorte con medio millón de participantes de la Comunidad de Madrid. ClÃnica E Investigación En Arteriosclerosis, 2021, , . | 0.4 | 1 |
| 8 | Phenotype of haptoglobin and presence of subclinical vascular disease: Population study. ClÃnica E Investigación En Arteriosclerosis (English Edition), 2020, 32, 1-7. | 0.1 | 1 |
| 9 | Fenotipo de la haptoglobina y presencia de enfermedad vascular subclÃnica: estudio poblacional. ClÃnica E InvestigaciA³n En Arteriosclerosis, 2020, 32, 1-7. | 0.4 | 3 |
| 10 | Population-based cross-sectional study of 11 645 Spanish nonagenarians with type 2 diabetes mellitus: cardiovascular profile, cardiovascular preventive therapies, achievement goals and sex differences. BMJ Open, 2019, 9, e030344. | 0.8 | 7 |
| 11 | Prevalence of atrial fibrillation and associated anticoagulant therapy in the nonagenarian population of the Community of Madrid, Spain. Geriatrics and Gerontology International, 2019, 19, 203-207. | 0.7 | 7 |
| 12 | Cardiovascular disease in nonagenarians: Prevalence and utilization of preventive therapies. European Journal of Preventive Cardiology, 2019, 26, 356-364. | 0.8 | 13 |
| 13 | Body mass index and all-cause mortality among type 2 diabetes mellitus patients. European Journal of Internal Medicine, 2018, 47, e28. | 1.0 | 1 |
| 14 | Factores de riesgo asociados con el grosor Ãntima-media y la presencia de placas en arteria carótida: Estudio ESPREDIA. ClÃnica E Investigación En Arteriosclerosis, 2018, 30, 49-55. | 0.4 | 10 |
| 15 | Prevalence of depression in patients with type 2 diabetes mellitus in Spain (the DIADEMA Study): results from the MADIABETES cohort. BMJ Open, 2018, 8, e020768. | 0.8 | 58 |
| 16 | R46L polymorphism in the PCSK9 gene: Relationship to lipid levels, subclinical vascular disease, and erectile dysfunction. Journal of Clinical Lipidology, 2018, 12, 1039-1046.e3. | 0.6 | 12 |
| 17 | Effectiveness of standardized nursing care plans to achieve A1C, blood pressure, and LDL-C goals among people with poorly controlled type 2 diabetes mellitus at baseline: four-year follow-up study. BMC Family Practice, 2018, 19, 125. | 2.9 | 6 |
| 18 | Relationship of the Adherence to a Mediterranean Diet and Its Main Components with CRP Levels in the Spanish Population. Nutrients, 2018, 10, 379. | 1.7 | 30 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Incidence, characteristic and outcomes of ventilator-associated pneumonia among type 2 diabetes patients: An observational population-based study in Spain. European Journal of Internal Medicine, 2017, 40, 72-78. | 1.0 | 14 |
| 20 | Response to cardiovascular and all-cause mortality in patients with type 2 diabetes mellitus and chronic kidney disease. Journal of Diabetes and Its Complications, 2017, 31, 647. | 1.2 | 0 |
| 21 | Influenza vaccination in people with type 2 diabetes, coverage, predictors of uptake, and perceptions. Result of the MADIABETES cohort a 7years follow up study. Vaccine, 2017, 35, 101-108. | 1.7 | 47 |
| 22 | Association of type 2 diabetes with in-hospital complications among women undergoing breast cancer surgical procedures. A retrospective study using the Spanish National Hospital Discharge Database, 2013–2014. BMJ Open, 2017, 7, e017676. | 0.8 | 7 |
| 23 | Body mass index and all-cause mortality among type 2 diabetes mellitus patients: Findings from the 5-year follow-up of the MADIABETES cohort. European Journal of Internal Medicine, 2017, 43, 46-52. | 1.0 | 9 |
| 24 | Renal transplant among type 1 and type 2 diabetes patients in Spain: A population-based study from 2002 to 2013. European Journal of Internal Medicine, 2017, 37, 64-68. | 1.0 | 2 |
| 25 | Prevalence of peripheral artery disease (PAD) and factors associated: An epidemiological analysis from the population-based Screening PRE-diabetes and type 2 DIAbetes (SPREDIA-2) study. PLoS ONE, 2017, 12, e0186220. | 1.1 | 28 |
| 26 | Predictors of in-hospital mortality following major lower extremity amputations in type 2 diabetic patients using artificial neural networks. BMC Medical Research Methodology, 2016, 16, 160. | 1.4 | 13 |
| 27 | Type 2 Diabetes Mellitus and Thoracic Aortic Aneurysm and Dissection. Medicine (United States), 2016, 95, e3618. | 0.4 | 17 |
| 28 | Incidence, surgical procedures, and outcomes of hip fracture among elderly type 2 diabetic and non-diabetic patients in Spain (2004–2013). Osteoporosis International, 2016, 27, 605-616. | 1.3 | 7 |
| 29 | Peripheral Atherosclerosis in Patients With Erectile Dysfunction: A Population-Based Study. Journal of Sexual Medicine, 2016, 13, 63-69. | 0.3 | 10 |
| 30 | Cardiovascular and all-cause mortality in patients with type 2 diabetes mellitus in the MADIABETES Cohort Study: Association with chronic kidney disease. Journal of Diabetes and Its Complications, 2016, 30, 227-236. | 1.2 | 27 |
| 31 | Performance of the Finnish Diabetes Risk Score and a Simplified Finnish Diabetes Risk Score in a Community-Based, Cross-Sectional Programme for Screening of Undiagnosed Type 2 Diabetes Mellitus and Dysglycaemia in Madrid, Spain: The SPREDIA-2 Study. PLoS ONE, 2016, 11, e0158489. | 1.1 | 38 |
| 32 | National trends in incidence and outcomes of abdominal aortic aneurysm among elderly type 2 diabetic and non-diabetic patients in Spain (2003–2012). Cardiovascular Diabetology, 2015, 14, 48. | 2.7 | 32 |
| 33 | Five-Year Incidence of Chronic Kidney Disease (Stage 3-5) and Associated Risk Factors in a Spanish Cohort: The MADIABETES Study. PLoS ONE, 2015, 10, e0122030. | 1.1 | 24 |
| 34 | Health-Related Quality of Life of Latin-American Immigrants and Spanish-Born Attended in Spanish Primary Health Care: Socio-Demographic and Psychosocial Factors. PLoS ONE, 2015, 10, e0122318. | 1.1 | 20 |
| 35 | Predictors of Adherence to Multiple Clinical Preventive Recommendations among Adults with Diabetes in Spain. PLoS ONE, 2015, 10, e0131844. | 1.1 | 17 |
| 36 | Trends in the Prevalence of Depression in Hospitalized Patients with Type 2 Diabetes in Spain: Analysis of Hospital Discharge Data from 2001 to 2011. PLoS ONE, 2015, 10, e0117346. | 1.1 | 20 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Validating prediction scales of type 2 diabetes mellitus in Spain: the SPREDIA-2 population-based prospective cohort study protocol. BMJ Open, 2015, 5, e007195. | 0.8 | 21 |
| 38 | Common mental disorders in primary health care: differences between Latin American-born and Spanish-born residents in Madrid, Spain. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 429-443. | 1.6 | 14 |
| 39 | Effectiveness and cost-effectiveness of knowledge transfer and behavior modification interventions in type 2 diabetes mellitus patients—the INDICA study: a cluster randomized controlled trial. Implementation Science, 2015, 10, 47. | 2.5 | 19 |
| 40 | Standardized nursing care plans in patients with type 2 diabetes mellitus: Are they effective in the long-term?. Atencion Primaria, 2015, 47, 186-189. | 0.6 | 2 |
| 41 | Carotid atherosclerosis severity in relation to glycemic status: A cross-sectional population study. Atherosclerosis, 2015, 242, 377-382. | 0.4 | 42 |
| 42 | Trends in Hypertension Prevalence, Awareness, Treatment and Control in an Adult Type 2 Diabetes Spanish Population between 2003 and 2009. PLoS ONE, 2014, 9, e86713. | 1.1 | 27 |
| 43 | Psychometric properties of the eight-item modified Medical Outcomes Study Social Support Survey based on Spanish outpatients. Quality of Life Research, 2014, 23, 2073-2078. | 1.5 | 23 |
| 44 | Metabolic control and chronic complications during a 3-year follow-up period in a cohort of type 2 diabetic patients attended in primary care in the Community of Madrid (Spain). Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2014, 61, 11-17. | 0.8 | 10 |
| 45 | Prevalence of common mental disorders in Latin American-born immigrants seen in Primary Health Care: Differences over time. Atencion Primaria, 2014, 46, 269-270. | 0.6 | 1 |
| 46 | Delayed Diagnosis of Hypertension in Diabetic Patients Monitored in Primary Care. Revista Espanola De Cardiologia (English Ed), 2013, 66, 700-706. | 0.4 | 7 |
| 47 | Retraso diagnóstico de la hipertensión arterial en pacientes diabéticos atendidos en atención primaria. Revista Espanola De Cardiologia, 2013, 66, 700-706. | 0.6 | 6 |
| 48 | Four-Year Incidence of Diabetic Retinopathy in a Spanish Cohort: The MADIABETES Study. PLoS ONE, 2013, 8, e76417. | 1.1 | 52 |
| 49 | Dos años de fibrinolisis extrahospitalaria: experiencia del SUMMA 112 en la Comunidad de Madrid. Revista Espanola De Cardiologia, 2012, 65, 960-961. | 0.6 | 3 |
| 50 | Cluster Randomized Trial to Evaluate the Effect of a Multimodal Hand Hygiene Improvement Strategy in Primary Care. Infection Control and Hospital Epidemiology, 2012, 33, 681-688. | 1.0 | 31 |
| 51 | Effect of depression on mortality and cardiovascular morbidity in type 2 diabetes mellitus after 3 years follow up. The DIADEMA study protocol. BMC Psychiatry, 2012, 12, 95. | 1.1 | 14 |
| 52 | Self-Reported Health Status in Primary Health Care: The Influence of Immigration and Other Associated Factors. PLoS ONE, 2012, 7, e38462. | 1.1 | 23 |
| 53 | Effectiveness of Standardized Nursing Care Plans in Health Outcomes in Patients with Type 2 Diabetes Mellitus: A Two-Year Prospective Follow-Up Study. PLoS ONE, 2012, 7, e43870. | 1.1 | 29 |
| 54 | Effectiveness of PRECEDE model for health education on changes and level of control of HbA1c, blood pressure, lipids, and body mass index in patients with type 2 diabetes mellitus. BMC Public Health, 2011, 11, 267. | 1.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Validation of diabetes mellitus and hypertension diagnosis in computerized medical records in primary health care. BMC Medical Research Methodology, 2011, 11, 146. | 1.4 | 73 |
| 56 | The relationship between social support and self-reported health status in immigrants: an adjusted analysis in the Madrid Cross Sectional Study. BMC Family Practice, 2011, 12, 46. | 2.9 | 29 |
| 57 | Prevalence of Adherence to Treatment in Homebound Elderly People in Primary Health Care. Drugs and Aging, 2010, 27, 641-651. | 1.3 | 60 |
| 58 | Effectiveness of a training programme to improve hand hygiene compliance in primary healthcare. BMC Public Health, 2009, 9, 469. | 1.2 | 24 |