
Atsushi Yoshiki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6917419/publications.pdf Version: 2024-02-01



Δτεμεμι Υσεμικι

#	Article	IF	CITATIONS
1	MoG+: a database of genomic variations across three mouse subspecies for biomedical research. Mammalian Genome, 2022, 33, 31-43.	1.0	4
2	DAJIN enables multiplex genotyping to simultaneously validate intended and unintended target genome editing outcomes. PLoS Biology, 2022, 20, e3001507.	2.6	9
3	Extensive identification of genes involved in congenital and structural heart disorders and cardiomyopathy. , 2022, 1, 157-173.		22
4	Recent Advances in the Modeling of Alzheimer's Disease. Frontiers in Neuroscience, 2022, 16, 807473.	1.4	55
5	ICLAS LAQ Network for the Promotion of Animal Quality in Research. ILAR Journal, 2022, , .	1.8	0
6	Establishment of mouse line showing inducible priapismâ€ i ike phenotypes. Reproductive Medicine and Biology, 2022, 21, .	1.0	1
7	Genetic quality: a complex issue for experimental study reproducibility. Transgenic Research, 2022, 31, 413-430.	1.3	4
8	Efficient production of large deletion and gene fragment knock-in mice mediated by genome editing with Cas9-mouse Cdt1 in mouse zygotes. Methods, 2021, 191, 23-31.	1.9	23
9	Development of assisted reproductive technologies for Mus spretusâ€. Biology of Reproduction, 2021, 104, 234-243.	1.2	4
10	Dynamic erectile responses of a novel penile organ model utilizing TPEMâ€. Biology of Reproduction, 2021, 104, 875-886.	1.2	5
11	Characterization of a bicistronic knock-in reporter mouse model for investigating the role of CABLES2 <i>in vivo</i> . Experimental Animals, 2021, 70, 22-30.	0.7	2
12	Establishment and application of information resource of mutant mice in RIKEN BioResource Research Center. Laboratory Animal Research, 2021, 37, 6.	1.1	6
13	Quick validation of genetic quality for conditional alleles in mice. Genes To Cells, 2021, 26, 240-245.	0.5	3
14	Response to correspondence on "Reproducibility of CRISPR-Cas9 methods for generation of conditional mouse alleles: a multi-center evaluation― Genome Biology, 2021, 22, 99.	3.8	4
15	A resource of targeted mutant mouse lines for 5,061 genes. Nature Genetics, 2021, 53, 416-419.	9.4	60
16	Asian Mouse Mutagenesis Resource Association (AMMRA): mouse genetics and laboratory animal resources in the Asia Pacific. Mammalian Genome, 2021, , 1.	1.0	1
17	Mouse resources at the RIKEN BioResource Research Center and the National BioResource Project core facility in Japan. Mammalian Genome, 2021, , 1.	1.0	2
18	Substrains matter in phenotyping of C57BL/6 mice. Experimental Animals, 2021, 70, 145-160.	0.7	50

#	Article	IF	CITATIONS
19	Reverse genetics reveals single gene of every candidate on Hybrid sterility, X Chromosome QTL 2 (Hstx2) are dispensable for spermatogenesis. Scientific Reports, 2020, 10, 9060.	1.6	2
20	Diverse dystonin gene mutations cause distinct patterns of <i>Dst</i> isoform deficiency and phenotypic heterogeneity in <i>D ystonia musculorum</i> mice. DMM Disease Models and Mechanisms, 2020, 13, .	1.2	8
21	Pathogenic POGZ mutation causes impaired cortical development and reversible autism-like phenotypes. Nature Communications, 2020, 11, 859.	5.8	59
22	Reproducibility of CRISPR-Cas9 methods for generation of conditional mouse alleles: a multi-center evaluation. Genome Biology, 2019, 20, 171.	3.8	69
23	Off- and on-target effects of genome editing in mouse embryos. Journal of Reproduction and Development, 2019, 65, 1-5.	0.5	24
24	Identification of genetic elements in metabolism by high-throughput mouse phenotyping. Nature Communications, 2018, 9, 288.	5.8	59
25	Macrophage-Associated Gelatinase Degrades Basement Membrane at the Optic Fissure Margins During Normal Ocular Development in Mice. , 2018, 59, 1368.		12
26	Identification of genes required for eye development by high-throughput screening of mouse knockouts. Communications Biology, 2018, 1, 236.	2.0	37
27	A large scale hearing loss screen reveals an extensive unexplored genetic landscape for auditory dysfunction. Nature Communications, 2017, 8, 886.	5.8	116
28	Distinct Neural Circuits for the Formation and Retrieval of Episodic Memories. Cell, 2017, 170, 100-1012.e19.	13.5	221
29	Prevalence of sexual dimorphism in mammalian phenotypic traits. Nature Communications, 2017, 8, 15475.	5.8	200
30	Germline recombination in a novel Cre transgenic line, <i>Prl3b1</i> re mouse. Genesis, 2016, 54, 389-397.	0.8	5
31	Characterization of novel dystonia musculorum mutant mice: Implications for central nervous system abnormality. Neurobiology of Disease, 2016, 96, 271-283.	2.1	16
32	Generation of CRISPR/Cas9-mediated bicistronic knock-in <i>ins1-cre</i> driver mice. Experimental Animals, 2016, 65, 319-327.	0.7	22
33	High-throughput discovery of novel developmental phenotypes. Nature, 2016, 537, 508-514.	13.7	1,001
34	Development of SNP markers for C57BL/6N-derived mouse inbred strains. Experimental Animals, 2015, 64, 91-100.	0.7	29
35	A Simple and Robust Method for Establishing Homogeneous Mouse Epiblast Stem Cell Lines by Wnt Inhibition. Stem Cell Reports, 2015, 4, 744-757.	2.3	65
36	NIG_MoG: a mouse genome navigator for exploring intersubspecific genetic polymorphisms. Mammalian Genome, 2015, 26, 331-337.	1.0	15

#	Article	IF	CITATIONS
37	Devising Assisted Reproductive Technologies for Wild-Derived Strains of Mice: 37 Strains from Five Subspecies of Mus musculus. PLoS ONE, 2014, 9, e114305.	1.1	29
38	Understanding the X chromosome inactivation cycle in mice. Epigenetics, 2014, 9, 204-211.	1.3	27
39	Effects of background mutations and single nucleotide polymorphisms (SNPs) on the Disc1 L100P behavioral phenotype associated with schizophrenia in mice. Behavioral and Brain Functions, 2014, 10, 45.	1.4	13
40	Island Cells Control Temporal Association Memory. Science, 2014, 343, 896-901.	6.0	269
41	Generation and Characterization of Ins1-cre-driver C57BL/6N for Exclusive Pancreatic Beta Cell-specific Cre-loxP Recombination. Experimental Animals, 2014, 63, 183-191.	0.7	24
42	Novel ROSA26 Cre-reporter Knock-in C57BL/6N Mice Exhibiting Green Emission before and Red Emission after Cre-mediated Recombination. Experimental Animals, 2013, 62, 295-304.	0.7	53
43	High Osmolality Vitrification: A New Method for the Simple and Temperature-Permissive Cryopreservation of Mouse Embryos. PLoS ONE, 2013, 8, e49316.	1.1	31
44	Development of Linked Open Data for Bioresources. Lecture Notes in Computer Science, 2013, , 350-355.	1.0	0
45	High Resolution Intravital Imaging of Subcellular Structures of Mouse Abdominal Organs Using a Microstage Device. PLoS ONE, 2012, 7, e33876.	1.1	32
46	Cryopreservation of Mouse Embryos by Ethylene Glycol-Based Vitrification. Journal of Visualized Experiments, 2011, , .	0.2	13
47	Kbus/Idr, a mutant mouse strain with skeletal abnormalities and hypophosphatemia: Identification as an allele of 'Hyp'. Journal of Biomedical Science, 2011, 18, 60.	2.6	6
48	The RIKEN integrated database of mammals. Nucleic Acids Research, 2011, 39, D861-D870.	6.5	23
49	Distribution of the C1473G polymorphism in tryptophan hydroxylase 2 gene in laboratory and wild mice. Genes, Brain and Behavior, 2010, 9, 537-543.	1.1	22
50	Suppression of cell-cycle progression by Jun dimerization protein-2 (JDP2) involves downregulation of cyclin-A2. Oncogene, 2010, 29, 6245-6256.	2.6	46
51	Dissemination of Advanced Mouse Resources and Technologies at RIKEN BioResource Center. Interdisciplinary Bio Central, 2010, 2, 15.1-15.5.	0.1	Ο
52	Genetic variation of melatonin productivity in laboratory mice under domestication. Proceedings of the United States of America, 2010, 107, 6412-6417.	3.3	160
53	NBRP databases: databases of biological resources in Japan. Nucleic Acids Research, 2010, 38, D26-D32.	6.5	44
54	Histological analyses of the role of the Rorb in the mouse retina. Neuroscience Research, 2010, 68, e432.	1.0	0

#	Article	IF	CITATIONS
55	A High-Speed Congenic Strategy Using First-Wave Male Germ Cells. PLoS ONE, 2009, 4, e4943.	1.1	42
56	Suppression of cell cycle progression by Jun dimerization protein (JDP2) involves down-regulation of cyclin A2. Nature Precedings, 2009, , .	0.1	1
57	Efficient production of androgenetic embryos by round spermatid injection. Genesis, 2009, 47, 155-160.	0.8	16
58	Establishment of germline-competent embryonic stem cell lines from the MSM/Ms strain. Mammalian Genome, 2009, 20, 14-20.	1.0	19
59	Phenotypic analysis of Rorb mutant mice. Neuroscience Research, 2009, 65, S71.	1.0	Ο
60	Unique Inbred Strain MSM/Ms Established from the Japanese Wild Mouse. Experimental Animals, 2009, 58, 123-134.	0.7	51
61	Genetic Differences among C57BL/6 Substrains. Experimental Animals, 2009, 58, 141-149.	0.7	296
62	The Mouse Resources at the RIKEN BioResource Center. Experimental Animals, 2009, 58, 85-96.	0.7	42
63	Sex-Reversed Somatic Cell Cloning in the Mouse. Journal of Reproduction and Development, 2009, 55, 566-569.	0.5	19
64	Simultaneous Detection of Multiple Transgenes for Genetically-Modified Mouse Strains. Experimental Animals, 2009, 58, 437-442.	0.7	5
65	Protein phosphatase 4 catalytic subunit regulates Cdk1 activity and microtubule organization via NDEL1 dephosphorylation. Journal of Cell Biology, 2008, 180, 1133-1147.	2.3	69
66	Mutations in the helix termination motif of mouse type I IRS keratin genes impair the assembly of keratin intermediate filament. Genomics, 2007, 90, 703-711.	1.3	27
67	JDP2 suppresses adipocyte differentiation by regulating histone acetylation. Cell Death and Differentiation, 2007, 14, 1398-1405.	5.0	51
68	Lymphocytic choriomeningitis infection undetected by dirty-bedding sentinel monitoring and revealed after embryo transfer of an inbred strain derived from wild mice. Comparative Medicine, 2007, 57, 272-81.	0.4	35
69	Fates of Cdh23/CDH23 with mutations affecting the cytoplasmic region. Human Mutation, 2006, 27, 88-97.	1.1	13
70	Mouse Phenome Research: Implications of Genetic Background. ILAR Journal, 2006, 47, 94-102.	1.8	108
71	Complete Loss of Ndel1 Results in Neuronal Migration Defects and Early Embryonic Lethality. Molecular and Cellular Biology, 2005, 25, 7812-7827.	1.1	149
72	Recruitment of katanin p60 by phosphorylated NDEL1, an LIS1 interacting protein, is essential for mitotic cell division and neuronal migration. Human Molecular Genetics, 2005, 14, 3113-3128.	1.4	91

#	Article	IF	CITATIONS
73	A new role for expressed pseudogenes as ncRNA: regulation of mRNA stability of its homologous coding gene. Journal of Molecular Medicine, 2004, 82, 414-22.	1.7	63
74	Retinoic acid controls blood vessel formation by modulating endothelial and mural cell interaction via suppression of Tie2 signaling in vascular progenitor cells. Blood, 2004, 104, 166-169.	0.6	32
75	Identification of a New Target Molecule for a Cascade Therapy of Polycystic Kidney Human Cell, 2003, 16, 65-72.	1.2	4
76	An expressed pseudogene regulates the messenger-RNA stability of its homologous coding gene. Nature, 2003, 423, 91-96.	13.7	369
77	Targeting a Complex Transcriptome: The Construction of the Mouse Full-Length cDNA Encyclopedia. Genome Research, 2003, 13, 1273-1289.	2.4	154
78	Heat Shock Protein 70 Chaperone Overexpression Ameliorates Phenotypes of the Spinal and Bulbar Muscular Atrophy Transgenic Mouse Model by Reducing Nuclear-Localized Mutant Androgen Receptor Protein. Journal of Neuroscience, 2003, 23, 2203-2211.	1.7	252
79	PDGF Receptor- $\hat{\mathbf{f}}_{\pm}$ Deficiency in Glomerular Mesangial Cells of Tenascin-C Knockout Mice. Biochemical and Biophysical Research Communications, 2002, 290, 1220-1227.	1.0	30
80	Identification of seven loci for static glucokinesis and dynamic glucokinesis in mice. Mammalian Genome, 2002, 13, 293-298.	1.0	8
81	Invasion of Melanoma in Double Knockout Mice Lacking Tenascin-X and Tenascin-C. Japanese Journal of Cancer Research, 2002, 93, 968-975.	1.7	14
82	Tenascin-C Expression and Splice Variant in Habu Snake Venom-Induced Glomerulonephritis. Experimental and Molecular Pathology, 2002, 72, 186-195.	0.9	14
83	Loss of cortical and thalamic neuronal tenascin-C expression in a transgenic mouse expressing exon 1 of the human Huntington disease gene. Journal of Comparative Neurology, 2001, 430, 485-500.	0.9	26
84	Delineating developmental and metabolic pathways in vivo by expression profiling using the RIKEN set of 18,816 full-length enriched mouse cDNA arrays. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 2199-2204.	3.3	197
85	Human Peptidylarginine Deiminase Type III: Molecular Cloning and Nucleotide Sequence of the cDNA, Properties of the Recombinant Enzyme, and Immunohistochemical Localization in Human Skin. Journal of Investigative Dermatology, 2000, 115, 813-823.	0.3	121
86	A hyperthermostable bacterial histone-like protein as an efficient mediator for transfection of eukaryotic cells. Nature Biotechnology, 2000, 18, 1211-1213.	9.4	14
87	Methylation and Downregulated Expression of mac25/Insulin-like Growth Factor Binding Protein-7 Is Associated with Liver Tumorigenesis in SV40T/t Antigen Transgenic Mice, Screened by Restriction Landmark Genomic Scanning for Methylation (RLGS-M). Biochemical and Biophysical Research Communications. 2000. 267. 109-117.	1.0	66
88	Proliferative and functional ability of transplanted murine neonatal hepatocytes in adult livers. Transplantation Proceedings, 2000, 32, 2370-2371.	0.3	5
89	Chromosomal localization of a gene responsible for vestibulocochlear defects of BUS/ldr mice: identification as an allele of waltzer. Hearing Research, 1999, 134, 116-122.	0.9	11
90	Evidence for the presence of hepatic stem cells in the murine fetal liver. Transplantation Proceedings, 1999, 31, 454.	0.3	7

#	Article	IF	CITATIONS
91	Effect of Tenascin-C Deficiency on Chemically Induced Dermatitis in the Mouse. Journal of Investigative Dermatology, 1998, 111, 930-935.	0.3	51
92	Characterization of Gene Expression in Mouse Blastocyst Using Single-Pass Sequencing of 3995 Clones. Genomics, 1998, 49, 167-179.	1.3	47
93	A Methylation Imprint Mark in the Mouse Imprinted GeneGrf1/Cdc25MmLocus Shares a Common Feature with theU2afbp-rsGene: An Association with a Short Tandem Repeat and a Hypermethylated Region. Genomics, 1998, 49, 30-37.	1.3	37
94	Tyrosine Hydroxylase Activity and Its mRNA Level in Dopaminergic Neurons of Tenascin Gene Knockout Mouse. Biochemical and Biophysical Research Communications, 1997, 231, 356-359.	1.0	28
95	An Oocyte-Specific Methylation Imprint Center in the MouseU2afbp-rs/U2af1-rs1Gene Marks the Establishment of Allele-Specific Methylation during Preimplantation Development. Genomics, 1997, 44, 171-178.	1.3	24
96	TSC-36 (Follistatin-Related Polypeptide) Gene Expression in Estrogen Receptor Positive Osteoblastic Cell Line, CDO7F. Calcified Tissue International, 1997, 61, 400-403.	1.5	10
97	Abnormal Behavior and Neurotransmissions of Tenascin Gene Knockout Mouse. Biochemical and Biophysical Research Communications, 1996, 221, 151-156.	1.0	85
98	Dysfunction of the Orleans reeler gene arising from exon skipping due to transposition of a full-length copy of an active L1 sequence into the skipped exon. Human Molecular Genetics, 1996, 5, 989-993.	1.4	91
99	Direct detection and isolation of restriction landmark genomic scanning (RLCS) spot DNA markers tightly linked to a specific trait by using the RLCS spot-bombing method Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 5610-5614.	3.3	33
100	Germ line chimera produced by transfer of cultured chick primordial germ cells Cell Biology International, 1995, 19, 569-576.	1.4	43
101	The reeler gene encodes a protein with an EGF–like motif expressed by pioneer neurons. Nature Genetics, 1995, 10, 77-83.	9.4	333
102	Heat shock-induced reactivation of herpes simplex virus type 1 in latently infected mouse trigeminal ganglion cells in dissociated culture. Archives of Virology, 1994, 135, 419-425.	0.9	30
103	Histological studies on male sterility of hybrids between laboratory and wild mouse strains. (hybrid) Tj ETQq1 1 1993, 35, 271-281.	0.784314 0.6	rgBT /Overlo 17
104	Expression of c-kit, a proto-oncogene of the murine W locus, in cerebella of normal and neurological mutant mice: Immunohistochemical and in situ hybridization analysis. Differentiation, 1992, 51, 121-127.	1.0	18
105	DNA Replication in Uterine Cells of Adult and Prepubertal Mice Under Normal and Hormonally Stimulated Conditions Detected by Bromodeoxyuridine Labeling Method Endocrinologia Japonica, 1990, 37, 183-191.	0.5	3
106	Cryopreservation of Strains and Mutant Genes in Mice. Experimental Animals, 1987, 36, 379-386.	0.7	3