
## Hiroshi Nakagawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6917897/publications.pdf Version: 2024-02-01



| # | Article   | IF  | CITATIONS |
|---|---|-----|-----------|
| 1 | Effect of quercetin on cell protection via erythropoietin and cell injury of HepG2 cells. Archives of<br>Biochemistry and Biophysics, 2017, 636, 11-16.   | 3.0 | 16        |
| 2 | Inhibition of PLD1 activity causes ER stress via regulation of COPII vesicle formation. Biochemical and Biophysical Research Communications, 2017, 490, 895-900.  | 2.1 | 11        |
| 3 | H89 sensitive kinase regulates the translocation of Sar1 onto the ER membrane through phosphorylation of ER-coupled β-tubulin. International Journal of Biochemistry and Cell Biology, 2011, 43, 423-430.   | 2.8 | 6         |
| 4 | Effect of trivalent chromium on erythropoietin production and the prevention of insulin resistance in HepG2 cells. Archives of Biochemistry and Biophysics, 2021, 708, 108960.  | 3.0 | 6         |
| 5 | Sar1 translocation onto the ER-membrane for vesicle budding has different pathways for promotion<br>and suppression of ER-to-Golgi transport mediated through H89-sensitive kinase and ER-resident G<br>protein. Molecular and Cellular Biochemistry, 2012, 366, 175-182. | 3.1 | 4         |
| 6 | Effect of erythropoietin production induced by hypoxia on autophagy in HepG2 cells. Biochemical and<br>Biophysical Research Communications, 2018, 495, 1317-1321.   | 2.1 | 4         |
| 7 | Carbon tetrachloride suppresses ERâ€Golgi transport by inhibiting COPII vesicle formation on the ER<br>membrane in the RLCâ€16 hepatocyte cell line. Cell Biology International, 2021, 45, 633-641.   | 3.0 | 1         |