

# Bruce Stillman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6918764/publications.pdf>

Version: 2024-02-01

111  
papers

23,131  
citations

11235

73  
h-index

28425

109  
g-index

137  
all docs

137  
docs citations

137  
times ranked

15013  
citing authors

#	ARTICLE	IF	CITATIONS
1	The remarkable gymnastics of ORC. <i>ELife</i> , 2022, 11, .	2.8	10
2	The human origin recognition complex is essential for pre-RC assembly, mitosis, and maintenance of nuclear structure. <i>ELife</i> , 2021, 10, .	2.8	14
3	Multiple, short protein binding motifs in ORC1 and CDC6 control the initiation of DNA replication. <i>Molecular Cell</i> , 2021, 81, 1951-1969.e6.	4.5	33
4	The structure of ORCâ€“Cdc6 on an origin DNA reveals the mechanism of ORC activation by the replication initiator Cdc6. <i>Nature Communications</i> , 2021, 12, 3883.	5.8	28
5	Evolution of DNA replication origin specification and gene silencing mechanisms. <i>Nature Communications</i> , 2020, 11, 5175.	5.8	16
6	Structural mechanism of helicase loading onto replication origin DNA by ORC-Cdc6. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17747-17756.	3.3	41
7	The dynamic nature of the human origin recognition complex revealed through five cryoEM structures. <i>ELife</i> , 2020, 9, .	2.8	20
8	Joseph F. Sambrook (1939â€“2019). <i>Nature Structural and Molecular Biology</i> , 2019, 26, 846-847.	3.6	0
9	A structural view of the initiators for chromosome replication. <i>Current Opinion in Structural Biology</i> , 2018, 53, 131-139.	2.6	13
10	Histone Modifications: Insights into Their Influence on Gene Expression. <i>Cell</i> , 2018, 175, 6-9.	13.5	159
11	The dNTP triphosphohydrolase activity of SAMHD1 persists during S-phase when the enzyme is phosphorylated at T592. <i>Cell Cycle</i> , 2018, 17, 1102-1114.	1.3	27
12	Structural basis of Mcm2â€“7 replicative helicase loading by ORCâ€“Cdc6 and Cdt1. <i>Nature Structural and Molecular Biology</i> , 2017, 24, 316-324.	3.6	130
13	Cryo-EM structure of Mcm2-7 double hexamer on DNA suggests a lagging-strand DNA extrusion model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9529-E9538.	3.3	76
14	Structure of the active form of human origin recognition complex and its ATPase motor module. <i>ELife</i> , 2017, 6, .	2.8	44
15	Targeted Doxorubicin Delivery to Brain Tumors via Minicells: Proof of Principle Using Dogs with Spontaneously Occurring Tumors as a Model. <i>PLoS ONE</i> , 2016, 11, e0151832.	1.1	64
16	Structure and Function Studies of Replication Initiation Factors. , 2016, , 427-441.		0
17	Concerted activities of Mcm4, Sld3, and Dbf4 in control of origin activation and DNA replication fork progression. <i>Genome Research</i> , 2016, 26, 315-330.	2.4	29
18	Opposing roles for DNA replication initiator proteins ORC1 and CDC6 in control of Cyclin E gene transcription. <i>ELife</i> , 2016, 5, .	2.8	24

#	ARTICLE	IF	CITATIONS
19	Orc1 Binding to Mitotic Chromosomes Precedes Spatial Patterning during G1 Phase and Assembly of the Origin Recognition Complex in Human Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 12355-12369.	1.6	41
20	Reconsidering DNA Polymerases at the Replication Fork in Eukaryotes. <i>Molecular Cell</i> , 2015, 59, 139-141.	4.5	50
21	Structural and mechanistic insights into Mcm2-7 double-hexamer assembly and function. <i>Genes and Development</i> , 2014, 28, 2291-2303.	2.7	96
22	Domain within the helicase subunit Mcm4 integrates multiple kinase signals to control DNA replication initiation and fork progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E1899-908.	3.3	55
23	Acquired Dependence of Acute Myeloid Leukemia on the DEAD-Box RNA Helicase DDX5. <i>Cell Reports</i> , 2014, 7, 1887-1899.	2.9	31
24	Cryo-EM structure of a helicase loading intermediate containing ORC-Cdc6-Cdt1-MCM2-7 bound to DNA. <i>Nature Structural and Molecular Biology</i> , 2013, 20, 944-951.	3.6	122
25	Immunoblotting Histones from Yeast Whole-Cell Protein Extracts. <i>Cold Spring Harbor Protocols</i> , 2013, 2013, pdb.prot067116.	0.2	8
26	Principles and Concepts of DNA Replication in Bacteria, Archaea, and Eukarya. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013, 5, a010108-a010108.	2.3	262
27	Deoxynucleoside triphosphate (dNTP) synthesis and destruction regulate the replication of both cell and virus genomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 14120-14121.	3.3	29
28	The Origin Recognition Complex: A Biochemical and Structural View. <i>Sub-Cellular Biochemistry</i> , 2012, 62, 37-58.	1.0	42
29	Meier-Gorlin syndrome mutations disrupt an Orc1 CDK inhibitory domain and cause centrosome reduplication. <i>Genes and Development</i> , 2012, 26, 1797-1810.	2.7	61
30	DDX5 Regulates DNA Replication and Is Required for Cell Proliferation in a Subset of Breast Cancer Cells. <i>Cancer Discovery</i> , 2012, 2, 812-825.	7.7	102
31	Cdc6-Induced Conformational Changes in ORC Bound to Origin DNA Revealed by Cryo-Electron Microscopy. <i>Structure</i> , 2012, 20, 534-544.	1.6	60
32	A Common Telomeric Gene Silencing Assay Is Affected by Nucleotide Metabolism. <i>Molecular Cell</i> , 2011, 42, 127-136.	4.5	63
33	An Analysis of CAF-1-interacting Proteins Reveals Dynamic and Direct Interactions with the KU Complex and 14-3-3 Proteins. <i>Journal of Biological Chemistry</i> , 2011, 286, 10876-10887.	1.6	29
34	Reversible suppression of an essential gene in adult mice using transgenic RNA interference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7113-7118.	3.3	49
35	Deciphering Protein Kinase Specificity Through Large-Scale Analysis of Yeast Phosphorylation Site Motifs. <i>Science Signaling</i> , 2010, 3, ra12.	1.6	341
36	The Dbf4-Cdc7 kinase promotes S phase by alleviating an inhibitory activity in Mcm4. <i>Nature</i> , 2010, 463, 113-117.	13.7	288

#	ARTICLE	IF	CITATIONS
37	Human origin recognition complex is essential for HP1 binding to chromatin and heterochromatin organization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15093-15098.	3.3	129
38	Break-induced replication requires all essential DNA replication factors except those specific for pre-RC assembly. <i>Genes and Development</i> , 2010, 24, 1133-1144.	2.7	146
39	A double-hexameric MCM2-7 complex is loaded onto origin DNA during licensing of eukaryotic DNA replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20240-20245.	3.3	465
40	The Elongator Complex Interacts with PCNA and Modulates Transcriptional Silencing and Sensitivity to DNA Damage Agents. <i>PLoS Genetics</i> , 2009, 5, e1000684.	1.5	95
41	Sequential treatment of drug-resistant tumors with targeted minicells containing siRNA or a cytotoxic drug. <i>Nature Biotechnology</i> , 2009, 27, 643-651.	9.4	241
42	Orc1 Controls Centriole and Centrosome Copy Number in Human Cells. <i>Science</i> , 2009, 323, 789-793.	6.0	133
43	DNA Polymerases at the Replication Fork in Eukaryotes. <i>Molecular Cell</i> , 2008, 30, 259-260.	4.5	63
44	The architecture of the DNA replication origin recognition complex in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 10326-10331.	3.3	70
45	Cdc6 ATPase Activity Regulates ORC-Cdc6 Stability and the Selection of Specific DNA Sequences as Origins of DNA Replication. <i>Journal of Biological Chemistry</i> , 2007, 282, 11705-11714.	1.6	84
46	Constitutively high dNTP concentration inhibits cell cycle progression and the DNA damage checkpoint in yeast <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1183-1188.	3.3	118
47	ATP-dependent Assembly of the Human Origin Recognition Complex. <i>Journal of Biological Chemistry</i> , 2007, 282, 32370-32383.	1.6	77
48	Bacterially Derived 400 nm Particles for Encapsulation and Cancer Cell Targeting of Chemotherapeutics. <i>Cancer Cell</i> , 2007, 11, 431-445.	7.7	255
49	Cdc7-Dbf4 Phosphorylates MCM Proteins via a Docking Site-Mediated Mechanism to Promote S Phase Progression. <i>Molecular Cell</i> , 2006, 24, 101-113.	4.5	302
50	ATPase-dependent cooperative binding of ORC and Cdc6 to origin DNA. <i>Nature Structural and Molecular Biology</i> , 2005, 12, 965-971.	3.6	198
51	Structural basis for origin recognition complex 1 protein-silence information regulator 1 protein interaction in epigenetic silencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8519-8524.	3.3	36
52	Origin recognition and the chromosome cycle. <i>FEBS Letters</i> , 2005, 579, 877-884.	1.3	124
53	Dynamics of pre-replication complex proteins during the cell division cycle. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 7-16.	1.8	76
54	Deregulation of cyclin E in human cells interferes with prereplication complex assembly. <i>Journal of Cell Biology</i> , 2004, 165, 789-800.	2.3	270

#	ARTICLE	IF	CITATIONS
55	The Knockout Mouse Project. <i>Nature Genetics</i> , 2004, 36, 921-924.	9.4	556
56	Human Orc2 localizes to centrosomes, centromeres and heterochromatin during chromosome inheritance. <i>EMBO Journal</i> , 2004, 23, 2651-2663.	3.5	235
57	Perpetuating the double helix: molecular machines at eukaryotic DNA replication origins. <i>BioEssays</i> , 2003, 25, 1158-1167.	1.2	179
58	Chromatin assembly factor 1 is essential and couples chromatin assembly to DNA replication in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 12183-12188.	3.3	229
59	Biochemical Characterization of DNA Damage Checkpoint Complexes: Clamp Loader and Clamp Complexes with Specificity for 5' Recced DNA. <i>PLoS Biology</i> , 2003, 1, e33.	2.6	315
60	Orc6 Involved in DNA Replication, Chromosome Segregation, and Cytokinesis. <i>Science</i> , 2002, 297, 1026-1031.	6.0	197
61	Yph1p, an ORC-Interacting Protein. <i>Cell</i> , 2002, 109, 835-848.	13.5	172
62	Human Origin Recognition Complex Large Subunit Is Degraded by Ubiquitin-Mediated Proteolysis after Initiation of DNA Replication. <i>Molecular Cell</i> , 2002, 9, 481-491.	4.5	305
63	FASCIATA Genes for Chromatin Assembly Factor-1 in Arabidopsis Maintain the Cellular Organization of Apical Meristems. <i>Cell</i> , 2001, 104, 131-142.	13.5	446
64	Opening of the Clamp. <i>Cell</i> , 2001, 106, 655-660.	13.5	82
65	Binding of cyclin-dependent kinases to ORC and Cdc6p regulates the chromosome replication cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 11211-11217.	3.3	73
66	PCNA connects DNA replication to epigenetic inheritance in yeast. <i>Nature</i> , 2000, 408, 221-225.	13.7	273
67	Assembly of a Complex Containing Cdc45p, Replication Protein A, and Mcm2p at Replication Origins Controlled by S-Phase Cyclin-Dependent Kinases and Cdc7p-Dbf4p Kinase. <i>Molecular and Cellular Biology</i> , 2000, 20, 3086-3096.	1.1	301
68	A double-hexamer archaeal minichromosome maintenance protein is an ATP-dependent DNA helicase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 1530-1535.	3.3	293
69	The N-terminal domains of histones H3 and H4 are not necessary for chromatin assembly factor-1-mediated nucleosome assembly onto replicated DNA in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 7766-7771.	3.3	73
70	Chromatin Association of Human Origin Recognition Complex, Cdc6, and Minichromosome Maintenance Proteins during the Cell Cycle: Assembly of Prereplication Complexes in Late Mitosis. <i>Molecular and Cellular Biology</i> , 2000, 20, 8602-8612.	1.1	854
71	Cdc6p modulates the structure and DNA binding activity of the origin recognition complex in vitro. <i>Genes and Development</i> , 2000, 14, 1631-41.	2.7	47
72	Cdc6p modulates the structure and DNA binding activity of the origin recognition complex in vitro. <i>Genes and Development</i> , 2000, 14, 1631-1641.	2.7	108

#	ARTICLE	IF	CITATIONS
73	The Cdc6p nucleotide-binding motif is required for loading Mcm proteins onto chromatin. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 441-446.	3.3	175
74	Histone Acetyltransferase HBO1 Interacts with the ORC1 Subunit of the Human Initiator Protein. Journal of Biological Chemistry, 1999, 274, 23027-23034.	1.6	279
75	Heterochromatin Dynamics in Mouse Cells. Molecular Cell, 1999, 4, 529-540.	4.5	280
76	Replication-Dependent Marking of DNA by PCNA Facilitates CAF-1-Coupled Inheritance of Chromatin. Cell, 1999, 96, 575-585.	13.5	610
77	Cdc7p-Dbf4p kinase binds to chromatin during S phase and is regulated by both the APC and the RAD53 checkpoint pathway. EMBO Journal, 1999, 18, 5334-5346.	3.5	238
78	Nucleosomal DNA regulates the core-histone-binding subunit of the human Hat1 acetyltransferase. Current Biology, 1998, 8, 96-108.	1.8	316
79	THE DNA REPLICATION FORK IN EUKARYOTIC CELLS. Annual Review of Biochemistry, 1998, 67, 721-751.	5.0	772
80	Formation of a Preinitiation Complex by S-phase Cyclin CDK-Dependent Loading of Cdc45p onto Chromatin. Science, 1998, 280, 593-596.	6.0	312
81	Reconstitution of Recombinant Human Replication Factor C (RFC) and Identification of an RFC Subcomplex Possessing DNA-dependent ATPase Activity. Journal of Biological Chemistry, 1998, 273, 5979-5987.	1.6	75
82	The Orc4p and Orc5p Subunits of the Xenopus and Human Origin Recognition Complex Are Related to Orc1p and Cdc6p. Journal of Biological Chemistry, 1998, 273, 32421-32429.	1.6	87
83	Cyclin-Dependent Kinase Inhibitor p21 Modulates the DNA Primer-Template Recognition Complex. Molecular and Cellular Biology, 1998, 18, 4177-4187.	1.1	78
84	Cdc6 is regulated by E2F and is essential for DNA replication in mammalian cells. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 3603-3608.	3.3	237
85	Persistent initiation of DNA replication and chromatin-bound MCM proteins during the cell cycle in <i>cdc6</i> mutants. Genes and Development, 1997, 11, 3375-3386.	2.7	340
86	Ultraviolet radiation sensitivity and reduction of telomeric silencing in <i>Saccharomyces cerevisiae</i> cells lacking chromatin assembly factor-I. Genes and Development, 1997, 11, 345-357.	2.7	358
87	<i>CDC45</i> , a Novel Yeast Gene That Functions with the Origin Recognition Complex and Mcm Proteins in Initiation of DNA Replication. Molecular and Cellular Biology, 1997, 17, 553-563.	1.1	157
88	A human protein related to yeast Cdc6p. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 142-147.	3.3	145
89	Nucleosome Assembly by a Complex of CAF-1 and Acetylated Histones H3/H4. Cell, 1996, 87, 95-104.	13.5	575
90	Cell Cycle Control of DNA Replication. Science, 1996, 274, 1659-1663.	6.0	515

#	ARTICLE	IF	CITATIONS
91	The origin recognition complex interacts with a bipartite DNA binding site within yeast replicators.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 2224-2228.	3.3	197
92	Characterization of the Five Replication Factor C Genes of <i>Saccharomyces cerevisiae</i> . Molecular and Cellular Biology, 1995, 15, 4661-4671.	1.1	267
93	The origin recognition complex in silencing, cell cycle progression, and DNA replication.. Molecular Biology of the Cell, 1995, 6, 741-756.	0.9	204
94	The multidomain structure of Orc1 p reveals similarity to regulators of DNA replication and transcriptional silencing. Cell, 1995, 83, 563-568.	13.5	244
95	ORC and Cdc6p interact and determine the frequency of initiation of DNA replication in the genome. Cell, 1995, 81, 667-676.	13.5	355
96	Conserved Initiator Proteins in Eukaryotes. Science, 1995, 270, 1667-1671.	6.0	246
97	The p150 and p60 subunits of chromatin assembly factor I: A molecular link between newly synthesized histories and DNA replication. Cell, 1995, 81, 1105-1114.	13.5	361
98	Anatomy of a DNA replication fork revealed by reconstitution of SV40 DNA replication in vitro. Nature, 1994, 369, 207-212.	13.7	569
99	Yeast origin recognition complex functions in transcription silencing and DNA replication. Science, 1993, 262, 1844-1849.	6.0	431
100	A yeast chromosomal origin of DNA replication defined by multiple functional elements. Science, 1992, 255, 817-823.	6.0	619
101	ATP-dependent recognition of eukaryotic origins of DNA replication by a multiprotein complex. Nature, 1992, 357, 128-134.	13.7	1,228
102	Stepwise assembly of chromatin during DNA replication in vitro.. EMBO Journal, 1991, 10, 971-980.	3.5	268
103	Replication factors required for SV40 DNA replication in vitro. I. DNA structure-specific recognition of a primer-template junction by eukaryotic DNA polymerases and their accessory proteins. Journal of Biological Chemistry, 1991, 266, 1950-1960.	1.6	353
104	Replication factors required for SV40 DNA replication in vitro. I. DNA structure-specific recognition of a primer-template junction by eukaryotic DNA polymerases and their accessory proteins. Journal of Biological Chemistry, 1991, 266, 1950-60.	1.6	315
105	Functions of replication factor C and proliferating-cell nuclear antigen: functional similarity of DNA polymerase accessory proteins from human cells and bacteriophage T4.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 1023-1027.	3.3	263
106	Transcriptional silencing and lamins. Nature, 1989, 342, 24-24.	13.7	65
107	Purification and characterization of CAF-I, a human cell factor required for chromatin assembly during DNA replication in vitro. Cell, 1989, 58, 15-25.	13.5	652
108	Purification of a cellular replication factor, RF-C, that is required for coordinated synthesis of leading and lagging strands during simian virus 40 DNA replication in vitro.. Molecular and Cellular Biology, 1989, 9, 609-619.	1.1	244

#	ARTICLE	IF	CITATIONS
109	Purification of a Cellular Replication Factor, RF-C, That Is Required for Coordinated Synthesis of Leading and Lagging Strands during Simian Virus 40 DNA Replication In Vitro. <i>Molecular and Cellular Biology</i> , 1989, 9, 609-619.	1.1	118
110	Purification of a yeast protein that binds to origins of DNA replication and a transcriptional silencer.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 2120-2124.	3.3	238
111	Chromatin assembly during SV40 DNA replication in vitro. <i>Cell</i> , 1986, 45, 555-565.	13.5	255