Geir Ottersen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6918902/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-term interplay between harvest regimes and biophysical conditions may lead to persistent changes in age at sexual maturity of Northeast Arctic cod (<i>Gadus morhua</i>). Canadian Journal of Fisheries and Aquatic Sciences, 2022, 79, 576-586.	0.7	5
2	Ontogenetic spatial constraints of subâ€arctic marine fish species. Fish and Fisheries, 2022, 23, 342-357.	2.7	14
3	Diets of the Barents Sea cod (<i>Gadus morhua</i>) from the 1930s to 2018. Earth System Science Data, 2021, 13, 1361-1370.	3.7	11
4	Skilful prediction of cod stocks in the North and Barents Sea a decade in advance. Communications Earth & Environment, 2021, 2, .	2.6	14
5	Density―and sizeâ€dependent mortality in fish early life stages. Fish and Fisheries, 2019, 20, 962-976.	2.7	57
6	Contrasting effects of rising temperatures on trophic interactions in marine ecosystems. Scientific Reports, 2019, 9, 15213.	1.6	41
7	Time to look forward to adapt to ocean warming. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 18157-18158.	3.3	1
8	Barents Sea cod (Gadus morhua) diet composition: long-term interannual, seasonal, and ontogenetic patterns. ICES Journal of Marine Science, 2019, 76, 1641-1652.	1.2	44
9	A participatory scenario method to explore the future of marine socialâ€ecological systems. Fish and Fisheries, 2019, 20, 434-451.	2.7	27
10	Multiâ€decadal variations in spawning ground use in Northeast Arctic haddock (<i>Melanogrammus) Tj ETQq0 C</i>	0 rgBT /C	verlock 10 Tf
11	Combined effects of fishing and oil spills on marine fish: Role of stock demographic structure for offspring overlap with oil. Marine Pollution Bulletin, 2018, 129, 336-342.	2.3	5
12	Climate based multi-year predictions of the Barents Sea cod stock. PLoS ONE, 2018, 13, e0206319.	1.1	33
13	Environmental benefits of leaving offshore infrastructure in the ocean. Frontiers in Ecology and the Environment, 2018, 16, 571-578.	1.9	93
14	Effect of a fish stock's demographic structure on offspring survival and sensitivity to climate.		

14	Effect of a fish stock's demographic structure on offspring survival and sensitivity to climate. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 1347-1352.	3.3	32
15	Reproductive strategy of a migratory fish stock: implications of spatial variations in natural mortality. Canadian Journal of Fisheries and Aquatic Sciences, 2016, 73, 1742-1749.	0.7	17
16	Ecosystem processes are rarely included in tactical fisheries management. Fish and Fisheries, 2016, 17, 165-175.	2.7	220
17	Environmental Impacts—Marine Ecosystems. Regional Climate Studies, 2016, , 241-274.	1.2	7
18	Combined statistical and mechanistic modelling suggests food and temperature effects on survival of early life stages of Northeast Arctic cod (Gadus morhua). Progress in Oceanography, 2015, 134, 138-151.	1.5	19

2

GEIR OTTERSEN

#	Article	IF	CITATIONS
19	A review of early life history dynamics of Barents Sea cod (Gadus morhua). ICES Journal of Marine Science, 2014, 71, 2064-2087.	1.2	79
20	Spatiotemporal statistical analyses reveal predator-driven zooplankton fluctuations in the Barents Sea. Progress in Oceanography, 2014, 120, 243-253.	1.5	50
21	Recruitment, distribution boundary and habitat temperature of an arctoâ€boreal gadoid in a climatically changing environment: a case study on Northeast Arctic haddock (<i><scp>M</scp>elanogrammus aeglefinus</i>). Fisheries Oceanography, 2014, 23, 506-520.	0.9	26
22	Spatial variations in mortality in pelagic early life stages of a marine fish (Gadus morhua). Progress in Oceanography, 2014, 127, 96-107.	1.5	21
23	Productivity in the Barents Sea - Response to Recent Climate Variability. PLoS ONE, 2014, 9, e95273.	1.1	123
24	Harvested fish stocks in a changing environment. Marine Ecology - Progress Series, 2013, 480, 199-203.	0.9	2
25	Temporal shifts in recruitment dynamics of North Atlantic fish stocks: effects of spawning stock and temperature. Marine Ecology - Progress Series, 2013, 480, 205-225.	0.9	66
26	Effects of interactions between fish populations on ecosystem dynamics in the Norwegian Sea – results of the INFERNO project. Marine Biology Research, 2012, 8, 415-419.	0.3	59
27	Horizontal distribution and overlap of planktivorous fish stocks in the Norwegian Sea during summers 1995–2006. Marine Biology Research, 2012, 8, 420-441.	0.3	73
28	A combination of hydrodynamical and statistical modelling reveals non-stationary climate effects on fish larvae distributions. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 275-283.	1.2	30
29	Climate effects on Barents Sea ecosystem dynamics. ICES Journal of Marine Science, 2012, 69, 1303-1316.	1.2	136
30	Shifting dynamic forces in fish stock fluctuations triggered by age truncation?. Global Change Biology, 2011, 17, 3046-3057.	4.2	85
31	Environmental toxicology: Population modeling of cod larvae shows high sensitivity to loss of zooplankton prey. Marine Pollution Bulletin, 2011, 62, 395-398.	2.3	12
32	The Norwegian plan for integrated ecosystem-based management of the marine environment in the Norwegian Sea. Marine Policy, 2011, 35, 389-398.	1.5	39
33	Spawning stock and recruitment in North Sea cod shaped by food and climate. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 504-510.	1.2	83
34	Major pathways by which climate may force marine fish populations. Journal of Marine Systems, 2010, 79, 343-360.	0.9	120
35	On the processes linking climate to ecosystem changes. Journal of Marine Systems, 2010, 79, 374-388.	0.9	219
36	Direct and indirect climate forcing in a multi-species marine system. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 3411-3420.	1.2	43

GEIR OTTERSEN

#	Article	IF	CITATIONS
37	A digital temperature atlas for the Norwegian Sea. ICES Journal of Marine Science, 2010, 67, 1525-1537.	1.2	11
38	Trophic interactions affecting a key ecosystem component: a multistage analysis of the recruitment of the Barents Sea capelin (Mallotus villosus). Canadian Journal of Fisheries and Aquatic Sciences, 2010, 67, 1363-1375.	0.7	30
39	Ice-age survival of Atlantic cod: agreement between palaeoecology models and genetics. Proceedings of the Royal Society B: Biological Sciences, 2008, 275, 163-173.	1.2	105
40	Pronounced long-term juvenation in the spawning stock of Arcto-Norwegian cod (Gadus morhua) and possible consequences for recruitment. Canadian Journal of Fisheries and Aquatic Sciences, 2008, 65, 523-534.	0.7	51
41	SPATIAL ANATOMY OF SPECIES SURVIVAL: EFFECTS OF PREDATION AND CLIMATE-DRIVEN ENVIRONMENTAL VARIABILITY. Ecology, 2007, 88, 635-646.	1.5	64
42	Food web dynamics affect Northeast Arctic cod recruitment. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 661-669.	1.2	81
43	Climate and the match or mismatch between predator requirements and resource availability. Climate Research, 2007, 33, 271-283.	0.4	708
44	DENSITY DEPENDENCE AND DENSITY INDEPENDENCE DURING THE EARLY LIFE STAGES OF FOUR MARINE FISH STOCKS. Ecology, 2007, 88, 625-634.	1.5	71
45	Fish and oil in the Lofoten–Barents Sea system: synoptic review of the effect of oil spills on fish populations. Marine Ecology - Progress Series, 2007, 339, 283-299.	0.9	53
46	Climate Variability, Fish, and Fisheries. Journal of Climate, 2006, 19, 5009-5030.	1.2	364
47	Changes in spawning stock structure strengthen the link between climate and recruitment in a heavily fished cod (Gadus morhua) stock. Fisheries Oceanography, 2006, 15, 230-243.	0.9	240
48	Seasonal plankton dynamics along a cross-shelf gradient. Proceedings of the Royal Society B: Biological Sciences, 2006, 273, 2831-2838.	1.2	38
49	Cod and climate: effect of the North Atlantic Oscillation on recruitment in the North Atlantic. Marine Ecology - Progress Series, 2006, 325, 227-241.	0.9	137
50	Population dynamics of cod Gadus morhua in the North Sea region: biological density-dependent and climatic density-independent effects. Marine Ecology - Progress Series, 2005, 302, 219-232.	0.9	11
51	Competition among fishermen and fish causes the collapse of Barents Sea capelin. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 11679-11684.	3.3	82
52	The population dynamics of Northeast Arctic cod (Gadus morhua) through two decades: an analysis based on survey data. Canadian Journal of Fisheries and Aquatic Sciences, 2004, 61, 1747-1755.	0.7	35
53	Indirect climatic forcing of the Barents Sea capelin: a cohort effect. Marine Ecology - Progress Series, 2004, 273, 229-238.	0.9	66
54	Pressure-based measures of the North Atlantic Oscillation (NAO): A comparison and an assessment of changes in the strength of the NAO and in its influence on surface climate parameters. Geophysical Monograph Series, 2003, , 51-62.	0.1	101

GEIR OTTERSEN

#	Article	IF	CITATIONS
55	the response of marine ecosystems to climate variability associated with the North Atlantic Oscillation. Geophysical Monograph Series, 2003, , 211-234.	0.1	132
56	The response of terrestrial ecosystems to climate variability associated with the North Atlantic Oscillation. Geophysical Monograph Series, 2003, , 235-262.	0.1	89
57	The response of freshwater ecosystems to climate variability associated with the North Atlantic Oscillation. Geophysical Monograph Series, 2003, , 263-279.	0.1	102
58	An overview of the North Atlantic Oscillation. Geophysical Monograph Series, 2003, , 1-35.	0.1	963
59	Multi-proxy reconstructions of the North Atlantic Oscillation (NAO) Index: A critical review and a new well-verified winter NAO index reconstruction back to AD 1400. Geophysical Monograph Series, 2003, , 63-79.	0.1	24
60	Review article. Studying climate effects on ecology through the use of climate indices: the North Atlantic Oscillation, El Niño Southern Oscillation and beyond. Proceedings of the Royal Society B: Biological Sciences, 2003, 270, 2087-2096.	1.2	653
61	Forecasting recruitment and stock biomass of Northeast Arctic cod using neural networks. Scientia Marina, 2003, 67, 325-335.	0.3	24
62	Do abiotic mechanisms determine interannual variability in length-at-age of juvenile Arcto-Norwegian cod?. Canadian Journal of Fisheries and Aquatic Sciences, 2002, 59, 57-65.	0.7	39
63	Ecological Effects of Climate Fluctuations. Science, 2002, 297, 1292-1296.	6.0	1,430
64	LENGTH DYNAMICS IN JUVENILE COASTAL SKAGERRAK COD: EFFECTS OF BIOTIC AND ABIOTIC PROCESSES. Ecology, 2002, 83, 1676-1688.	1.5	35
65	Early Environmental Influences on Growth of Arcto-Norwegian Cod, Gadus Morhua, From The O-group To Adults. Environmental Biology of Fishes, 2002, 65, 341-348.	0.4	16
66	Atlantic climate governs oceanographic and ecological variability in the Barents Sea. Limnology and Oceanography, 2001, 46, 1774-1780.	1.6	112
67	Ecological effects of the North Atlantic Oscillation. Oecologia, 2001, 128, 1-14.	0.9	649
68	Cod and climate variability in the Barents Sea. Climate Research, 2001, 17, 73-82.	0.4	44
69	Predicting the temperature of the Barents Sea. Fisheries Oceanography, 2000, 9, 121-135.	0.9	31
70	An evaluation of recruitment indices for Arcto-Norwegian cod (Gadus morhua L.). Fisheries Research, 2000, 48, 55-67.	0.9	35
71	Covariability in early growth and year-class strength of Barents Sea cod, haddock, and herring: the environmental link. ICES Journal of Marine Science, 2000, 57, 339-348.	1.2	177
72	Growth of North-east Arctic cod (Gadus morhuaL.) in relation to ambient temperature. ICES Journal of Marine Science, 1998, 55, 863-877.	1.2	63

#	Article	IF	CITATIONS
73	Ambient temperature and distribution of north-east Arctic cod. ICES Journal of Marine Science, 1998, 55, 67-85.	1.2	109
74	Effects of temperature, wind and spawning stock biomass on recruitment of Arcto-Norwegian cod. Fisheries Oceanography, 1995, 4, 278-292.	0.9	93