
## Daniel Kotz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6919079/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Real-world effectiveness of e-cigarettes when used to aid smoking cessation: a cross-sectional population study. Addiction, 2014, 109, 1531-1540.	3.3	382
2	Explaining the social gradient in smoking cessation: it's not in the trying, but in the succeeding. Tobacco Control, 2009, 18, 43-46.	3.2	315
3	A simple formula for the calculation of sample size in pilot studies. Journal of Clinical Epidemiology, 2015, 68, 1375-1379.	5.0	305
4	Effect of smoke-free legislation on the incidence of sudden circulatory arrest in the Netherlands. Heart, 2012, 98, 995-999.	2.9	271
5	Predictive validity of the Motivation To Stop Scale (MTSS): A single-item measure of motivation to stop smoking. Drug and Alcohol Dependence, 2013, 128, 15-19.	3.2	214
6	â€~Real-world' effectiveness of smoking cessation treatments: a population study. Addiction, 2014, 109, 491-499.	3.3	143
7	A Mobile App to Aid Smoking Cessation: Preliminary Evaluation of SmokeFree28. Journal of Medical Internet Research, 2015, 17, e17.	4.3	142
8	Healthcare financing systems for increasing the use of tobacco dependence treatment. The Cochrane Library, 2017, 2017, CD004305.	2.8	94
9	External validation of a COPD diagnostic questionnaire. European Respiratory Journal, 2008, 31, 298-303.	6.7	89
10	How effective and cost-effective was the national mass media smoking cessation campaign â€~Stoptober'?. Drug and Alcohol Dependence, 2014, 135, 52-58.	3.2	87
11	Differential attrition in health behaviour change trials: A systematic review and meta-analysis. Psychology and Health, 2015, 30, 122-134.	2.2	87
12	Cardiovascular and neuropsychiatric risks of varenicline: a retrospective cohort study. Lancet Respiratory Medicine,the, 2015, 3, 761-768.	10.7	83
13	Efficacy of confronting smokers with airflow limitation for smoking cessation. European Respiratory Journal, 2009, 33, 754-762.	6.7	82
14	Incidence, prevalence, and trends of general practitioner–recorded diagnosis of peanut allergy in England, 2001 to 2005. Journal of Allergy and Clinical Immunology, 2011, 127, 623-630.e1.	2.9	81
15	Smoking cessation for people with chronic obstructive pulmonary disease. The Cochrane Library, 2016, , CD010744.	2.8	79
16	Factors associated with the use of aids to cessation in English smokers. Addiction, 2009, 104, 1403-1410.	3.3	75
17	Use of the stepped wedge design cannot be recommended: A critical appraisal and comparison with the classic cluster randomized controlled trial design. Journal of Clinical Epidemiology, 2012, 65, 1249-1252.	5.0	75
18	Moderators of realâ€world effectiveness of smoking cessation aids: a population study. Addiction, 2019, 114, 1627-1638.	3.3	74

#	Article	IF	CITATIONS
19	Reliability and validity of the clinical COPD questionniare and chronic respiratory questionnaire. Respiratory Medicine, 2010, 104, 1675-1682.	2.9	71
20	Predictors of 1-Year Mortality at Hospital Admission for Acute Exacerbations of Chronic Obstructive Pulmonary Disease. Respiration, 2013, 85, 15-26.	2.6	70
21	Prospective Cohort Study of the Effectiveness of Smoking Cessation Treatments Used in the "Real World― Mayo Clinic Proceedings, 2014, 89, 1360-1367.	3.0	70
22	IL6 and CRPhaplotypes are associated with COPD risk and systemic inflammation: a case-control study. BMC Medical Genetics, 2009, 10, 23.	2.1	67
23	The Use of Tobacco, E-Cigarettes, and Methods to Quit Smoking in Germany. Deutsches Ärzteblatt International, 2018, 115, 235-242.	0.9	66
24	Efficacy of the nicotine vaccine 3′â€ <scp>AmNicâ€rEPA</scp> ( <scp>NicVAX</scp> ) coâ€administered with varenicline and counselling for smoking cessation: a randomized placeboâ€controlled trial. Addiction, 2014, 109, 1252-1259.	3.3	64
25	Characterising smoking cessation smartphone applications in terms of behaviour change techniques, engagement and ease-of-use features. Translational Behavioral Medicine, 2016, 6, 410-417.	2.4	64
26	Comparative analysis of smoking cessation smartphone applications available in 2012 versus 2014. Addictive Behaviors, 2016, 58, 175-181.	3.0	62
27	Why do physicians lack engagement with smoking cessation treatment in their COPD patients? A multinational qualitative study. Npj Primary Care Respiratory Medicine, 2017, 27, 41.	2.6	51
28	Very low rate and light smokers: smoking patterns and cessationâ€related behaviour in England, 2006–11. Addiction, 2012, 107, 995-1002.	3.3	50
29	Smoking cessation in primary care: Exploration of barriers and solutions in current daily practice from the perspective of smokers and healthcare professionals. European Journal of General Practice, 2015, 21, 1-7.	2.0	46
30	Smoking Cessation Attempts and Common Strategies Employed. Deutsches Ärzteblatt International, 2020, 117, 7-13.	0.9	41
31	Smoking cessation practices of Dutch general practitioners, cardiologists, and lung physicians. Respiratory Medicine, 2007, 101, 568-573.	2.9	38
32	Study protocol of the German Study on Tobacco Use (DEBRA): a national household survey of smoking behaviour and cessation. BMC Public Health, 2017, 17, 378.	2.9	37
33	A comparison of the characteristics of iOS and Android users of a smoking cessation app. Translational Behavioral Medicine, 2017, 7, 166-171.	2.4	36
34	Effective writing and publishing scientific papers, part II: title and abstract. Journal of Clinical Epidemiology, 2013, 66, 585.	5.0	35
35	Effectiveness of the Assessment of Burden of COPD (ABC) tool on health-related quality of life in patients with COPD: a cluster randomised controlled trial in primary and hospital care. BMJ Open, 2016, 6, e011519.	1.9	35
36	Efficacy of confrontational counselling for smoking cessation in smokers with previously undiagnosed mild to moderate airflow limitation: study protocol of a randomized controlled trial. BMC Public Health, 2007, 7, 332.	2.9	33

#	Article	IF	CITATIONS
37	What mediates the effect of confrontational counselling on smoking cessation in smokers with COPD?. Patient Education and Counseling, 2009, 76, 16-24.	2.2	33
38	Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. Nicotine and Tobacco Research, 2018, 20, 1101-1108.	2.6	32
39	Do We Need Tailored Smoking Cessation Interventions for Smokers with COPD? A Comparative Study of Smokers with and without COPD Regarding Factors Associated with Tobacco Smoking. Respiration, 2015, 90, 211-219.	2.6	31
40	Healthcare financing systems for increasing the use of tobacco dependence treatment. , 2012, , CD004305.		30
41	Light smokers are less likely to receive advice to quit from their GP than moderate-to-heavy smokers: A comparison of national survey data from the Netherlands and England. European Journal of General Practice, 2013, 19, 99-105.	2.0	28
42	Heritability of Lung Function: A Twin Study Among Never-Smoking Elderly Women. Twin Research and Human Genetics, 2011, 14, 401-407.	0.6	27
43	The efficacy and safety of a nicotine conjugate vaccine (NicVAX®) or placebo co-administered with varenicline (Champix®) for smoking cessation: study protocol of a phase IIb, double blind, randomized, placebo controlled trial. BMC Public Health, 2012, 12, 1052.	2.9	27
44	Researchers should convince policy makers to perform a classic cluster randomized controlled trial instead of a stepped wedge design when an intervention is rolled out. Journal of Clinical Epidemiology, 2012, 65, 1255-1256.	5.0	27
45	Effective writing and publishing scientific papers, part VII: tables and figures. Journal of Clinical Epidemiology, 2013, 66, 1197.	5.0	27
46	Effective writing and publishing scientific papers, part III: introduction. Journal of Clinical Epidemiology, 2013, 66, 702.	5.0	27
47	Effective writing and publishing scientific papers, part IV: methods. Journal of Clinical Epidemiology, 2013, 66, 817.	5.0	26
48	Development and validation of a model to predict the 10-year risk of general practitioner-recorded COPD. Npj Primary Care Respiratory Medicine, 2014, 24, 14011.	2.6	26
49	No differential attrition was found in randomized controlled trials published in general medical journals: a meta-analysis. Journal of Clinical Epidemiology, 2013, 66, 948-954.	5.0	24
50	Adult tobacco use practice and its correlates in eastern Ethiopia: A cross-sectional study. Harm Reduction Journal, 2013, 10, 28.	3.2	23
51	External validation of the Motivation To Stop Scale (MTSS): findings from the International Tobacco Control (ITC) Netherlands Survey. European Journal of Public Health, 2017, 27, ckw105.	0.3	23
52	Effectiveness of varenicline versus nicotine replacement therapy for smoking cessation with minimal professional support: evidence from an English population study. Psychopharmacology, 2014, 231, 37-42.	3.1	22
53	Effective writing and publishing scientific papers, part X: choice of journal. Journal of Clinical Epidemiology, 2014, 67, 3.	5.0	21
54	Effectiveness of intensive practice nurse counselling versus brief general practitioner advice, both combined with varenicline, for smoking cessation: a randomized pragmatic trial in primary care. Addiction, 2017, 112, 2237-2247.	3.3	21

#	Article	IF	CITATIONS
55	The stepped wedge design does not inherently have more power than a cluster randomized controlled trial. Journal of Clinical Epidemiology, 2013, 66, 1059-1060.	5.0	20
56	Did the Introduction of Varenicline in England Substitute for or Add to the Use of Other Smoking Cessation Medications?. Nicotine and Tobacco Research, 2011, 13, 793-799.	2.6	19
57	Effective writing and publishing scientific papers, part VI: discussion. Journal of Clinical Epidemiology, 2013, 66, 1064.	5.0	19
58	Effective writing and publishing scientific papers, part V: results. Journal of Clinical Epidemiology, 2013, 66, 945.	5.0	19
59	Effective writing and publishing scientific papers—part I: how to get started. Journal of Clinical Epidemiology, 2013, 66, 397.	5.0	19
60	The Assessment of Burden of COPD (ABC) Scale: A Reliable and Valid Questionnaire. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2016, 13, 431-438.	1.6	19
61	Cardiovascular and neuropsychiatric risks of varenicline and bupropion in smokers with chronic obstructive pulmonary disease. Thorax, 2017, 72, 905-911.	5.6	19
62	The safety, effectiveness and costâ€effectiveness of cytisine in achieving sixâ€month continuous smoking abstinence in tuberculosis patients—protocol for a doubleâ€blind, placeboâ€controlled randomized trial. Addiction, 2018, 113, 1716-1726.	3.3	19
63	How cost-effective is 'No Smoking Day'?. Tobacco Control, 2011, 20, 302-304.	3.2	18
64	Cytisine for smoking cessation in patients with tuberculosis: a multicentre, randomised, double-blind, placebo-controlled phase 3 trial. The Lancet Global Health, 2020, 8, e1408-e1417.	6.3	18
65	Researcher identification: the right needle in the haystack. Lancet, The, 2008, 371, 2152-2153.	13.7	16
66	German Public Support for Tobacco Control Policy Measures: Results from the German Study on Tobacco Use (DEBRA), a Representative National Survey. International Journal of Environmental Research and Public Health, 2018, 15, 696.	2.6	16
67	Prospective cohort study of the effectiveness of varenicline versus nicotine replacement therapy for smoking cessation in the "real world― BMC Public Health, 2014, 14, 1163.	2.9	15
68	Experiences of tobacco smoking and quitting in smokers with and without chronic obstructive pulmonary disease-a qualitative analysis. BMC Family Practice, 2015, 16, 164.	2.9	15
69	Effective writing and publishing scientific papers, part XII: responding toÂreviewers. Journal of Clinical Epidemiology, 2014, 67, 243.	5.0	14
70	Introducing a new series on effective writing and publishing of scientific papers. Journal of Clinical Epidemiology, 2013, 66, 359-360.	5.0	13
71	Effectiveness of the Assessment of Burden of Chronic Obstructive Pulmonary Disease (ABC) tool: study protocol of a cluster randomised trial in primary and secondary care. BMC Pulmonary Medicine, 2014, 14, 131.	2.0	13
72	Effective writing and publishing scientific papers, part VIII: references. Journal of Clinical Epidemiology, 2013, 66, 1198.	5.0	12

#	Article	IF	CITATIONS
73	Alcohol consumption and associations with sociodemographic and health-related characteristics in Germany: A population survey. Addictive Behaviors, 2022, 125, 107159.	3.0	12
74	Smoking cessation and development of respiratory health in smokers screened with normal spirometry. Respiratory Medicine, 2011, 105, 243-249.	2.9	11
75	Possible Reasons for Elevated Carbon Monoxide Levels in Self-Reported Ex-Smokers. Nicotine and Tobacco Research, 2012, 14, 900-901.	2.6	11
76	Principles of confrontational counselling in smokers with chronic obstructive pulmonary disease (COPD). Medical Hypotheses, 2008, 70, 384-386.	1.5	10
77	Implementation of a new â€~opt-out' default for tobacco treatment is urgently needed, but requires free access to evidence-based treatments. Addiction, 2015, 110, 387-388.	3.3	10
78	Predictors of long-term smoking cessation in patients with COPD: results from a randomised controlled trial. European Respiratory Journal, 2017, 49, 1700561.	6.7	10
79	Effect of quitting smoking on health outcomes during treatment for tuberculosis: secondary analysis of the TB & Tobacco Trial. Thorax, 2022, 77, 74-78.	5.6	10
80	Ethical analysis of the justifiability of labelling with COPD for smoking cessation. Journal of Medical Ethics, 2009, 35, 534-540.	1.8	9
81	Effective writing and publishing scientific papers, part IX: authorship. Journal of Clinical Epidemiology, 2013, 66, 1319.	5.0	9
82	Should Authors Submit Previous Peer-Review Reports When Submitting Research Papers? Views of General Medical Journal Editors. Annals of Family Medicine, 2013, 11, 179-181.	1.9	9
83	Protocol for the mixed-methods process and context evaluation of the <i>TB &amp; Tobacco</i> randomised controlled trial in Bangladesh and Pakistan: a hybrid effectiveness–implementation study. BMJ Open, 2018, 8, e019878.	1.9	9
84	Effectiveness of training general practitioners to improve the implementation of brief stop-smoking advice in German primary care: study protocol of a pragmatic, 2-arm cluster randomised controlled trial (the ABCII trial). BMC Family Practice, 2019, 20, 107.	2.9	9
85	Health worker and patient views on implementation of smoking cessation in routine tuberculosis care. Npj Primary Care Respiratory Medicine, 2019, 29, 34.	2.6	9
86	Association between income and education with quit attempts, use of cessation aids, and short-term success in tobacco smokers: A social gradient analysis from a population-based cross-sectional household survey in Germany (DEBRA study). Addictive Behaviors, 2020, 111, 106553.	3.0	9
87	Prioritising primary care respiratory research needs: results from the 2020 International Primary Care Respiratory Group (IPCRG) global e-Delphi exercise. Npj Primary Care Respiratory Medicine, 2022, 32, 6.	2.6	9
88	Trends and consumption patterns in the use of e-cigarettes among adolescents and young adults in Germany (the DEBRA study). Addictive Behaviors, 2022, 133, 107375.	3.0	9
89	Smoking cessation treatment by Dutch respiratory nurses: Reported practice, attitudes and perceived effectiveness. Patient Education and Counseling, 2008, 70, 40-49.	2.2	8
90	Effective writing and publishing scientific papers, part XI: submitting a paper. Journal of Clinical Epidemiology, 2014, 67, 123.	5.0	8

#	Article	IF	CITATIONS
91	Response to Keriel-Gascou etÂal.: Higher efficiency and other alleged advantages are not inherent to the stepped wedge design. Journal of Clinical Epidemiology, 2014, 67, 834-836.	5.0	8
92	â€~To use or not to use': a qualitative study to evaluate experiences of healthcare providers and patients with the assessment of burden of COPD (ABC) tool. Npj Primary Care Respiratory Medicine, 2016, 26, 16074.	2.6	8
93	Literature review in biomedical research: useful search engines beyond PubMed. Journal of Clinical Epidemiology, 2016, 71, 115-117.	5.0	8
94	Do people know that cigarette filters are mainly composed of synthetic material? A representative survey of the German population (the DEBRA study). Tobacco Control, 2021, 30, 345-347.	3.2	8
95	S3 Guideline "Smoking and Tobacco Dependence: Screening, Diagnosis, and Treatment―– Short Version. European Addiction Research, 2022, 28, 382-400.	2.4	8
96	Cardiovascular and neuropsychiatric safety of varenicline and bupropion compared with nicotine replacement therapy for smoking cessation: study protocol of a retrospective cohort study using the QResearch general practice database. BMJ Open, 2014, 4, e005281-e005281.	1.9	7
97	Nicotine vaccination—does it have a future?. Addiction, 2014, 109, 1223-1225.	3.3	7
98	Mental Health Symptoms and Associations with Tobacco Smoking, Dependence, Motivation, and Attempts to Quit: Findings from a Population Survey in Germany (DEBRA Study). European Addiction Research, 2022, 28, 287-296.	2.4	7
99	Effects of tobacco exposure on lung health and pulmonary biomarkers in young, healthy smokers aged 12–25 years: a systematic review. Expert Review of Respiratory Medicine, 2007, 1, 403-418.	2.5	6
100	Details about informed consent procedures of randomized controlled trials should be reported transparently. Journal of Clinical Epidemiology, 2019, 109, 133-135.	5.0	6
101	Waterpipe Use among Adolescents in Germany: Prevalence, Associated Consumer Characteristics, and Trends (German Health Interview and Examination Survey for Children and Adolescents, KiGGS). International Journal of Environmental Research and Public Health, 2020, 17, 7740.	2.6	6
102	What Justifies a Placebo-Controlled Trial of Varenicline for Smoking Cessation in Patients With COPD?. Chest, 2011, 139, 968-969.	0.8	5
103	Effect of smoke-free legislation on the incidence of sudden circulatory arrest in the Netherlands. Heart 2012;98:995–9. Heart, 2012, 98, 1680.2-1680.	2.9	5
104	Electronic Cigarettes to Vaporize Cannabis: Prevalence of Use and Associated Factors among Current Electronic Cigarette Users in Germany (DEBRA Study). Substance Use and Misuse, 2020, 55, 1106-1112.	1.4	5
105	Quit attempts and tobacco abstinence in primary care patients: follow-up of a pragmatic, two-arm cluster randomised controlled trial on brief stop-smoking advice – ABC <i>versus</i> 5As. ERJ Open Research, 2021, 7, 00224-2021.	2.6	5
106	Key concepts in clinical epidemiology: addressing and reporting sources of bias in randomized controlled trials. Journal of Clinical Epidemiology, 2022, 143, 197-201.	5.0	5
107	CONSORT 2010 Statement—unfinished update?. Journal of Clinical Epidemiology, 2011, 64, 579-582.	5.0	4
108	Training general practitioners in the ABC <i>versus</i> 5As method of delivering stop-smoking advice: a pragmatic, two-arm cluster randomised controlled trial. ERJ Open Research, 2021, 7, 00621-2020.	2.6	4

#	Article	IF	CITATIONS
109	Recommendations on how to achieve tobacco-free nations in Europe. Tobacco Prevention and Cessation, 2019, 5, 24.	0.4	4
110	Exposure to Tobacco Smoking in Vehicles, Indoor, and Outdoor Settings in Germany: Prevalence and Associated Factors. International Journal of Environmental Research and Public Health, 2022, 19, 4051.	2.6	4
111	Validity of urges to smoke measures in predicting smoking relapse during treatment in primary care. Npj Primary Care Respiratory Medicine, 2021, 31, 48.	2.6	4
112	The effectiveness of e-cigarettes for smoking cessation—a comparison with nicotine replacement therapy and no use of evidence-based cessation aids in the German population. Deutsches Ärzteblatt International, 2022, , .	0.9	4
113	Interpreting the diagnostic accuracy of tools for early detection of COPD. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2011, 20, 113-115.	2.3	3
114	How to promote transparency and accountability in clinical and behavioral research. Journal of Clinical Epidemiology, 2016, 70, 275.	5.0	3
115	External validation of a COPD prediction model using population-based primary care data: a nested case-control study. Scientific Reports, 2017, 7, 44702.	3.3	3
116	Public attitudes towards healthcare policies promoting tobacco cessation in Germany: results from the representative German study on tobacco use (DEBRA study). BMJ Open, 2019, 9, e026245.	1.9	3
117	Waterpipe use and associated consumer characteristics in the German population: Data from a national representative survey (DEBRA study). Addictive Behaviors, 2020, 110, 106542.	3.0	3
118	Measuring fidelity to delivery of a new smoking cessation intervention integrated into routine tuberculosis care in Pakistan and Bangladesh: Contextual differences and opportunities. Tobacco Induced Diseases, 2021, 19, 1-17.	0.6	3
119	Comment on: "a simple and valid tool distinguished efficacy from effectiveness studies― Journal of Clinical Epidemiology, 2007, 60, 753-755.	5.0	2
120	Exploring Smokers' Knowledge and Expectations Toward Nicotine Vaccination: A Qualitative Study. Substance Use and Misuse, 2014, 49, 87-94.	1.4	2
121	Development and validation of a multivariable mortality risk prediction model for COPD in primary care. Npj Primary Care Respiratory Medicine, 2022, 32, .	2.6	2
122	ESTIMATING THE RATE OF USAGE OF VARENICLINE AND OTHER MEDICATION FOR SMOKING CESSATION. Addiction, 2011, 106, 1868-1869.	3.3	1
123	Does Guinness Travel Well?. Journal of Food Science, 2011, 76, S121-5.	3.1	1
124	Rigorous Methodology Is Needed to Analyze and Interpret Observational Data on the Use and Effectiveness of Smoking Cessation Aids. Nicotine and Tobacco Research, 2014, 16, 1537-1538.	2.6	1
125	Cardiovascular and neuropsychiatric risks of varenicline: too good to be true? – Authors' reply. Lancet Respiratory Medicine,the, 2015, 3, e40-e42.	10.7	1
126	In reply—Electronic Cigarettes Are Efficacious. Mayo Clinic Proceedings, 2015, 90, 417-418.	3.0	1

#	Article	IF	CITATIONS
127	Correction to â€~Effective writing and publishing scientific papers, part XI: submitting a paper' [J Clin Epidemiol 2014;67(2):123]. Journal of Clinical Epidemiology, 2015, 68, 1115.	5.0	1
128	lt's not the electronic cigarette, it's the nicotine causing hemodynamic problems: A commentary on the article by Franzen et al Vascular Medicine, 2018, 23, 555-556.	1.5	1
129	Submitting the original participant information letter as supplementary material of a trial report is useful and can be easily implemented. Journal of Clinical Epidemiology, 2020, 117, 151-153.	5.0	1
130	Better air but not for all? Changes in second-hand smoke exposure at workplaces in 29 European countries over 10 years. European Journal of Public Health, 2021, 31, 708-714.	0.3	1
131	Using primary care databases for addiction research: An introduction and overview of strengths and weaknesses. Addictive Behaviors Reports, 2022, 15, 100407.	1.9	1
132	Population preferences for the care of family members in the same primary care practice. Deutsches Ärzteblatt International, 2021, 118, 844-845.	0.9	1
133	Health Status Of COPD Patients In Clinical Practice In Three Countries In Europe. , 2010, , .		0
134	Does screening of COPD deter smokers with normal lung function to quit smoking?. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2010, 19, 402-402.	2.3	0
135	Poor reporting may infer poor science: lessons learned from asthma trials. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 388-390.	2.3	0
136	Authors should consider reviewer comments on a rejected article to improve their article before submission to the next journal. Journal of Clinical Epidemiology, 2014, 67, 830-831.	5.0	0
137	Cardiovascular and neuropsychiatric risks of varenicline – Authors' reply. Lancet Respiratory Medicine,the, 2016, 4, e10.	10.7	0
138	Effektives Schreiben und Publizieren wissenschaftlicher Artikel – Teil III: Einleitung. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2016, 113, 76-77.	0.9	0
139	Effektives Schreiben und Publizieren wissenschaftlicher Artikel – Teil IV: Methoden. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2016, 115-116, 93-94.	0.9	0
140	Questioning Nicotine Replacement Therapy Without Behavioral Support. JAMA Internal Medicine, 2016, 176, 863.	5.1	0
141	Assessment of Burden of COPD tool: evidence not perception. European Respiratory Journal, 2017, 50, 1700756.	6.7	0
142	Reply to â€~Smoke free, but dependent on nicotine' (Karamâ€Hage 2019). Addiction, 2019, 114, 1887-1888.	3.3	0
143	The assessment of burden of COPD tool improves health related quality of life. , 2016, , .		0

In Reply. Deutsches Ärzteblatt International, 2020, 117, 299.

0.9 0

#	Article	IF	CITATIONS
145	Identification of important respiratory research themes relevant to primary care: qualitative analysis of round 1 of the 2020 International Primary Care Respiratory Group (IPCRG) Research Prioritisation Exercise. , 2020, , .		0