

# Anbang He

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6919136/publications.pdf>

Version: 2024-02-01

12  
papers

432  
citations

1040056

9  
h-index

1199594

12  
g-index

12  
all docs

12  
docs citations

12  
times ranked

617  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long non-coding RNA SOX2OT promotes the stemness phenotype of bladder cancer cells by modulating SOX2. <i>Molecular Cancer</i> , 2020, 19, 25.	19.2	74
2	TGF- $\beta$ 2-induced transgelin promotes bladder cancer metastasis by regulating epithelial-mesenchymal transition and invadopodia formation. <i>EBioMedicine</i> , 2019, 47, 208-220.	6.1	60
3	microRNA-183-3p Inhibits Progression of Human Prostate Cancer by Downregulating High-Mobility Group Nucleosome Binding Domain 5. <i>DNA and Cell Biology</i> , 2019, 38, 840-848.	1.9	12
4	Diagnostic significance of miR-210 as a potential tumor biomarker of human cancer detection: an updated pooled analysis of 30 articles. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 479-493.	2.0	11
5	Identification of plasma secreted phosphoprotein 1 as a novel biomarker for upper tract urothelial carcinomas. <i>Biomedicine and Pharmacotherapy</i> , 2019, 113, 108744.	5.6	10
6	Potential Role of lncRNA H19 as a Cancer Biomarker in Human Cancers Detection and Diagnosis: A Pooled Analysis Based on 1585 Subjects. <i>BioMed Research International</i> , 2019, 2019, 1-11.	1.9	30
7	<scp>ZFAS</scp> 1: A novel vital oncogenic lnc<scp>RNA</scp> in multiple human cancers. <i>Cell Proliferation</i> , 2019, 52, e12513.	5.3	52
8	Long non-coding RNA DANCR promotes malignant phenotypes of bladder cancer cells by modulating the miR-149/MSI2 axis as a ceRNA. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 273.	8.6	96
9	Current Advances on the Important Roles of Enhancer RNAs in Gene Regulation and Cancer. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	10
10	Using microRNAs as Novel Predictors of Urologic Cancer Survival: An Integrated Analysis. <i>EBioMedicine</i> , 2018, 34, 94-107.	6.1	19
11	Increased expression of long non-coding RNA CCEPR is associated with poor prognosis and promotes tumorigenesis in urothelial bladder carcinoma. <i>Oncotarget</i> , 2017, 8, 44326-44334.	1.8	19
12	Long non-coding RNA HNF1A-AS1 promotes proliferation and suppresses apoptosis of bladder cancer cells through upregulating Bcl-2. <i>Oncotarget</i> , 2017, 8, 76656-76665.	1.8	39