

Didier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/692155/publications.pdf>

Version: 2024-02-01

143
papers

19,244
citations

14655

66
h-index

11607

135
g-index

147
all docs

147
docs citations

147
times ranked

13605
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4). Pain, 2005, 114, 29-36.	4.2	1,969
2	Neuropathic pain. Nature Reviews Disease Primers, 2017, 3, 17002.	30.5	1,360
3	Prevalence of chronic pain with neuropathic characteristics in the general population. Pain, 2008, 136, 380-387.	4.2	1,355
4	Development and validation of the Neuropathic Pain Symptom Inventory. Pain, 2004, 108, 248-257.	4.2	1,031
5	NeuPSIG guidelines on neuropathic pain assessment. Pain, 2011, 152, 14-27.	4.2	871
6	Neuropathic pain: an updated grading system for research and clinical practice. Pain, 2016, 157, 1599-1606.	4.2	824
7	Using screening tools to identify neuropathic pain. Pain, 2007, 127, 199-203.	4.2	462
8	Peripheral neuropathic pain: a mechanism-related organizing principle based on sensory profiles. Pain, 2017, 158, 261-272.	4.2	462
9	Value of quantitative sensory testing in neurological and pain disorders: NeuPSIG consensus. Pain, 2013, 154, 1807-1819.	4.2	428
10	Recommendations on terminology and practice of psychophysical DNIC testing. European Journal of Pain, 2010, 14, 339-339.	2.8	415
11	The specific disease burden of neuropathic pain: Results of a French nationwide survey. Pain, 2011, 152, 2836-2843.	4.2	327
12	Brain imaging of neuropathic pain. NeuroImage, 2007, 37, S80-S88.	4.2	304
13	The impact of herpes zoster and post-herpetic neuralgia on quality-of-life. BMC Medicine, 2010, 8, 37.	5.5	282
14	Usefulness and limitations of quantitative sensory testing: Clinical and research application in neuropathic pain states. Pain, 2007, 129, 256-259.	4.2	265
15	Chronic pain in Parkinson's disease: The cross-sectional French DoPaMiP survey. Movement Disorders, 2008, 23, 1361-1369.	3.9	257
16	Topical clonazepam in stomatodynia: a randomised placebo-controlled study. Pain, 2004, 108, 51-57.	4.2	242
17	Duloxetine and pregabalin: High-dose monotherapy or their combination? The "COMBO-DN study" a multinational, randomized, double-blind, parallel-group study in patients with diabetic peripheral neuropathic pain. Pain, 2013, 154, 2616-2625.	4.2	227
18	Mechanisms of central neuropathic pain: a combined psychophysical and fMRI study in syringomyelia. Brain, 2006, 129, 963-976.	7.6	223

#	ARTICLE	IF	CITATIONS
19	Long-term maintenance of the analgesic effects of transcranial magnetic stimulation in fibromyalgia. <i>Pain</i> , 2011, 152, 1478-1485.	4.2	217
20	Assessment of Neuropathic Pain in Primary Care. <i>American Journal of Medicine</i> , 2009, 122, S13-S21.	1.5	177
21	Sensory profiles of patients with neuropathic pain based on the neuropathic pain symptoms and signs. <i>Pain</i> , 2014, 155, 367-376.	4.2	176
22	Safety and efficacy of repeated injections of botulinum toxin A in peripheral neuropathic pain (BOTNEP): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , The, 2016, 15, 555-565.	10.2	176
23	Involvement of the subnucleus reticularis dorsalis in diffuse noxious inhibitory controls in the rat. <i>Brain Research</i> , 1992, 595, 353-357.	2.2	174
24	Neuropharmacological basis of rTMS-induced analgesia: The role of endogenous opioids. <i>Pain</i> , 2011, 152, 320-326.	4.2	164
25	Alteration of cortical excitability in patients with fibromyalgia. <i>Pain</i> , 2010, 149, 495-500.	4.2	158
26	Sleep characteristics in type 1 diabetes and associations with glycemic control: systematic review and meta-analysis. <i>Sleep Medicine</i> , 2016, 23, 26-45.	1.6	155
27	Validity and reliability of the Spanish version of the DN4 (Douleur Neuropathique 4 questions) questionnaire for differential diagnosis of pain syndromes associated to a neuropathic or somatic component. <i>Health and Quality of Life Outcomes</i> , 2007, 5, 66.	2.4	150
28	Stratifying patients with peripheral neuropathic pain based on sensory profiles: algorithm and sample size recommendations. <i>Pain</i> , 2017, 158, 1446-1455.	4.2	150
29	Diagnosis and assessment of neuropathic pain through questionnaires. <i>Lancet Neurology</i> , The, 2018, 17, 456-466.	10.2	149
30	Development and validation of the Fibromyalgia Rapid Screening Tool (FiRST). <i>Pain</i> , 2010, 150, 250-256.	4.2	148
31	Effects of Gabapentin on the Different Components of Peripheral and Central Neuropathic Pain Syndromes: A Pilot Study. <i>European Neurology</i> , 1998, 40, 191-200.	1.4	142
32	Does cognitive functioning predict chronic pain? Results from a prospective surgical cohort. <i>Brain</i> , 2014, 137, 904-917.	7.6	140
33	Diagnosis and assessment of neuropathic pain: The saga of clinical tools. <i>Pain</i> , 2011, 152, S74-S83.	4.2	137
34	Pharmacotherapy of neuropathic pain. <i>Pain</i> , 2015, 156, S104-S114.	4.2	135
35	Mechanisms of pain in peripheral neuropathy. <i>Acta Neurologica Scandinavica</i> , 1999, 100, 12-24.	2.1	124
36	The Evolution of Primary Hyperalgesia in Orthopedic Surgery: Quantitative Sensory Testing and Clinical Evaluation Before and After Total Knee Arthroplasty. <i>Anesthesia and Analgesia</i> , 2007, 105, 815-821.	2.2	124

#	ARTICLE	IF	CITATIONS
37	The Neuropathic Components of Chronic Low Back Pain: A Prospective Multicenter Study Using the DN4 Questionnaire. <i>Journal of Pain</i> , 2011, 12, 1080-1087.	1.4	124
38	Patient perspective on herpes zoster and its complications: An observational prospective study in patients aged over 50 years in general practice. <i>Pain</i> , 2012, 153, 342-349.	4.2	122
39	Are Psychological Predictors of Chronic Postsurgical Pain Dependent on the Surgical Model? A Comparison of Total Knee Arthroplasty and Breast Surgery for Cancer. <i>Journal of Pain</i> , 2013, 14, 854-864.	1.4	121
40	Different strategies of modulation can be operative during hypnotic analgesia: a neurophysiological study. <i>Pain</i> , 1998, 75, 85-92.	4.2	119
41	The Effects of Ketamine on the Temporal Summation (Wind-Up) of the RIII Nociceptive Flexion Reflex and Pain in Humans. <i>Anesthesia and Analgesia</i> , 2000, 90, 408.	2.2	119
42	Lack of Impact of Intravenous Lidocaine on Analgesia, Functional Recovery, and Nociceptive Pain Threshold after Total Hip Arthroplasty. <i>Anesthesiology</i> , 2008, 109, 118-123.	2.5	119
43	Translation to Portuguese and Validation of the Douleur Neuropathique 4 Questionnaire. <i>Journal of Pain</i> , 2010, 11, 484-490.	1.4	118
44	Repetitive Transcranial Magnetic Stimulation in Chronic Pain: A Review of the Literature. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, S156-S172.	0.9	118
45	Chronic Pain with Neuropathic Characteristics in Diabetic Patients: A French Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e74195.	2.5	114
46	Comparison of the pain suppressive effects of clinical and experimental painful conditioning stimuli. <i>Brain</i> , 2003, 126, 1068-1078.	7.6	109
47	Neuropathic pain phenotyping as a predictor of treatment response in painful diabetic neuropathy: Data from the randomized, double-blind, COMBO-DN study. <i>Pain</i> , 2014, 155, 2171-2179.	4.2	109
48	Psychophysical study of the effects of topical application of menthol in healthy volunteers. <i>Pain</i> , 2006, 122, 190-196.	4.2	105
49	Towards a new taxonomy of idiopathic orofacial pain. <i>Pain</i> , 2005, 116, 396-406.	4.2	104
50	Diffuse analgesic effects of unilateral repetitive transcranial magnetic stimulation (rTMS) in healthy volunteers. <i>Pain</i> , 2009, 147, 224-232.	4.2	100
51	Antiinflammatory Effect of Peripheral Nerve Blocks after Knee Surgery. <i>Anesthesiology</i> , 2008, 109, 484-490.	2.5	99
52	Painful and painless peripheral sensory neuropathies due to HIV infection: a comparison using quantitative sensory evaluation. <i>Pain</i> , 1999, 80, 265-272.	4.2	91
53	Risk factors predictive of chronic postsurgical neuropathic pain: The value of the iliac crest bone harvest model. <i>Pain</i> , 2012, 153, 1478-1483.	4.2	91
54	Clinical, functional and structural determinants of central pain in syringomyelia. <i>Brain</i> , 2010, 133, 3409-3422.	7.6	88

#	ARTICLE	IF	CITATIONS
55	Assessing symptom profiles in neuropathic pain clinical trials: Can it improve outcome?. <i>European Journal of Pain</i> , 2011, 15, 441-443.	2.8	88
56	Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies. <i>Pain</i> , 2015, 156, 2337-2353.	4.2	86
57	Chronic pain associated with the Chikungunya Fever: long lasting burden of an acute illness. <i>BMC Infectious Diseases</i> , 2010, 10, 31.	2.9	85
58	Investigation of the paradoxical painful sensation (â€˜illusion of painâ€™™) produced by a thermal grill. <i>Pain</i> , 2005, 114, 160-167.	4.2	77
59	Anatomical connections between brain areas activated during rectal distension in healthy volunteers: A visceral pain network. <i>European Journal of Pain</i> , 2010, 14, 142-148.	2.8	76
60	Functional brain imaging of trigeminal neuralgia. <i>European Journal of Pain</i> , 2011, 15, 124-131.	2.8	76
61	Pain in Fabry Disease: Practical Recommendations for Diagnosis and Treatment. <i>CNS Neuroscience and Therapeutics</i> , 2016, 22, 568-576.	3.9	75
62	Repetitive transcranial magnetic stimulation and transcranial direct-current stimulation in neuropathic pain due to radiculopathy. <i>Pain</i> , 2016, 157, 1224-1231.	4.2	74
63	Potential for increased prevalence of neuropathic pain after the COVID-19 pandemic. <i>Pain Reports</i> , 2021, 6, e884.	2.7	74
64	Dorsal horn convergent neurones: negative feedback triggered by spatial summation of nociceptive afferents. <i>Pain</i> , 1995, 62, 195-200.	4.2	73
65	Effects of single and repeated applications of a eutectic mixture of local anaesthetics (EMLA®) cream on spontaneous and evoked pain in post-herpetic neuralgia. <i>Pain</i> , 1999, 81, 203-209.	4.2	72
66	Prevalence and incidence of chronic pain with or without neuropathic characteristics in patients with cancer. <i>Pain</i> , 2017, 158, 1118-1125.	4.2	71
67	Alteration of Descending Modulation of Nociception during the Course of Monoarthritis in the Rat. <i>Journal of Neuroscience</i> , 1999, 19, 2394-2400.	3.6	69
68	Repetitive transcranial magnetic stimulation induced analgesia depends on N-methyl-d-aspartate glutamate receptors. <i>Pain</i> , 2014, 155, 598-605.	4.2	68
69	Diffuse noxious inhibitory controls in humans: A neurophysiological investigation of a patient with a form of Brown-Séquard syndrome. <i>Annals of Neurology</i> , 1993, 34, 536-543.	5.3	66
70	A randomized, double-blind, placebo-controlled trial of a chemokine receptor 2 (CCR2) antagonist in posttraumatic neuralgia. <i>Pain</i> , 2013, 154, 761-767.	4.2	66
71	Interaction of a combination of morphine and ketamine on the nociceptive flexion reflex in human volunteers. <i>Pain</i> , 2002, 98, 47-57.	4.2	65
72	The efficacy of a glial inhibitor, minocycline, for preventing persistent pain after lumbar discectomy: A randomized, double-blind, controlled study. <i>Pain</i> , 2013, 154, 1197-1203.	4.2	64

#	ARTICLE	IF	CITATIONS
73	Nefopam strongly depresses the nociceptive flexion (RIII) reflex in humans. <i>Pain</i> , 1999, 80, 399-404.	4.2	61
74	Inhibition of a somatic nociceptive reflex by gastric distention in humans. <i>Gastroenterology</i> , 1994, 107, 985-992.	1.3	59
75	Classification of and Risk Factors for Estrogen Deprivation Pain Syndromes Related to Aromatase Inhibitor Treatments in Women With Breast Cancer: A Prospective Multicenter Cohort Study. <i>Journal of Pain</i> , 2014, 15, 293-303.	1.4	58
76	Pregabalin for the Prevention of Oxaliplatin-Induced Painful Neuropathy: A Randomized, Double-Blind Trial. <i>Oncologist</i> , 2017, 22, 1154-e105.	3.7	55
77	Who is healthy? Aspects to consider when including healthy volunteers in QST-based studies—a consensus statement by the EUROPAIN and NEUROPAIN consortia. <i>Pain</i> , 2015, 156, 2203-2211.	4.2	53
78	Modification of the Neuropathic Pain Symptom Inventory for use in eye pain (NPSI-Eye). <i>Pain</i> , 2019, 160, 1541-1550.	4.2	53
79	Pharmacological dissection of the paradoxical pain induced by a thermal grill. <i>Pain</i> , 2008, 135, 291-299.	4.2	50
80	Small fibre impairment predicts neuropathic pain in Guillain-Barré syndrome. <i>Pain</i> , 2010, 151, 53-60.	4.2	50
81	Effects of systematic morphine on diffuse noxious inhibitory controls: Role of the periaqueductal grey. <i>European Journal of Pharmacology</i> , 1992, 216, 149-156.	3.5	47
82	Activation of diffuse noxious inhibitory controls (DNIC) in rats with an experimental peripheral mononeuropathy. <i>Pain</i> , 2001, 91, 287-296.	4.2	46
83	Prolonged Continuous Theta-burst Stimulation is More Analgesic Than “Classical” High Frequency Repetitive Transcranial Magnetic Stimulation. <i>Brain Stimulation</i> , 2015, 8, 135-141.	1.6	46
84	Effect of Alexithymia and Emotional Repression on Postsurgical Pain in Women With Breast Cancer: A Prospective Longitudinal 12-Month Study. <i>Journal of Pain</i> , 2016, 17, 90-100.	1.4	45
85	No pain, still gain (of function): the relation between sensory profiles and the presence or absence of self-reported pain in a large multicenter cohort of patients with neuropathy. <i>Pain</i> , 2021, 162, 718-727.	4.2	44
86	“Let’s Talk about OA Pain”: A Qualitative Analysis of the Perceptions of People Suffering from OA. Towards the Development of a Specific Pain OA-Related Questionnaire, the Osteoarthritis Symptom Inventory Scale (OASIS). <i>PLoS ONE</i> , 2013, 8, e79988.	2.5	42
87	Stage-dependent changes in the modulation of spinal nociceptive neuronal activity during the course of inflammation. <i>European Journal of Neuroscience</i> , 2001, 13, 230-240.	2.6	41
88	Psychometric validation of the Portuguese version of the Neuropathic Pain Symptoms Inventory. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 107.	2.4	41
89	Stratification of patients based on the Neuropathic Pain Symptom Inventory: development and validation of a new algorithm. <i>Pain</i> , 2021, 162, 1038-1046.	4.2	41
90	The Parkinson disease pain classification system: results from an international mechanism-based classification approach. <i>Pain</i> , 2021, 162, 1201-1210.	4.2	40

#	ARTICLE	IF	CITATIONS
91	Effects of lesions of locus coeruleus/subcoeruleus on diffuse noxious inhibitory controls in the rat. <i>Brain Research</i> , 1992, 571, 140-144.	2.2	39
92	Emerging therapies for neuropathic pain: new molecules or new indications for old treatments?. <i>Pain</i> , 2018, 159, 576-582.	4.2	38
93	Quality of life and impact of pain in women treated with aromatase inhibitors for breast cancer. A multicenter cohort study. <i>PLoS ONE</i> , 2017, 12, e0187165.	2.5	36
94	Translational neuropathic pain research. <i>Pain</i> , 2019, 160, S23-S28.	4.2	35
95	Validity and Reliability of the Persian (Farsi) Version of the <sc>DN</sc>4 (Douleur Neuropathique 4) Tj ETQq1 1 0.784314 rgBT /Ome Practice, 2014, 14, 427-436.	1.9	34
96	Morphine and diffuse noxious inhibitory controls in the rat: effects of lesions of the rostral ventromedial medulla. <i>European Journal of Pharmacology</i> , 1993, 232, 207-215.	3.5	33
97	Validation of the Greek Version of the <sc>DN</sc>4 Diagnostic Questionnaire for Neuropathic Pain. <i>Pain Practice</i> , 2015, 15, 627-632.	1.9	33
98	Conceptual adequacy of the neuropathic pain symptom inventory in six countries. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 62.	2.4	32
99	Clinical, histological, and biochemical predictors of postsurgical neuropathic pain. <i>Pain</i> , 2015, 156, 2390-2398.	4.2	32
100	Effects of morphine on the experimental illusion of pain produced by a thermal grill. <i>Pain</i> , 2008, 139, 653-659.	4.2	30
101	Rectal sensitivity assessed by a reflexologic technique: further evidence for two types of mechanoreceptors. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, G692-G699.	3.4	28
102	Epidemiology of neuropathic pain: Can we use the screening tools?. <i>Pain</i> , 2007, 132, 12-13.	4.2	28
103	Involvement of the Caudal Medulla in Negative Feedback Mechanisms Triggered by Spatial Summation of Nociceptive Inputs. <i>Journal of Neurophysiology</i> , 1998, 79, 304-311.	1.8	27
104	Can pain be more or less neuropathic?. <i>Pain</i> , 2004, 110, 510-511.	4.2	27
105	Pain management and pain characteristics in obese and normal weight patients before joint replacement. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 611-616.	1.8	27
106	Unilateral repetitive transcranial magnetic stimulation of the motor cortex does not affect cognition in patients with fibromyalgia. <i>Journal of Psychiatric Research</i> , 2013, 47, 72-77.	3.1	26
107	Advances in the treatment of neuropathic pain. <i>Current Opinion in Neurology</i> , 2021, 34, 631-637.	3.6	26
108	Relationships between the paradoxical painful and nonpainful sensations induced by a thermal grill. <i>Pain</i> , 2014, 155, 2612-2617.	4.2	25

#	ARTICLE	IF	CITATIONS
127	Temporal summation and a C-fibre reflex in the rat: effects of morphine on facilitatory and inhibitory mechanisms. <i>European Journal of Pharmacology</i> , 2000, 394, 75-84.	3.5	10
128	Consensus and Controversies Between Pain and Addiction Experts on the Prevention, Diagnosis, and Management of Prescription Opioid Use Disorder. <i>Journal of Addiction Medicine</i> , 2020, 14, 1-11.	2.6	10
129	Effect of Systemic Morphine on the Responses of Convergent Neurons to Noxious Heat Stimuli Applied over Graded Surface Areas. <i>Anesthesiology</i> , 1999, 90, 1129-1136.	2.5	9
130	Pregabalin: a better neuropathic pain treatment in rodents than in humans. <i>Pain</i> , 2020, 161, 2425-2427.	4.2	9
131	Interplay between body schema, visuospatial perception and pain in patients with spinal cord injury. <i>European Journal of Pain</i> , 2020, 24, 1400-1410.	2.8	9
132	Safety and efficacy of an equimolar mixture of oxygen and nitrous oxide: a randomized controlled trial in patients with peripheral neuropathic pain. <i>Pain</i> , 2021, 162, 1104-1115.	4.2	9
133	Central Nervous System Reorganization and Pain After Spinal Cord Injury: Possible Targets for Physical Therapy—A Systematic Review of Neuroimaging Studies. <i>Physical Therapy</i> , 2020, 100, 946-962.	2.4	8
134	Validation of the Greek Version of the Fibromyalgia Rapid Screening Tool. <i>Pain Practice</i> , 2017, 17, 925-929.	1.9	7
135	Diffuse Noxious Inhibitory Controls and Arthritis in the Rat. , 2000, , 69-78.		3
136	A phase III, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and safety of pregabalin in the prevention and reduction of oxaliplatin-induced painful neuropathy (PreOx).. <i>Journal of Clinical Oncology</i> , 2015, 33, 3575-3575.	1.6	2
137	Pain research in 2018: the year of translational studies. <i>Lancet Neurology</i> , The, 2019, 18, 13-15.	10.2	1
138	Neuropathic pain in Mali: The current situation, comprehensive hypothesis, which therapeutic strategy for Africa?. <i>ENeurologicalSci</i> , 2021, 22, 100312.	1.3	1
139	Erratum to "Can pain be more or less neuropathic?" [Pain 110 (2004) 510-511]. <i>Pain</i> , 2004, 112, 222.	4.2	0
140	Epidemiological considerations in neuropathic pain. , 0, , 24-32.		0
141	Corrigendum to "Value of quantitative sensory testing in neurological and pain disorders: NEUPSIC consensus" [PAIN® 2013;154(9):1807-1819]. <i>Pain</i> , 2014, 155, 205.	4.2	0
142	In Memoriam Jean-Marie Besson 1938-2014. <i>European Journal of Pain</i> , 2015, 19, 871-876.	2.8	0
143	In Memoriam Jean-Marie Besson 1938 to 2014. <i>Pain</i> , 2015, 156, 2399-2401.	4.2	0