

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/692155/publications.pdf Version: 2024-02-01

		14655	11607
143	19,244	66	135
papers	citations	h-index	g-index
147	147	147	13605
all docs	docs citations	times ranked	citing authors

DIDIED

#	Article	IF	CITATIONS
1	Potential for increased prevalence of neuropathic pain after the COVID-19 pandemic. Pain Reports, 2021, 6, e884.	2.7	74
2	Neuropathic pain in Mali: The current situation, comprehensive hypothesis, which therapeutic strategy for Africa?. ENeurologicalSci, 2021, 22, 100312.	1.3	1
3	Safety and efficacy of an equimolar mixture of oxygen and nitrous oxide: a randomized controlled trial in patients with peripheral neuropathic pain. Pain, 2021, 162, 1104-1115.	4.2	9
4	Contralateral Sensory and Pain Perception Changes in Patients With Unilateral Neuropathy. Neurology, 2021, 97, e389-e402.	1.1	22
5	Advances in the treatment of neuropathic pain. Current Opinion in Neurology, 2021, 34, 631-637.	3.6	26
6	No pain, still gain (of function): the relation between sensory profiles and the presence or absence of self-reported pain in a large multicenter cohort of patients with neuropathy. Pain, 2021, 162, 718-727.	4.2	44
7	The Parkinson disease pain classification system: results from an international mechanism-based classification approach. Pain, 2021, 162, 1201-1210.	4.2	40
8	Stratification of patients based on the Neuropathic Pain Symptom Inventory: development and validation of a new algorithm. Pain, 2021, 162, 1038-1046.	4.2	41
9	Consensus and Controversies Between Pain and Addiction Experts on the Prevention, Diagnosis, and Management of Prescription Opioid Use Disorder. Journal of Addiction Medicine, 2020, 14, 1-11.	2.6	10
10	Pregabalin: a better neuropathic pain treatment in rodents than in humans. Pain, 2020, 161, 2425-2427.	4.2	9
11	Interplay between body schema, visuospatial perception and pain in patients with spinal cord injury. European Journal of Pain, 2020, 24, 1400-1410.	2.8	9
12	Central Nervous System Reorganization and Pain After Spinal Cord Injury: Possible Targets for Physical Therapy—A Systematic Review of Neuroimaging Studies. Physical Therapy, 2020, 100, 946-962.	2.4	8
13	Pain thresholds and intensities of CRPS type I and neuropathic pain in respect to sex. European Journal of Pain, 2020, 24, 1058-1071.	2.8	14
14	How to diagnose parkinsonian central pain?. Parkinsonism and Related Disorders, 2019, 64, 50-53.	2.2	22
15	Baseline Pupil Diameter Is Not a Reliable Biomarker of Subjective Sleepiness. Frontiers in Neurology, 2019, 10, 108.	2.4	20
16	Translational neuropathic pain research. Pain, 2019, 160, S23-S28.	4.2	35
17	Modification of the Neuropathic Pain Symptom Inventory for use in eye pain (NPSI-Eye). Pain, 2019, 160, 1541-1550.	4.2	53
18	Pain research in 2018: the year of translational studies. Lancet Neurology, The, 2019, 18, 13-15.	10.2	1

#	Article	IF	CITATIONS
19	The multiple challenges of neuropathic pain. Neuroscience Letters, 2019, 702, 6-10.	2.1	22
20	Emerging therapies for neuropathic pain: new molecules or new indications for old treatments?. Pain, 2018, 159, 576-582.	4.2	38
21	Diagnosis and assessment of neuropathic pain through questionnaires. Lancet Neurology, The, 2018, 17, 456-466.	10.2	149
22	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. Wellcome Open Research, 2018, 3, 63.	1.8	20
23	Neuropathic pain. Nature Reviews Disease Primers, 2017, 3, 17002.	30.5	1,360
24	Prevalence and incidence of chronic pain with or without neuropathic characteristics in patients with cancer. Pain, 2017, 158, 1118-1125.	4.2	71
25	Peripheral neuropathic pain: a mechanism-related organizing principle based on sensory profiles. Pain, 2017, 158, 261-272.	4.2	462
26	Stratifying patients with peripheral neuropathic pain based on sensory profiles: algorithm and sample size recommendations. Pain, 2017, 158, 1446-1455.	4.2	150
27	Validation of the Greek Version of the Fibromyalgia Rapid Screening Tool. Pain Practice, 2017, 17, 925-929.	1.9	7
28	Pregabalin for the Prevention of Oxaliplatin-Induced Painful Neuropathy: A Randomized, Double-Blind Trial. Oncologist, 2017, 22, 1154-e105.	3.7	55
29	Quality of life and impact of pain in women treated with aromatase inhibitors for breast cancer. A multicenter cohort study. PLoS ONE, 2017, 12, e0187165.	2.5	36
30	Validation of the Korean Version of the DN4 Diagnostic Questionnaire for Neuropathic Pain in Patients with Lumbar or Lumbar-Radicular Pain. Yonsei Medical Journal, 2016, 57, 449.	2.2	22
31	Neuropathic pain: an updated grading system for research and clinical practice. Pain, 2016, 157, 1599-1606.	4.2	824
32	Safety and efficacy of repeated injections of botulinum toxin A in peripheral neuropathic pain (BOTNEP): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2016, 15, 555-565.	10.2	176
33	Pain in Fabry Disease: Practical Recommendations for Diagnosis and Treatment. CNS Neuroscience and Therapeutics, 2016, 22, 568-576.	3.9	75
34	Sleep characteristics in type 1 diabetes and associations with glycemic control: systematic review and meta-analysis. Sleep Medicine, 2016, 23, 26-45.	1.6	155
35	Repetitive transcranial magnetic stimulation and transcranial direct-current stimulation in neuropathic pain due to radiculopathy. Pain, 2016, 157, 1224-1231.	4.2	74
36	Effect of Alexithymia and Emotional Repression on Postsurgical Pain in Women With Breast Cancer: A Prospective Longitudinal 12-Month Study. Journal of Pain, 2016, 17, 90-100.	1.4	45

#	Article	IF	CITATIONS
37	In Memoriam Jeanâ€Marie Besson 1938–2014. European Journal of Pain, 2015, 19, 871-876.	2.8	0
38	Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies. Pain, 2015, 156, 2337-2353.	4.2	86
39	In Memoriam Jean-Marie Besson 1938 to 2014. Pain, 2015, 156, 2399-2401.	4.2	0
40	Who is healthy? Aspects to consider when including healthy volunteers in QST-based studies—a consensus statement by the EUROPAIN and NEUROPAIN consortia. Pain, 2015, 156, 2203-2211.	4.2	53
41	Clinical, histological, and biochemical predictors of postsurgical neuropathic pain. Pain, 2015, 156, 2390-2398.	4.2	32
42	Pharmacotherapy of neuropathic pain. Pain, 2015, 156, S104-S114.	4.2	135
43	Repetitive Transcranial Magnetic Stimulation in Chronic Pain: A Review of the Literature. Archives of Physical Medicine and Rehabilitation, 2015, 96, S156-S172.	0.9	118
44	Prolonged Continuous Theta-burst Stimulation is More Analgesic Than â€~Classical' High Frequency Repetitive Transcranial Magnetic Stimulation. Brain Stimulation, 2015, 8, 135-141.	1.6	46
45	Validation of the Greek Version of the <scp>DN</scp> 4 Diagnostic Questionnaire for Neuropathic Pain. Pain Practice, 2015, 15, 627-632.	1.9	33
46	A phase III, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and safety of pregabalin in the prevention and reduction of oxaliplatin-induced painful neuropathy (PreOx) Journal of Clinical Oncology, 2015, 33, 3575-3575.	1.6	2
47	Validity and Reliability of the Persian (Farsi) Version of the <scp>DN</scp> 4 (Douleur Neuropathique 4) Tj ETQq1 Practice, 2014, 14, 427-436.	1 0.7843 1.9	14 rgBT /Ov 34
48	Adherence of French GPs to Chronic Neuropathic Pain Clinical Guidelines: Results of a Cross-Sectional, Randomized, "e―Case-Vignette Survey. PLoS ONE, 2014, 9, e93855.	2.5	24
49	Relationships between the paradoxical painful and nonpainful sensations induced by a thermal grill. Pain, 2014, 155, 2612-2617.	4.2	25
50	ARIZONA study: is the risk of post-herpetic neuralgia and its burden increased in the most elderly patients?. BMC Infectious Diseases, 2014, 14, 529.	2.9	12
51	Repetitive transcranial magnetic stimulation induced analgesia depends on N-methyl-d-aspartate glutamate receptors. Pain, 2014, 155, 598-605.	4.2	68
52	Does cognitive functioning predict chronic pain? Results from a prospective surgical cohort. Brain, 2014, 137, 904-917.	7.6	140
53	Neuropathic pain phenotyping as a predictor of treatment response in painful diabetic neuropathy: Data from the randomized, double-blind, COMBO-DN study. Pain, 2014, 155, 2171-2179.	4.2	109
54	Sensory profiles of patients with neuropathic pain based on the neuropathic pain symptoms and signs. Pain, 2014, 155, 367-376.	4.2	176

#	Article	IF	CITATIONS
55	Corrigendum to "Value of quantitative sensory testing in neurological and pain disorders: NEUPSIG consensus―[PAIN® 2013;154(9):1807–1819]. Pain, 2014, 155, 205.	4.2	0
56	Classification of and Risk Factors for Estrogen Deprivation Pain Syndromes Related to Aromatase Inhibitor Treatments in Women With Breast Cancer: A Prospective Multicenter Cohort Study. Journal of Pain, 2014, 15, 293-303.	1.4	58
57	Pain management and pain characteristics in obese and normal weight patients before joint replacement. Journal of Evaluation in Clinical Practice, 2014, 20, 611-616.	1.8	27
58	Duloxetine and pregabalin: High-dose monotherapy or their combination? The "COMBO-DN study―– a multinational, randomized, double-blind, parallel-group study in patients with diabetic peripheral neuropathic pain. Pain, 2013, 154, 2616-2625.	4.2	227
59	Value of quantitative sensory testing in neurological and pain disorders: NeuPSIG consensus. Pain, 2013, 154, 1807-1819.	4.2	428
60	Unilateral repetitive transcranial magnetic stimulation of the motor cortex does not affect cognition in patients with fibromyalgia. Journal of Psychiatric Research, 2013, 47, 72-77.	3.1	26
61	Are Psychological Predictors of Chronic Postsurgical Pain Dependent on the Surgical Model? A Comparison of Total Knee Arthroplasty and Breast Surgery for Cancer. Journal of Pain, 2013, 14, 854-864.	1.4	121
62	A randomized, double-blind, placebo-controlled trial of a chemokine receptor 2 (CCR2) antagonist in posttraumatic neuralgia. Pain, 2013, 154, 761-767.	4.2	66
63	The efficacy of a glial inhibitor, minocycline, for preventing persistent pain after lumbar discectomy: A randomized, double-blind, controlled study. Pain, 2013, 154, 1197-1203.	4.2	64
64	Chronic Pain with Neuropathic Characteristics in Diabetic Patients: A French Cross-Sectional Study. PLoS ONE, 2013, 8, e74195.	2.5	114
65	"Let's Talk about OA Pain†A Qualitative Analysis of the Perceptions of People Suffering from OA. Towards the Development of a Specific Pain OA-Related Questionnaire, the Osteoarthritis Symptom Inventory Scale (OASIS). PLoS ONE, 2013, 8, e79988.	2.5	42
66	Patient perspective on herpes zoster and its complications: An observational prospective study in patients aged over 50 years in general practice. Pain, 2012, 153, 342-349.	4.2	122
67	Risk factors predictive of chronic postsurgical neuropathic pain: The value of the iliac crest bone harvest model. Pain, 2012, 153, 1478-1483.	4.2	91
68	The Neuropathic Components of Chronic Low Back Pain: A Prospective Multicenter Study Using the DN4 Questionnaire. Journal of Pain, 2011, 12, 1080-1087.	1.4	124
69	NeuPSIG guidelines on neuropathic pain assessment. Pain, 2011, 152, 14-27.	4.2	871
70	Neuropharmacological basis of rTMS-induced analgesia: The role of endogenous opioids. Pain, 2011, 152, 320-326.	4.2	164
71	Diagnosis and assessment of neuropathic pain: The saga of clinical tools. Pain, 2011, 152, S74-S83.	4.2	137
72	Long-term maintenance of the analgesic effects of transcranial magnetic stimulation in fibromyalgia. Pain, 2011, 152, 1478-1485.	4.2	217

#	Article	IF	CITATIONS
73	The specific disease burden of neuropathic pain: Results of a French nationwide survey. Pain, 2011, 152, 2836-2843.	4.2	327
74	Psychometric validation of the Portuguese version of the Neuropathic Pain Symptoms Inventory. Health and Quality of Life Outcomes, 2011, 9, 107.	2.4	41
75	Assessing symptom profiles in neuropathic pain clinical trials: Can it improve outcome?. European Journal of Pain, 2011, 15, 441-443.	2.8	88
76	Functional brain imaging of trigeminal neuralgia. European Journal of Pain, 2011, 15, 124-131.	2.8	76
77	Alteration of cortical excitability in patients with fibromyalgia. Pain, 2010, 149, 495-500.	4.2	158
78	Development and validation of the Fibromyalgia Rapid Screening Tool (FiRST). Pain, 2010, 150, 250-256.	4.2	148
79	Small fibre impairment predicts neuropathic pain in Guillain–Barré syndrome. Pain, 2010, 151, 53-60.	4.2	50
80	The impact of herpes zoster and post-herpetic neuralgia on quality-of-life. BMC Medicine, 2010, 8, 37.	5.5	282
81	Anatomical connections between brain areas activated during rectal distension in healthy volunteers: A visceral pain network. European Journal of Pain, 2010, 14, 142-148.	2.8	76
82	Recommendations on terminology and practice of psychophysical DNIC testing. European Journal of Pain, 2010, 14, 339-339.	2.8	415
83	Chronic pain associated with the Chikungunya Fever: long lasting burden of an acute illness. BMC Infectious Diseases, 2010, 10, 31.	2.9	85
84	Clinical, functional and structural determinants of central pain in syringomyelia. Brain, 2010, 133, 3409-3422.	7.6	88
85	Translation to Portuguese and Validation of the Douleur Neuropathique 4 Questionnaire. Journal of Pain, 2010, 11, 484-490.	1.4	118
86	Diffuse analgesic effects of unilateral repetitive transcranial magnetic stimulation (rTMS) in healthy volunteers. Pain, 2009, 147, 224-232.	4.2	100
87	All in one: Is it possible to assess all dimensions of any pain with a simple questionnaire?. Pain, 2009, 144, 7-8.	4.2	24
88	Assessment of Neuropathic Pain in Primary Care. American Journal of Medicine, 2009, 122, S13-S21.	1.5	177
89	Chronic pain in Parkinson's disease: The crossâ€sectional French DoPaMiP survey. Movement Disorders, 2008, 23, 1361-1369	3.9	257
90	Conceptual adequacy of the neuropathic pain symptom inventory in six countries. Health and Quality of Life Outcomes, 2008, 6, 62.	2.4	32

#	Article	IF	CITATIONS
91	Prevalence of chronic pain with neuropathic characteristics in the general population. Pain, 2008, 136, 380-387.	4.2	1,355
92	Pharmacological dissection of the paradoxical pain induced by a thermal grill. Pain, 2008, 135, 291-299.	4.2	50
93	Effects of morphine on the experimental illusion of pain produced by a thermal grill. Pain, 2008, 139, 653-659.	4.2	30
94	Lack of Impact of Intravenous Lidocaine on Analgesia, Functional Recovery, and Nociceptive Pain Threshold after Total Hip Arthroplasty. Anesthesiology, 2008, 109, 118-123.	2.5	119
95	Antiinflammatory Effect of Peripheral Nerve Blocks after Knee Surgery. Anesthesiology, 2008, 109, 484-490.	2.5	99
96	The Evolution of Primary Hyperalgesia in Orthopedic Surgery: Quantitative Sensory Testing and Clinical Evaluation Before and After Total Knee Arthroplasty. Anesthesia and Analgesia, 2007, 105, 815-821.	2.2	124
97	Using screening tools to identify neuropathic pain. Pain, 2007, 127, 199-203.	4.2	462
98	Usefulness and limitations of quantitative sensory testing: Clinical and research application in neuropathic pain states. Pain, 2007, 129, 256-259.	4.2	265
99	Epidemiology of neuropathic pain: Can we use the screening tools?. Pain, 2007, 132, 12-13.	4.2	28
100	Brain imaging of neuropathic pain. NeuroImage, 2007, 37, S80-S88.	4.2	304
101	Validity and reliability of the Spanish version of the DN4 (Douleur Neuropathique 4 questions) questionnaire for differential diagnosis of pain syndromes associated to a neuropathic or somatic component. Health and Quality of Life Outcomes, 2007, 5, 66.	2.4	150
102	Constitutive Cyclooxygenase-2 Is Involved in Central Nociceptive Processes in Humans. Anesthesiology, 2007, 106, 1013-1018.	2.5	21
103	Translating Basic Research on Sodium Channels in Human Neuropathic Pain. Journal of Pain, 2006, 7, S31-S37.	1.4	13
104	Psychophysical study of the effects of topical application of menthol in healthy volunteers. Pain, 2006, 122, 190-196.	4.2	105
105	Mechanisms of central neuropathic pain: a combined psychophysical and fMRI study in syringomyelia. Brain, 2006, 129, 963-976.	7.6	223
106	Chapter 47 Pain in syringomyelia/bulbia. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2006, 81, 705-713.	1.8	12
107	Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4). Pain, 2005, 114, 29-36.	4.2	1,969
108	Investigation of the paradoxical painful sensation (â€~illusion of pain') produced by a thermal grill. Pain, 2005, 114, 160-167.	4.2	77

#	Article	IF	CITATIONS
109	Towards a new taxonomy of idiopathic orofacial pain. Pain, 2005, 116, 396-406.	4.2	104
110	Topical clonazepam in stomatodynia: a randomised placebo-controlled study. Pain, 2004, 108, 51-57.	4.2	242
111	Development and validation of the Neuropathic Pain Symptom Inventory. Pain, 2004, 108, 248-257.	4.2	1,031
112	Can pain be more or less neuropathic?. Pain, 2004, 110, 510-511.	4.2	27
113	Erratum to "Can pain be more or less neuropathic?―[Pain 110 (2004) 510–511]. Pain, 2004, 112, 222.	4.2	0
114	Comparison of the pain suppressive effects of clinical and experimental painful conditioning stimuli. Brain, 2003, 126, 1068-1078.	7.6	109
115	Interaction of a combination of morphine and ketamine on the nociceptive flexion reflex in human volunteers. Pain, 2002, 98, 47-57.	4.2	65
116	Local and remote effects of hypnotic suggestions of analgesia. Pain, 2001, 89, 167-173.	4.2	20
117	Activation of diffuse noxious inhibitory controls (DNIC) in rats with an experimental peripheral mononeuropathy. Pain, 2001, 91, 287-296.	4.2	46
118	Stage-dependent changes in the modulation of spinal nociceptive neuronal activity during the course of inflammation. European Journal of Neuroscience, 2001, 13, 230-240.	2.6	41
119	The Effects of Ketamine on the Temporal Summation (Wind-Up) of the RIII Nociceptive Flexion Reflex and Pain in Humans. Anesthesia and Analgesia, 2000, 90, 408.	2.2	119
120	Spatial encoding properties of subnucleus reticularis dorsalis neurons in the rat medulla. Brain Research, 2000, 873, 131-134.	2.2	15
121	Temporal summation and a C-fibre reflex in the rat: effects of morphine on facilitatory and inhibitory mechanisms. European Journal of Pharmacology, 2000, 394, 75-84.	3.5	10
122	Rectal sensitivity assessed by a reflexologic technique: further evidence for two types of mechanoreceptors. American Journal of Physiology - Renal Physiology, 2000, 279, G692-G699.	3.4	28
123	Diffuse Noxious Inhibitory Controls and Arthritis in the Rat. , 2000, , 69-78.		3
124	Alteration of Descending Modulation of Nociception during the Course of Monoarthritis in the Rat. Journal of Neuroscience, 1999, 19, 2394-2400.	3.6	69
125	Mechanisms of pain in peripheral neuropathy. Acta Neurologica Scandinavica, 1999, 100, 12-24.	2.1	124
126	Painful and painless peripheral sensory neuropathies due to HIV infection: a comparison using quantitative sensory evaluation. Pain, 1999, 80, 265-272.	4.2	91

#	Article	IF	CITATIONS
127	Nefopam strongly depresses the nociceptive flexion (RIII) reflex in humans. Pain, 1999, 80, 399-404.	4.2	61
128	Effects of single and repeated applications of a eutectic mixture of local anaesthetics (EMLA®) cream on spontaneous and evoked pain in post-herpetic neuralgia. Pain, 1999, 81, 203-209.	4.2	72
129	Effect of Systemic Morphine on the Responses of Convergent Neurons to Noxious Heat Stimuli Applied over Graded Surface AreasÂ. Anesthesiology, 1999, 90, 1129-1136.	2.5	9
130	The influence of temporal summation on a C-fibre reflex in the rat: effects of lesions in the rostral ventromedial medulla (RVM). Brain Research, 1998, 792, 168-172.	2.2	21
131	Different strategies of modulation can be operative during hypnotic analgesia: a neurophysiological study. Pain, 1998, 75, 85-92.	4.2	119
132	A case of â€~pure' dynamic mechano-allodynia due to a lesion of the spinal cord: pathophysiological considerations. Pain, 1998, 75, 399-404.	4.2	15
133	Effects of Gabapentin on the Different Components of Peripheral and Central Neuropathic Pain Syndromes: A Pilot Study. European Neurology, 1998, 40, 191-200.	1.4	142
134	Involvement of the Caudal Medulla in Negative Feedback Mechanisms Triggered by Spatial Summation of Nociceptive Inputs. Journal of Neurophysiology, 1998, 79, 304-311.	1.8	27
135	Dorsal horn convergent neurones: negative feedback triggered by spatial summation of nociceptive afferents. Pain, 1995, 62, 195-200.	4.2	73
136	Inhibition of a somatic nociceptive reflex by gastric distention in humans. Gastroenterology, 1994, 107, 985-992.	1.3	59
137	Diffuse noxious inhibitory controls in humans: A neurophysiological investigation of a patient with a form of Brown-Séquard syndrome. Annals of Neurology, 1993, 34, 536-543.	5.3	66
138	Morphine and diffuse noxious inhibitory controls in the rat: effects of lesions of the rostral ventromedial medulla. European Journal of Pharmacology, 1993, 232, 207-215.	3.5	33
139	Effects of lesions of locus coeruleus/subcoeruleus on diffuse noxious inhibitory controls in the rat. Brain Research, 1992, 571, 140-144.	2.2	39
140	Involvement of the subnucleus reticularis dorsalis in diffuse noxious inhibitory controls in the rat. Brain Research, 1992, 595, 353-357.	2.2	174
141	Effects of systematic morphine on diffuse noxious inhibitory controls: Role of the periaqueductal grey. European Journal of Pharmacology, 1992, 216, 149-156.	3.5	47
142	Intracerebroventricular morphine restores the basic somesthetic activity of dorsal horn convergent neurones in the rat. European Journal of Pharmacology, 1988, 148, 273-277.	3.5	14
143	Epidemiological considerations in neuropathic pain. , 0, , 24-32.		0