

Didier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/692155/publications.pdf>

Version: 2024-02-01

143
papers

19,244
citations

16791

66
h-index

13274

135
g-index

147
all docs

147
docs citations

147
times ranked

14483
citing authors

#	ARTICLE	IF	CITATIONS
1	Potential for increased prevalence of neuropathic pain after the COVID-19 pandemic. <i>Pain Reports</i> , 2021, 6, e884.	1.4	74
2	Neuropathic pain in Mali: The current situation, comprehensive hypothesis, which therapeutic strategy for Africa?. <i>ENeurologicalSci</i> , 2021, 22, 100312.	0.5	1
3	Safety and efficacy of an equimolar mixture of oxygen and nitrous oxide: a randomized controlled trial in patients with peripheral neuropathic pain. <i>Pain</i> , 2021, 162, 1104-1115.	2.0	9
4	Contralateral Sensory and Pain Perception Changes in Patients With Unilateral Neuropathy. <i>Neurology</i> , 2021, 97, e389-e402.	1.5	22
5	Advances in the treatment of neuropathic pain. <i>Current Opinion in Neurology</i> , 2021, 34, 631-637.	1.8	26
6	No pain, still gain (of function): the relation between sensory profiles and the presence or absence of self-reported pain in a large multicenter cohort of patients with neuropathy. <i>Pain</i> , 2021, 162, 718-727.	2.0	44
7	The Parkinson disease pain classification system: results from an international mechanism-based classification approach. <i>Pain</i> , 2021, 162, 1201-1210.	2.0	40
8	Stratification of patients based on the Neuropathic Pain Symptom Inventory: development and validation of a new algorithm. <i>Pain</i> , 2021, 162, 1038-1046.	2.0	41
9	Consensus and Controversies Between Pain and Addiction Experts on the Prevention, Diagnosis, and Management of Prescription Opioid Use Disorder. <i>Journal of Addiction Medicine</i> , 2020, 14, 1-11.	1.4	10
10	Pregabalin: a better neuropathic pain treatment in rodents than in humans. <i>Pain</i> , 2020, 161, 2425-2427.	2.0	9
11	Interplay between body schema, visuospatial perception and pain in patients with spinal cord injury. <i>European Journal of Pain</i> , 2020, 24, 1400-1410.	1.4	9
12	Central Nervous System Reorganization and Pain After Spinal Cord Injury: Possible Targets for Physical Therapy—A Systematic Review of Neuroimaging Studies. <i>Physical Therapy</i> , 2020, 100, 946-962.	1.1	8
13	Pain thresholds and intensities of CRPS type I and neuropathic pain in respect to sex. <i>European Journal of Pain</i> , 2020, 24, 1058-1071.	1.4	14
14	How to diagnose parkinsonian central pain?. <i>Parkinsonism and Related Disorders</i> , 2019, 64, 50-53.	1.1	22
15	Baseline Pupil Diameter Is Not a Reliable Biomarker of Subjective Sleepiness. <i>Frontiers in Neurology</i> , 2019, 10, 108.	1.1	20
16	Translational neuropathic pain research. <i>Pain</i> , 2019, 160, S23-S28.	2.0	35
17	Modification of the Neuropathic Pain Symptom Inventory for use in eye pain (NPSI-Eye). <i>Pain</i> , 2019, 160, 1541-1550.	2.0	53
18	Pain research in 2018: the year of translational studies. <i>Lancet Neurology</i> , The, 2019, 18, 13-15.	4.9	1

#	ARTICLE	IF	CITATIONS
19	The multiple challenges of neuropathic pain. <i>Neuroscience Letters</i> , 2019, 702, 6-10.	1.0	22
20	Emerging therapies for neuropathic pain: new molecules or new indications for old treatments?. <i>Pain</i> , 2018, 159, 576-582.	2.0	38
21	Diagnosis and assessment of neuropathic pain through questionnaires. <i>Lancet Neurology</i> , The, 2018, 17, 456-466.	4.9	149
22	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018, 3, 63.	0.9	20
23	Neuropathic pain. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17002.	18.1	1,360
24	Prevalence and incidence of chronic pain with or without neuropathic characteristics in patients with cancer. <i>Pain</i> , 2017, 158, 1118-1125.	2.0	71
25	Peripheral neuropathic pain: a mechanism-related organizing principle based on sensory profiles. <i>Pain</i> , 2017, 158, 261-272.	2.0	462
26	Stratifying patients with peripheral neuropathic pain based on sensory profiles: algorithm and sample size recommendations. <i>Pain</i> , 2017, 158, 1446-1455.	2.0	150
27	Validation of the Greek Version of the Fibromyalgia Rapid Screening Tool. <i>Pain Practice</i> , 2017, 17, 925-929.	0.9	7
28	Pregabalin for the Prevention of Oxaliplatin-Induced Painful Neuropathy: A Randomized, Double-Blind Trial. <i>Oncologist</i> , 2017, 22, 1154-e105.	1.9	55
29	Quality of life and impact of pain in women treated with aromatase inhibitors for breast cancer. A multicenter cohort study. <i>PLoS ONE</i> , 2017, 12, e0187165.	1.1	36
30	Validation of the Korean Version of the DN4 Diagnostic Questionnaire for Neuropathic Pain in Patients with Lumbar or Lumbar-Radicular Pain. <i>Yonsei Medical Journal</i> , 2016, 57, 449.	0.9	22
31	Neuropathic pain: an updated grading system for research and clinical practice. <i>Pain</i> , 2016, 157, 1599-1606.	2.0	824
32	Safety and efficacy of repeated injections of botulinum toxin A in peripheral neuropathic pain (BOTNEP): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , The, 2016, 15, 555-565.	4.9	176
33	Pain in Fabry Disease: Practical Recommendations for Diagnosis and Treatment. <i>CNS Neuroscience and Therapeutics</i> , 2016, 22, 568-576.	1.9	75
34	Sleep characteristics in type 1 diabetes and associations with glycemic control: systematic review and meta-analysis. <i>Sleep Medicine</i> , 2016, 23, 26-45.	0.8	155
35	Repetitive transcranial magnetic stimulation and transcranial direct-current stimulation in neuropathic pain due to radiculopathy. <i>Pain</i> , 2016, 157, 1224-1231.	2.0	74
36	Effect of Alexithymia and Emotional Repression on Postsurgical Pain in Women With Breast Cancer: A Prospective Longitudinal 12-Month Study. <i>Journal of Pain</i> , 2016, 17, 90-100.	0.7	45

#	ARTICLE	IF	CITATIONS
37	In Memoriam Jean-Marie Besson 1938-2014. European Journal of Pain, 2015, 19, 871-876.	1.4	0
38	Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies. Pain, 2015, 156, 2337-2353.	2.0	86
39	In Memoriam Jean-Marie Besson 1938 to 2014. Pain, 2015, 156, 2399-2401.	2.0	0
40	Who is healthy? Aspects to consider when including healthy volunteers in QST-based studies—a consensus statement by the EUROPAIN and NEUROPPAIN consortia. Pain, 2015, 156, 2203-2211.	2.0	53
41	Clinical, histological, and biochemical predictors of postsurgical neuropathic pain. Pain, 2015, 156, 2390-2398.	2.0	32
42	Pharmacotherapy of neuropathic pain. Pain, 2015, 156, S104-S114.	2.0	135
43	Repetitive Transcranial Magnetic Stimulation in Chronic Pain: A Review of the Literature. Archives of Physical Medicine and Rehabilitation, 2015, 96, S156-S172.	0.5	118
44	Prolonged Continuous Theta-burst Stimulation is More Analgesic Than “Classical” High Frequency Repetitive Transcranial Magnetic Stimulation. Brain Stimulation, 2015, 8, 135-141.	0.7	46
45	Validation of the Greek Version of the <sc>DN</sc>4 Diagnostic Questionnaire for Neuropathic Pain. Pain Practice, 2015, 15, 627-632.	0.9	33
46	A phase III, randomized, double-blind, placebo-controlled trial to evaluate the efficacy and safety of pregabalin in the prevention and reduction of oxaliplatin-induced painful neuropathy (PreOx).. Journal of Clinical Oncology, 2015, 33, 3575-3575.	0.8	2
47	Validity and Reliability of the Persian (Farsi) Version of the <sc>DN</sc>4 (Douleur Neuropathique 4) Tj ETQq1 1 0.784314 rgBT /Ove Practice, 2014, 14, 427-436.	0.9	34
48	Adherence of French GPs to Chronic Neuropathic Pain Clinical Guidelines: Results of a Cross-Sectional, Randomized, “Case-Vignette” Survey. PLoS ONE, 2014, 9, e93855.	1.1	24
49	Relationships between the paradoxical painful and nonpainful sensations induced by a thermal grill. Pain, 2014, 155, 2612-2617.	2.0	25
50	ARIZONA study: is the risk of post-herpetic neuralgia and its burden increased in the most elderly patients?. BMC Infectious Diseases, 2014, 14, 529.	1.3	12
51	Repetitive transcranial magnetic stimulation induced analgesia depends on N-methyl-d-aspartate glutamate receptors. Pain, 2014, 155, 598-605.	2.0	68
52	Does cognitive functioning predict chronic pain? Results from a prospective surgical cohort. Brain, 2014, 137, 904-917.	3.7	140
53	Neuropathic pain phenotyping as a predictor of treatment response in painful diabetic neuropathy: Data from the randomized, double-blind, COMBO-DN study. Pain, 2014, 155, 2171-2179.	2.0	109
54	Sensory profiles of patients with neuropathic pain based on the neuropathic pain symptoms and signs. Pain, 2014, 155, 367-376.	2.0	176

#	ARTICLE	IF	CITATIONS
55	Corrigendum to "Value of quantitative sensory testing in neurological and pain disorders: NEUPSIG consensus" [PAIN 2013;154(9):1807-1819]. Pain, 2014, 155, 205.	2.0	0
56	Classification of and Risk Factors for Estrogen Deprivation Pain Syndromes Related to Aromatase Inhibitor Treatments in Women With Breast Cancer: A Prospective Multicenter Cohort Study. Journal of Pain, 2014, 15, 293-303.	0.7	58
57	Pain management and pain characteristics in obese and normal weight patients before joint replacement. Journal of Evaluation in Clinical Practice, 2014, 20, 611-616.	0.9	27
58	Duloxetine and pregabalin: High-dose monotherapy or their combination? The "COMBO-DN study" a multinational, randomized, double-blind, parallel-group study in patients with diabetic peripheral neuropathic pain. Pain, 2013, 154, 2616-2625.	2.0	227
59	Value of quantitative sensory testing in neurological and pain disorders: NeuPSIG consensus. Pain, 2013, 154, 1807-1819.	2.0	428
60	Unilateral repetitive transcranial magnetic stimulation of the motor cortex does not affect cognition in patients with fibromyalgia. Journal of Psychiatric Research, 2013, 47, 72-77.	1.5	26
61	Are Psychological Predictors of Chronic Postsurgical Pain Dependent on the Surgical Model? A Comparison of Total Knee Arthroplasty and Breast Surgery for Cancer. Journal of Pain, 2013, 14, 854-864.	0.7	121
62	A randomized, double-blind, placebo-controlled trial of a chemokine receptor 2 (CCR2) antagonist in posttraumatic neuralgia. Pain, 2013, 154, 761-767.	2.0	66
63	The efficacy of a glial inhibitor, minocycline, for preventing persistent pain after lumbar discectomy: A randomized, double-blind, controlled study. Pain, 2013, 154, 1197-1203.	2.0	64
64	Chronic Pain with Neuropathic Characteristics in Diabetic Patients: A French Cross-Sectional Study. PLoS ONE, 2013, 8, e74195.	1.1	114
65	"Let's Talk about OA Pain": A Qualitative Analysis of the Perceptions of People Suffering from OA. Towards the Development of a Specific Pain OA-Related Questionnaire, the Osteoarthritis Symptom Inventory Scale (OASIS). PLoS ONE, 2013, 8, e79988.	1.1	42
66	Patient perspective on herpes zoster and its complications: An observational prospective study in patients aged over 50 years in general practice. Pain, 2012, 153, 342-349.	2.0	122
67	Risk factors predictive of chronic postsurgical neuropathic pain: The value of the iliac crest bone harvest model. Pain, 2012, 153, 1478-1483.	2.0	91
68	The Neuropathic Components of Chronic Low Back Pain: A Prospective Multicenter Study Using the DN4 Questionnaire. Journal of Pain, 2011, 12, 1080-1087.	0.7	124
69	NeuPSIG guidelines on neuropathic pain assessment. Pain, 2011, 152, 14-27.	2.0	871
70	Neuropharmacological basis of rTMS-induced analgesia: The role of endogenous opioids. Pain, 2011, 152, 320-326.	2.0	164
71	Diagnosis and assessment of neuropathic pain: The saga of clinical tools. Pain, 2011, 152, S74-S83.	2.0	137
72	Long-term maintenance of the analgesic effects of transcranial magnetic stimulation in fibromyalgia. Pain, 2011, 152, 1478-1485.	2.0	217

#	ARTICLE	IF	CITATIONS
73	The specific disease burden of neuropathic pain: Results of a French nationwide survey. <i>Pain</i> , 2011, 152, 2836-2843.	2.0	327
74	Psychometric validation of the Portuguese version of the Neuropathic Pain Symptoms Inventory. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 107.	1.0	41
75	Assessing symptom profiles in neuropathic pain clinical trials: Can it improve outcome?. <i>European Journal of Pain</i> , 2011, 15, 441-443.	1.4	88
76	Functional brain imaging of trigeminal neuralgia. <i>European Journal of Pain</i> , 2011, 15, 124-131.	1.4	76
77	Alteration of cortical excitability in patients with fibromyalgia. <i>Pain</i> , 2010, 149, 495-500.	2.0	158
78	Development and validation of the Fibromyalgia Rapid Screening Tool (FiRST). <i>Pain</i> , 2010, 150, 250-256.	2.0	148
79	Small fibre impairment predicts neuropathic pain in Guillain-Barré syndrome. <i>Pain</i> , 2010, 151, 53-60.	2.0	50
80	The impact of herpes zoster and post-herpetic neuralgia on quality-of-life. <i>BMC Medicine</i> , 2010, 8, 37.	2.3	282
81	Anatomical connections between brain areas activated during rectal distension in healthy volunteers: A visceral pain network. <i>European Journal of Pain</i> , 2010, 14, 142-148.	1.4	76
82	Recommendations on terminology and practice of psychophysical DNIC testing. <i>European Journal of Pain</i> , 2010, 14, 339-339.	1.4	415
83	Chronic pain associated with the Chikungunya Fever: long lasting burden of an acute illness. <i>BMC Infectious Diseases</i> , 2010, 10, 31.	1.3	85
84	Clinical, functional and structural determinants of central pain in syringomyelia. <i>Brain</i> , 2010, 133, 3409-3422.	3.7	88
85	Translation to Portuguese and Validation of the Douleur Neuropathique 4 Questionnaire. <i>Journal of Pain</i> , 2010, 11, 484-490.	0.7	118
86	Diffuse analgesic effects of unilateral repetitive transcranial magnetic stimulation (rTMS) in healthy volunteers. <i>Pain</i> , 2009, 147, 224-232.	2.0	100
87	All in one: Is it possible to assess all dimensions of any pain with a simple questionnaire?. <i>Pain</i> , 2009, 144, 7-8.	2.0	24
88	Assessment of Neuropathic Pain in Primary Care. <i>American Journal of Medicine</i> , 2009, 122, S13-S21.	0.6	177
89	Chronic pain in Parkinson's disease: The cross-sectional French DoPaMiP survey. <i>Movement Disorders</i> , 2008, 23, 1361-1369.	2.2	257
90	Conceptual adequacy of the neuropathic pain symptom inventory in six countries. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 62.	1.0	32

#	ARTICLE	IF	CITATIONS
91	Prevalence of chronic pain with neuropathic characteristics in the general population. Pain, 2008, 136, 380-387.	2.0	1,355
92	Pharmacological dissection of the paradoxical pain induced by a thermal grill. Pain, 2008, 135, 291-299.	2.0	50
93	Effects of morphine on the experimental illusion of pain produced by a thermal grill. Pain, 2008, 139, 653-659.	2.0	30
94	Lack of Impact of Intravenous Lidocaine on Analgesia, Functional Recovery, and Nociceptive Pain Threshold after Total Hip Arthroplasty. Anesthesiology, 2008, 109, 118-123.	1.3	119
95	Antiinflammatory Effect of Peripheral Nerve Blocks after Knee Surgery. Anesthesiology, 2008, 109, 484-490.	1.3	99
96	The Evolution of Primary Hyperalgesia in Orthopedic Surgery: Quantitative Sensory Testing and Clinical Evaluation Before and After Total Knee Arthroplasty. Anesthesia and Analgesia, 2007, 105, 815-821.	1.1	124
97	Using screening tools to identify neuropathic pain. Pain, 2007, 127, 199-203.	2.0	462
98	Usefulness and limitations of quantitative sensory testing: Clinical and research application in neuropathic pain states. Pain, 2007, 129, 256-259.	2.0	265
99	Epidemiology of neuropathic pain: Can we use the screening tools?. Pain, 2007, 132, 12-13.	2.0	28
100	Brain imaging of neuropathic pain. NeuroImage, 2007, 37, S80-S88.	2.1	304
101	Validity and reliability of the Spanish version of the DN4 (Douleur Neuropathique 4 questions) questionnaire for differential diagnosis of pain syndromes associated to a neuropathic or somatic component. Health and Quality of Life Outcomes, 2007, 5, 66.	1.0	150
102	Constitutive Cyclooxygenase-2 Is Involved in Central Nociceptive Processes in Humans. Anesthesiology, 2007, 106, 1013-1018.	1.3	21
103	Translating Basic Research on Sodium Channels in Human Neuropathic Pain. Journal of Pain, 2006, 7, S31-S37.	0.7	13
104	Psychophysical study of the effects of topical application of menthol in healthy volunteers. Pain, 2006, 122, 190-196.	2.0	105
105	Mechanisms of central neuropathic pain: a combined psychophysical and fMRI study in syringomyelia. Brain, 2006, 129, 963-976.	3.7	223
106	Chapter 47 Pain in syringomyelia/bulbia. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2006, 81, 705-713.	1.0	12
107	Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4). Pain, 2005, 114, 29-36.	2.0	1,969
108	Investigation of the paradoxical painful sensation (â€˜illusion of painâ€™™) produced by a thermal grill. Pain, 2005, 114, 160-167.	2.0	77

#	ARTICLE	IF	CITATIONS
109	Towards a new taxonomy of idiopathic orofacial pain. <i>Pain</i> , 2005, 116, 396-406.	2.0	104
110	Topical clonazepam in stomatodynia: a randomised placebo-controlled study. <i>Pain</i> , 2004, 108, 51-57.	2.0	242
111	Development and validation of the Neuropathic Pain Symptom Inventory. <i>Pain</i> , 2004, 108, 248-257.	2.0	1,031
112	Can pain be more or less neuropathic?. <i>Pain</i> , 2004, 110, 510-511.	2.0	27
113	Erratum to "Can pain be more or less neuropathic?" [Pain 110 (2004) 510-511]. <i>Pain</i> , 2004, 112, 222.	2.0	0
114	Comparison of the pain suppressive effects of clinical and experimental painful conditioning stimuli. <i>Brain</i> , 2003, 126, 1068-1078.	3.7	109
115	Interaction of a combination of morphine and ketamine on the nociceptive flexion reflex in human volunteers. <i>Pain</i> , 2002, 98, 47-57.	2.0	65
116	Local and remote effects of hypnotic suggestions of analgesia. <i>Pain</i> , 2001, 89, 167-173.	2.0	20
117	Activation of diffuse noxious inhibitory controls (DNIC) in rats with an experimental peripheral mononeuropathy. <i>Pain</i> , 2001, 91, 287-296.	2.0	46
118	Stage-dependent changes in the modulation of spinal nociceptive neuronal activity during the course of inflammation. <i>European Journal of Neuroscience</i> , 2001, 13, 230-240.	1.2	41
119	The Effects of Ketamine on the Temporal Summation (Wind-Up) of the RIII Nociceptive Flexion Reflex and Pain in Humans. <i>Anesthesia and Analgesia</i> , 2000, 90, 408.	1.1	119
120	Spatial encoding properties of subnucleus reticularis dorsalis neurons in the rat medulla. <i>Brain Research</i> , 2000, 873, 131-134.	1.1	15
121	Temporal summation and a C-fibre reflex in the rat: effects of morphine on facilitatory and inhibitory mechanisms. <i>European Journal of Pharmacology</i> , 2000, 394, 75-84.	1.7	10
122	Rectal sensitivity assessed by a reflexologic technique: further evidence for two types of mechanoreceptors. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, G692-G699.	1.6	28
123	Diffuse Noxious Inhibitory Controls and Arthritis in the Rat. , 2000, , 69-78.		3
124	Alteration of Descending Modulation of Nociception during the Course of Monoarthritis in the Rat. <i>Journal of Neuroscience</i> , 1999, 19, 2394-2400.	1.7	69
125	Mechanisms of pain in peripheral neuropathy. <i>Acta Neurologica Scandinavica</i> , 1999, 100, 12-24.	1.0	124
126	Painful and painless peripheral sensory neuropathies due to HIV infection: a comparison using quantitative sensory evaluation. <i>Pain</i> , 1999, 80, 265-272.	2.0	91

#	ARTICLE	IF	CITATIONS
127	Nefopam strongly depresses the nociceptive flexion (RIII) reflex in humans. <i>Pain</i> , 1999, 80, 399-404.	2.0	61
128	Effects of single and repeated applications of a eutectic mixture of local anaesthetics (EMLA®) cream on spontaneous and evoked pain in post-herpetic neuralgia. <i>Pain</i> , 1999, 81, 203-209.	2.0	72
129	Effect of Systemic Morphine on the Responses of Convergent Neurons to Noxious Heat Stimuli Applied over Graded Surface Areas. <i>Anesthesiology</i> , 1999, 90, 1129-1136.	1.3	9
130	The influence of temporal summation on a C-fibre reflex in the rat: effects of lesions in the rostral ventromedial medulla (RVM). <i>Brain Research</i> , 1998, 792, 168-172.	1.1	21
131	Different strategies of modulation can be operative during hypnotic analgesia: a neurophysiological study. <i>Pain</i> , 1998, 75, 85-92.	2.0	119
132	A case of "pure" dynamic mechano-allodynia due to a lesion of the spinal cord: pathophysiological considerations. <i>Pain</i> , 1998, 75, 399-404.	2.0	15
133	Effects of Gabapentin on the Different Components of Peripheral and Central Neuropathic Pain Syndromes: A Pilot Study. <i>European Neurology</i> , 1998, 40, 191-200.	0.6	142
134	Involvement of the Caudal Medulla in Negative Feedback Mechanisms Triggered by Spatial Summation of Nociceptive Inputs. <i>Journal of Neurophysiology</i> , 1998, 79, 304-311.	0.9	27
135	Dorsal horn convergent neurones: negative feedback triggered by spatial summation of nociceptive afferents. <i>Pain</i> , 1995, 62, 195-200.	2.0	73
136	Inhibition of a somatic nociceptive reflex by gastric distention in humans. <i>Gastroenterology</i> , 1994, 107, 985-992.	0.6	59
137	Diffuse noxious inhibitory controls in humans: A neurophysiological investigation of a patient with a form of Brown-Séquard syndrome. <i>Annals of Neurology</i> , 1993, 34, 536-543.	2.8	66
138	Morphine and diffuse noxious inhibitory controls in the rat: effects of lesions of the rostral ventromedial medulla. <i>European Journal of Pharmacology</i> , 1993, 232, 207-215.	1.7	33
139	Effects of lesions of locus coeruleus/subcoeruleus on diffuse noxious inhibitory controls in the rat. <i>Brain Research</i> , 1992, 571, 140-144.	1.1	39
140	Involvement of the subnucleus reticularis dorsalis in diffuse noxious inhibitory controls in the rat. <i>Brain Research</i> , 1992, 595, 353-357.	1.1	174
141	Effects of systematic morphine on diffuse noxious inhibitory controls: Role of the periaqueductal grey. <i>European Journal of Pharmacology</i> , 1992, 216, 149-156.	1.7	47
142	Intracerebroventricular morphine restores the basic somesthetic activity of dorsal horn convergent neurones in the rat. <i>European Journal of Pharmacology</i> , 1988, 148, 273-277.	1.7	14
143	Epidemiological considerations in neuropathic pain. , 0, , 24-32.		0