## **Pascal Rihet**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6921684/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Transcriptional Response in a Sepsis Mouse Model Reflects Transcriptional Response in Sepsis Patients. International Journal of Molecular Sciences, 2022, 23, 821.	4.1	8
2	Identification of ATP2B4 Regulatory Element Containing Functional Genetic Variants Associated with Severe Malaria. International Journal of Molecular Sciences, 2022, 23, 4849.	4.1	9
3	Genetic Predisposition to the Mortality in Septic Shock Patients: From GWAS to the Identification of a Regulatory Variant Modulating the Activity of a CISH Enhancer. International Journal of Molecular Sciences, 2021, 22, 5852.	4.1	11
4	Gene expression profiling in blood from cerebral malaria patients and mild malaria patients living in Senegal. BMC Medical Genomics, 2019, 12, 148.	1.5	15
5	TAGOOS: genome-wide supervised learning of non-coding loci associated to complex phenotypes. Nucleic Acids Research, 2019, 47, e79-e79.	14.5	3
6	Genetic and enzymatic characterization of 3-O-sulfotransferase SNPs associated with Plasmodium falciparum parasitaemia. Glycobiology, 2018, 28, 534-541.	2.5	5
7	Deletion of Nkx2-5 in trabecular myocardium reveals the developmental origins of pathological heterogeneity associated with ventricular non-compaction cardiomyopathy. PLoS Genetics, 2018, 14, e1007502.	3.5	37
8	A transcriptomic signature predicting septic outcome in patients undergoing autologous stem cell transplantation. Experimental Hematology, 2018, 65, 49-56.	0.4	5
9	<i>NCR3</i> polymorphism, haematological parameters, and severe malaria in Senegalese patients. PeerJ, 2018, 6, e6048.	2.0	7
10	Vorinostat and Mithramycin A in combination therapy as an interesting strategy for the treatment of Sézary T lymphoma: a transcriptomic approach. Archives of Dermatological Research, 2017, 309, 611-623.	1.9	6
11	Association of a functional TNF variant with Plasmodium falciparum parasitaemia in a congolese population. Genes and Immunity, 2017, 18, 152-157.	4.1	15
12	Beyond genome-wide scan: Association of a cis-regulatory NCR3 variant with mild malaria in a population living in the Republic of Congo. PLoS ONE, 2017, 12, e0187818.	2.5	7
13	Interplay between trauma and Pseudomonas entomophila infection in flies: a central role of the JNK pathway and of CrebA. Scientific Reports, 2017, 7, 16222.	3.3	7
14	Natural killer cells in acute myeloid leukemia patients: from phenotype to transcriptomic analysis. Immunologic Research, 2016, 64, 1225-1236.	2.9	14
15	Identification of AREG and PLK1 pathway modulation as a potential key of the response of intracranial 9L tumor to microbeam radiation therapy. International Journal of Cancer, 2015, 136, 2705-2716.	5.1	26
16	Genome-wide significant linkage to IgG subclass responses against Plasmodium falciparum antigens on chromosomes 8p22-p21, 9q34 and 20q13. Genes and Immunity, 2015, 16, 187-192.	4.1	4
17	Technical data of the transcriptomic analysis performed on tsetse fly symbionts, Sodalis glossinidius and Wigglesworthia glossinidia, harbored, respectively by non-infected, Trypanosoma brucei gambiense infected and self-cured Glossina palpalis gambiensis tsetse flies. Genomics Data, 2015, 4, 133-136	1.3	1
18	Sperm mRNAs and microRNAs as candidate markers for the impact of toxicants on human spermatogenesis: an application to tobacco smoking. Systems Biology in Reproductive Medicine, 2015, 61, 139-149.	2.1	41

#	Article	IF	CITATIONS
19	Serum Pantetheinase/Vanin Levels Regulate Erythrocyte Homeostasis and Severity of Malaria. American Journal of Pathology, 2015, 185, 3039-3052.	3.8	14
20	Natural killer cells in patients with polycythemia vera. Human Immunology, 2015, 76, 644-650.	2.4	3
21	Host susceptibility to malaria in human and mice: compatible approaches to identify potential resistant genes. Physiological Genomics, 2014, 46, 1-16.	2.3	13
22	Identification of overexpressed genes in Sodalis glossinidius inhabiting trypanosome-infected self-cured tsetse flies. Frontiers in Microbiology, 2014, 5, 255.	3.5	6
23	The transcriptional signatures of Sodalis glossinidius in the Glossina palpalis gambiensis flies negative for Trypanosoma brucei gambiense contrast with those of this symbiont in tsetse flies positive for the parasite: Possible involvement of a Sodalis-hosted prophage in fly Trypanosoma refractoriness?. Infection. Genetics and Evolution. 2014. 24. 41-56.	2.3	24
24	A genome scan for Plasmodium falciparum malaria identifies quantitative trait loci on chromosomes 5q31, 6p21.3, 17p12, and 19p13. Malaria Journal, 2014, 13, 198.	2.3	19
25	Natural Killer Cells Modulation in Hematological Malignancies. Frontiers in Immunology, 2013, 4, 459.	4.8	29
26	Functional Polymorphisms in the Regulatory Regions of the VNN1 Gene Are Associated with Susceptibility to Inflammatory Bowel Diseases. Inflammatory Bowel Diseases, 2013, 19, 2315-2325.	1.9	38
27	Striatal Molecular Signature of Subchronic Subthalamic Nucleus High Frequency Stimulation in Parkinsonian Rat. PLoS ONE, 2013, 8, e60447.	2.5	18
28	Early Gene Expression Analysis in 9L Orthotopic Tumor-Bearing Rats Identifies Immune Modulation in Molecular Response to Synchrotron Microbeam Radiation Therapy. PLoS ONE, 2013, 8, e81874.	2.5	50
29	IL-12Rβ2 Is Essential for the Development of Experimental Cerebral Malaria. Journal of Immunology, 2012, 188, 1905-1914.	0.8	38
30	Malaria resistance genes are associated with the levels of IgG subclasses directed against Plasmodium falciparum blood-stage antigens in Burkina Faso. Malaria Journal, 2012, 11, 308.	2.3	24
31	Genetic variations in genes involved in heparan sulphate biosynthesis are associated with Plasmodium falciparum parasitaemia: a familial study in Burkina Faso. Malaria Journal, 2012, 11, 108.	2.3	14
32	Platelets Alter Gene Expression Profile in Human Brain Endothelial Cells in an In Vitro Model of Cerebral Malaria. PLoS ONE, 2011, 6, e19651.	2.5	32
33	Alternatively spliced NKp30 isoforms affect the prognosis of gastrointestinal stromal tumors. Nature Medicine, 2011, 17, 700-707.	30.7	282
34	Evidence for epistasis between hemoglobin C and immune genes in human P. falciparum malaria: a family study in Burkina Faso. Genes and Immunity, 2011, 12, 481-489.	4.1	11
35	Peripheral Tâ€cell lymphoma gene expression profiling and potential therapeutic exploitations. British Journal of Haematology, 2010, 150, 21-27	2.5	17
36	Genome-Wide Expression Profiling Deciphers Host Responses Altered during Dengue Shock Syndrome and Reveals the Role of Innate Immunity in Severe Dengue. PLoS ONE, 2010, 5, e11671.	2.5	66

#	Article	IF	CITATIONS
37	Family-based association of a low producing lymphotoxin-α allele with reduced Plasmodium falciparum parasitemia. Microbes and Infection, 2008, 10, 673-679.	1.9	14
38	IL12B polymorphisms are linked but not associated with Plasmodium falciparum parasitemia: a familial study in Burkina Faso. Genes and Immunity, 2008, 9, 405-411.	4.1	13
39	Association analyses of NCR3 polymorphisms with P. falciparum mild malaria. Microbes and Infection, 2007, 9, 160-166.	1.9	20
40	Gene expression analysis reveals early changes in several molecular pathways in cerebral malaria-susceptible mice versus cerebral malaria-resistant mice. BMC Genomics, 2007, 8, 452.	2.8	51
41	Pathology of Tnf-deficient mice infected with Plasmodium chabaudi adami 408XZ. Experimental Parasitology, 2006, 114, 271-278.	1.2	21
42	Geneâ€Expression Profiling Discriminates between Cerebral Malaria (CM)–Susceptible Mice and CMâ€Resistant Mice. Journal of Infectious Diseases, 2006, 193, 312-321.	4.0	50
43	TNF as a malaria candidate gene: polymorphism-screening and family-based association analysis of mild malaria attack and parasitemia in Burkina Faso. Genes and Immunity, 2005, 6, 472-480.	4.1	56
44	Influence of Carriage of Hemoglobin AS and the Fcγ Receptor IIa–R131Allele on Levels of Immunoglobulin G2 Antibodies toPlasmodium falciparumMerozoite Antigens in Gabonese Children. Journal of Infectious Diseases, 2005, 192, 1975-1980.	4.0	31
45	Comparison of pathology in susceptible A/J and resistant C57BL/6J mice after infection with different sub-strains of Plasmodium chabaudi. Experimental Parasitology, 2004, 108, 134-141.	1.2	9
46	Confirmation and dissection of QTL controlling resistanceto malaria in mice. Mammalian Genome, 2004, 15, 390-398.	2.2	48
47	Mapping of a new quantitative trait locus for resistance to malaria in mice by a comparative mapping approach with human Chromosome 5q31-q33. Immunogenetics, 2004, 56, 115-117.	2.4	42
48	Linkage and association between Plasmodium falciparum blood infection levels and chromosome 5q31–q33. Genes and Immunity, 2003, 4, 265-268.	4.1	54
49	Linkage of mild malaria to the major histocompatibility complex in families living in Burkina Faso. Human Molecular Genetics, 2003, 12, 375-378.	2.9	47
50	Hemoglobin C is associated with reduced Plasmodium falciparum parasitemia and low risk of mild malaria attack. Human Molecular Genetics, 2003, 13, 1-6.	2.9	57
51	Familial Correlation of Immunoglobulin G Subclass Responses to Plasmodium falciparum Antigens in Burkina Faso. Infection and Immunity, 2001, 69, 996-1001.	2.2	34
52	High Immunoglobulin G2 (IgG2) and Low IgG4 Levels Are Associated with Human Resistance to Plasmodium falciparum Malaria. Infection and Immunity, 2000, 68, 1252-1258.	2.2	145
53	Modification of P-selectin glycoprotein ligand-1 with a natural killer cell-restricted sulfated lactosamine creates an alternate ligand for L-selectin. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 3400-3405.	7.1	41
54	Malaria in Humans: Plasmodium falciparum Blood Infection Levels Are Linked to Chromosome 5q31-q33. American Journal of Human Genetics, 1998, 63, 498-505.	6.2	136

#	Article	IF	CITATIONS
55	Resistance to Schistosoma mansoni in Humans: Influence of the IgE/IgG4 Balance and IgG2 in Immunity to Reinfection after Chemotherapy. Journal of Infectious Diseases, 1993, 168, 1000-1008.	4.0	185
56	Environmental, Genetic and Immunological Factors in Human Resistance to Schistosoma Mansoni. Immunological Investigations, 1992, 21, 423-453.	2.0	65
57	Strong serum inhibition of specific IgE correlated to competing IgG4, revealed by a new methodology in subjects from aS. mansoni endemic area. European Journal of Immunology, 1992, 22, 2063-2070.	2.9	96
58	Facteurs génétiques et immunologiques déterminant la résistance à la bilharziose en région d'endémie. Medecine/Sciences, 1992, 8, 108.	0.2	1
59	Evidence for an association between human resistance to <i>Schistosoma mansoni</i> and high antiâ€larval IgE levels. European Journal of Immunology, 1991, 21, 2679-2686.	2.9	262