

# Chong Rae Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6921951/publications.pdf>

Version: 2024-02-01

147  
papers

10,465  
citations

38660

50  
h-index

33814

99  
g-index

170  
all docs

170  
docs citations

170  
times ranked

15672  
citing authors

#	ARTICLE	IF	CITATIONS
1	MOF-Derived Hierarchically Porous Carbon with Exceptional Porosity and Hydrogen Storage Capacity. <i>Chemistry of Materials</i> , 2012, 24, 464-470.	3.2	671
2	Surface modifications for the effective dispersion of carbon nanotubes in solvents and polymers. <i>Carbon</i> , 2012, 50, 3-33.	5.4	608
3	Preparation and Exceptional Lithium Anodic Performance of Porous Carbon-Coated ZnO Quantum Dots Derived from a Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2013, 135, 7394-7397.	6.6	482
4	Specification for a standard procedure of X-ray diffraction measurements on carbon materials. <i>Carbon</i> , 2004, 42, 701-714.	5.4	414
5	Preparation and Enhanced Hydrostability and Hydrogen Storage Capacity of CNT@MOF-5 Hybrid Composite. <i>Chemistry of Materials</i> , 2009, 21, 1893-1897.	3.2	336
6	Rational Design of Nanostructured Functional Interlayer/Separator for Advanced Li-S Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1707411.	7.8	272
7	Biodistribution and anti-tumor efficacy of doxorubicin loaded glycol-chitosan nanoaggregates by EPR effect. <i>Journal of Controlled Release</i> , 2003, 91, 135-145.	4.8	266
8	Carbon science in 2016: Status, challenges and perspectives. <i>Carbon</i> , 2016, 98, 708-732.	5.4	261
9	Structural Characteristics of Size-Controlled Self-Aggregates of Deoxycholic Acid-Modified Chitosan and Their Application as a DNA Delivery Carrier. <i>Bioconjugate Chemistry</i> , 2001, 12, 932-938.	1.8	200
10	Preparation and Solubility in Acid and Water of Partially Deacetylated Chitins. <i>Biomacromolecules</i> , 2000, 1, 609-614.	2.6	199
11	Preparation and characteristics of rice-straw-based porous carbons with high adsorption capacity. <i>Fuel</i> , 2002, 81, 327-336.	3.4	191
12	Flexible and Robust Thermoelectric Generators Based on All-Carbon Nanotube Yarn without Metal Electrodes. <i>ACS Nano</i> , 2017, 11, 7608-7614.	7.3	191
13	Hidden Second Oxidation Step of Hummers Method. <i>Chemistry of Materials</i> , 2016, 28, 756-764.	3.2	187
14	Role of oxygen functional groups in graphene oxide for reversible room-temperature NO <sub>2</sub> sensing. <i>Carbon</i> , 2015, 91, 178-187.	5.4	183
15	Remarkable Conversion Between n- and p-Type Reduced Graphene Oxide on Varying the Thermal Annealing Temperature. <i>Chemistry of Materials</i> , 2015, 27, 7362-7369.	3.2	177
16	Preparation of Highly Moisture-Resistant Black-Colored Metal Organic Frameworks. <i>Advanced Materials</i> , 2012, 24, 4010-4013.	11.1	166
17	High-Performance Thermoelectric Paper Based on Double Carrier-Filtering Processes at Nanowire Heterojunctions. <i>Advanced Energy Materials</i> , 2016, 6, 1502181.	10.2	157
18	Extremely Vivid, Highly Transparent, and Ultrathin Quantum Dot Light-Emitting Diodes. <i>Advanced Materials</i> , 2018, 30, 1703279.	11.1	157

#	ARTICLE	IF	CITATIONS
19	Direct spinning and densification method for high-performance carbon nanotube fibers. <i>Nature Communications</i> , 2019, 10, 2962.	5.8	126
20	Advanced energy storage device: a hybrid BatCap system consisting of battery–supercapacitor hybrid electrodes based on Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> –activated-carbon hybrid nanotubes. <i>Journal of Materials Chemistry</i> , 2012, 22, 16986.	6.7	117
21	MOF-derived ZnO and ZnO@C composites with high photocatalytic activity and adsorption capacity. <i>Journal of Hazardous Materials</i> , 2011, 186, 376-382.	6.5	116
22	Rational design of exfoliated 1T MoS <sub>2</sub> @CNT-based bifunctional separators for lithium sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 23909-23918.	5.2	111
23	Analysis of Problematic Complexing Behavior of Ferric Chloride with N,N-Dimethylformamide Using Combined Techniques of FT-IR, XPS, and TGA/DTG. <i>Inorganic Chemistry</i> , 2002, 41, 6211-6216.	1.9	109
24	Effects of pre-carbonization on porosity development of activated carbons from rice straw. <i>Carbon</i> , 2001, 39, 559-567.	5.4	106
25	Effect of polymer infiltration on structure and properties of carbon nanotube yarns. <i>Carbon</i> , 2015, 88, 60-69.	5.4	105
26	Easy synthesis of highly nitrogen-enriched graphitic carbon with a high hydrogen storage capacity at room temperature. <i>Carbon</i> , 2009, 47, 1585-1591.	5.4	102
27	Enhanced hydrogen storage capacity of Pt-loaded CNT@MOF-5 hybrid composites. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 13062-13067.	3.8	100
28	Si-doping effect on the enhanced hydrogen storage of single walled carbon nanotubes and graphene. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 12286-12295.	3.8	87
29	High-modulus and strength carbon nanotube fibers using molecular cross-linking. <i>Carbon</i> , 2017, 118, 413-421.	5.4	83
30	Chemically fluorinated graphene oxide for room temperature ammonia detection at ppb levels. <i>Journal of Materials Chemistry A</i> , 2017, 5, 19116-19125.	5.2	83
31	Recent advances in hydrogen storage technologies based on nanoporous carbon materials. <i>Progress in Natural Science: Materials International</i> , 2012, 22, 631-638.	1.8	80
32	Preparation of a freestanding, macroporous reduced graphene oxide film as an efficient and recyclable sorbent for oils and organic solvents. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9427.	5.2	80
33	Solvent evaporation mediated preparation of hierarchically porous metal organic framework-derived carbon with controllable and accessible large-scale porosity. <i>Carbon</i> , 2014, 71, 294-302.	5.4	77
34	Partially unzipped carbon nanotubes for high-rate and stable lithium–sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 819-826.	5.2	76
35	Simple and cost-effective reduction of graphite oxide by sulfuric acid. <i>Carbon</i> , 2012, 50, 3229-3232.	5.4	70
36	Easy Preparation of Self-Assembled High-Density Buckypaper with Enhanced Mechanical Properties. <i>Nano Letters</i> , 2015, 15, 190-197.	4.5	69

#	ARTICLE	IF	CITATIONS
37	Highly fluorescent columnar liquid crystals with elliptical molecular shape: oblique molecular stacking and excited-state intramolecular proton-transfer fluorescence. <i>Journal of Materials Chemistry</i> , 2007, 17, 5052.	6.7	67
38	How can we make carbon nanotube yarn stronger?. <i>Composites Science and Technology</i> , 2018, 166, 95-108.	3.8	66
39	Compressional behaviour of carbon fibres. <i>Journal of Materials Science</i> , 1990, 25, 829-834.	1.7	65
40	Theoretical guidelines to designing high performance energy storage device based on hybridization of lithium-ion battery and supercapacitor. <i>Journal of Power Sources</i> , 2014, 259, 1-14.	4.0	62
41	Preparation and Exceptional Mechanical Properties of Bone-Mimicking Size-Tuned Graphene Oxide@Carbon Nanotube Hybrid Paper. <i>ACS Nano</i> , 2016, 10, 2184-2192.	7.3	62
42	The effect of heating rate on porosity production during the low temperature reduction of graphite oxide. <i>Carbon</i> , 2013, 53, 73-80.	5.4	59
43	Effect of multi-walled carbon nanotube dispersion on the electrical, morphological and rheological properties of polycarbonate/multi-walled carbon nanotube composites. <i>Macromolecular Research</i> , 2009, 17, 863-869.	1.0	58
44	Water-Soluble Fluorinated and PEGylated Cyanostilbene Derivative: An Amphiphilic Building Block Forming Self-Assembled Organic Nanorods with Enhanced Fluorescence Emission. <i>Chemistry of Materials</i> , 2013, 25, 3288-3295.	3.2	58
45	Facile preparation of reduced graphene oxide-based gas barrier films for organic photovoltaic devices. <i>Energy and Environmental Science</i> , 2014, 7, 3403-3411.	15.6	58
46	Conjugated Polymer/Photochromophore Binary Nanococktails: Bistable Photoswitching of Near-Infrared Fluorescence for In Vivo Imaging. <i>Advanced Materials</i> , 2013, 25, 5574-5580.	11.1	55
47	Preparation and electrochemical performance of hyper-networked Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> /carbon hybrid nanofiber sheets for a battery-supercapacitor hybrid system. <i>Nanotechnology</i> , 2011, 22, 405402.	1.3	53
48	Easy Preparation of Readily Self-Assembled High-Performance Graphene Oxide Fibers. <i>Chemistry of Materials</i> , 2014, 26, 5549-5555.	3.2	52
49	Band gap engineering of graphene oxide for ultrasensitive NO <sub>2</sub> gas sensing. <i>Carbon</i> , 2020, 159, 175-184.	5.4	52
50	Stabilization of Insoluble Discharge Products by Facile Aniline Modification for High Performance Li-ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500268.	10.2	51
51	Wrapping SnO <sub>2</sub> with porosity-tuned graphene as a strategy for high-rate performance in lithium battery anodes. <i>Carbon</i> , 2015, 85, 289-298.	5.4	51
52	General Relationship between Hydrogen Adsorption Capacities at 77 and 298 K and Pore Characteristics of the Porous Adsorbents. <i>Journal of Physical Chemistry C</i> , 2012, 116, 10529-10540.	1.5	50
53	Effects of surrounding confinements of Si nanoparticles on Si-based anode performance for lithium ion batteries. <i>Electrochimica Acta</i> , 2010, 56, 790-796.	2.6	49
54	Highly dispersible edge-selectively oxidized graphene with improved electrical performance. <i>Nanoscale</i> , 2017, 9, 1699-1708.	2.8	49

#	ARTICLE	IF	CITATIONS
55	Effects of sulfuric acid treatment on the microstructure and electrochemical performance of a polyacrylonitrile (PAN)-based carbon anode. <i>Carbon</i> , 2005, 43, 163-169.	5.4	48
56	Preparation and characterization of self-assembled nanoparticles based on glycol chitosan bearing adriamycin. <i>Colloid and Polymer Science</i> , 2006, 284, 763-770.	1.0	47
57	High-strength carbon nanotube/carbon composite fibers via chemical vapor infiltration. <i>Nanoscale</i> , 2016, 8, 18972-18979.	2.8	46
58	Simple fabrication of carbon/TiO <sub>2</sub> composite nanotubes showing dual functions with adsorption and photocatalytic decomposition of Rhodamine B. <i>Nanotechnology</i> , 2012, 23, 035604.	1.3	45
59	Facile preparation of monodisperse ZnO quantum dots with high quality photoluminescence characteristics. <i>Nanotechnology</i> , 2008, 19, 035609.	1.3	44
60	High-performance thermoelectric bracelet based on carbon nanotube ink printed directly onto a flexible cable. <i>Journal of Materials Chemistry A</i> , 2018, 6, 19727-19734.	5.2	44
61	Nanofibril Formation of Electrospun TiO <sub>2</sub> Fibers and its Application to Dye-Sensitized Solar Cells. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2005, 42, 1529-1540.	1.2	43
62	Characteristics tuning of graphene-oxide-based-graphene to various end-uses. <i>Energy Storage Materials</i> , 2018, 14, 8-21.	9.5	43
63	High-Performance, Wearable Thermoelectric Generator Based on a Highly Aligned Carbon Nanotube Sheet. <i>ACS Applied Energy Materials</i> , 2020, 3, 1199-1206.	2.5	43
64	High-Performance Thermoelectric Fabric Based on a Stitched Carbon Nanotube Fiber. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 6257-6264.	4.0	43
65	Hydrogen storage on Li-doped single-walled carbon nanotubes: Computer simulation using the density functional theory. <i>Catalysis Today</i> , 2007, 120, 407-412.	2.2	42
66	A simple method for determining the neutralization point in Boehm titration regardless of the CO <sub>2</sub> effect. <i>Carbon</i> , 2012, 50, 3315-3323.	5.4	41
67	Preparation and photoluminescence (PL) performance of a nanoweb of P3HT nanofibers with diameters below 100 nm. <i>Journal of Materials Chemistry</i> , 2011, 21, 14231.	6.7	39
68	Quantum Hall effect in graphene decorated with disordered multilayer patches. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	39
69	Preparation and properties of activated carbon fabric from acrylic fabric waste. <i>Carbon</i> , 2000, 38, 1453-1460.	5.4	37
70	Guidelines for Tailored Chemical Functionalization of Graphene. <i>Chemistry of Materials</i> , 2017, 29, 307-318.	3.2	36
71	Preparation and characterization of cisplatin-incorporated chitosan hydrogels, microparticles, and nanoparticles. <i>Macromolecular Research</i> , 2006, 14, 573-578.	1.0	34
72	One step preparation and excellent performance of CNT yarn based flexible micro lithium ion batteries. <i>Energy Storage Materials</i> , 2016, 5, 1-7.	9.5	34

#	ARTICLE	IF	CITATIONS
73	Effects of carbon dioxide and acidic carbon compounds on the analysis of Boehm titration curves. <i>Carbon</i> , 2012, 50, 1510-1516.	5.4	33
74	Rational Design of 1D Partially Graphitized N-Doped Hierarchical Porous Carbon with Uniaxially Packed Carbon Nanotubes for High-Performance Lithium-Ion Batteries. <i>ACS Nano</i> , 2018, 12, 11106-11119.	7.3	33
75	Preparation of poly(ethylene terephthalate-co-isophthalate) by ester interchange reaction in the PET/PEI blend system. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1997, 35, 309-315.	2.4	32
76	Experimental consideration of the Hansen solubility parameters of as-produced multi-walled carbon nanotubes by inverse gas chromatography. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 17466.	1.3	32
77	Contribution of inorganic components in precursors to porosity evolution in biomass-based porous carbons. <i>Carbon</i> , 2003, 41, 2009-2012.	5.4	31
78	Effects of structural modifications on the hydrogen storage capacity of MOF-5. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 5777-5783.	3.8	31
79	Morphochemical imprinting of melamine cyanurate mesocrystals in glucose-derived carbon for high performance lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 20635-20642.	5.2	31
80	Determination of solubility parameters of single-walled and double-walled carbon nanotubes using a finite-length model. <i>RSC Advances</i> , 2013, 3, 4814.	1.7	30
81	Metal-Phenolic Carbon Nanocomposites for Robust and Flexible Energy Storage Devices. <i>ChemSusChem</i> , 2017, 10, 1675-1682.	3.6	30
82	Controlled assembly of carbon nanotubes encapsulated with amphiphilic block copolymer. <i>Carbon</i> , 2007, 45, 2072-2078.	5.4	28
83	A simple and highly effective process for the purification of single-walled carbon nanotubes synthesized with arc-discharge. <i>Carbon</i> , 2009, 47, 3544-3549.	5.4	28
84	Bio-inspired graphene foam decorated with Pt nanoparticles for hydrogen storage at room temperature. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 5019-5027.	3.8	27
85	Carbon nanosheets by the graphenization of ungraphitizable isotropic pitch molecules. <i>Carbon</i> , 2017, 121, 479-489.	5.4	27
86	Preparation of PCDTBT nanofibers with a diameter of 20 nm and their application to air-processed organic solar cells. <i>Nanoscale</i> , 2014, 6, 2847.	2.8	26
87	Influence of H <sup>+</sup> ion irradiation on the surface and microstructural changes of a nuclear graphite. <i>Fusion Engineering and Design</i> , 2012, 87, 344-351.	1.0	25
88	Nanostructured Inorganic Chalcogenide-Carbon Nanotube Yarn having a High Thermoelectric Power Factor at Low Temperature. <i>ACS Nano</i> , 2021, 15, 13118-13128.	7.3	24
89	Ultrafast room-temperature reduction of graphene oxide to graphene with excellent dispersibility by lithium naphthalenide. <i>Carbon</i> , 2013, 63, 165-174.	5.4	23
90	High-Energy Density O <sub>2</sub> Battery with a Polymer Electrolyte-Coated CNT Electrode via the Layer-by-Layer Method. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 17385-17395.	4.0	21

#	ARTICLE	IF	CITATIONS
91	Molecular engineering of hydrocarbon membrane to substitute perfluorinated sulfonic acid membrane for proton exchange membrane fuel cell operation. <i>Materials Today Energy</i> , 2020, 17, 100483.	2.5	20
92	Enhanced water stability and CO <sub>2</sub> gas sorption properties of a methyl functionalized titanium metal-organic framework. <i>New Journal of Chemistry</i> , 2014, 38, 2752-2755.	1.4	19
93	Macroscopically interconnected hierarchically porous carbon monolith by metal-phenolic coordination as an sorbent for multi-scale molecules. <i>Carbon</i> , 2018, 126, 190-196.	5.4	19
94	Highly Integrated, Wearable Carbon-Nanotube-Based Thermoelectric Generators Achieved by Selective Inkjet-Printed Chemical Doping. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	19
95	Concentration-Driven Evolution of Crystal Structure, Pore Characteristics, and Hydrogen Storage Capacity of Metal Organic Framework-5s: Experimental and Computational Studies. <i>Chemistry of Materials</i> , 2010, 22, 6138-6145.	3.2	18
96	Highly Reproducible Thermocontrolled Electrospun Fiber Based Organic Photovoltaic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 4481-4487.	4.0	18
97	The effect of surface characteristics of reduced graphene oxide on the performance of a pseudocapacitor. <i>2D Materials</i> , 2015, 2, 014007.	2.0	18
98	Enhanced gas barrier property of stacking-controlled reduced graphene oxide films for encapsulation of polymer solar cells. <i>Carbon</i> , 2019, 150, 275-283.	5.4	18
99	One-pot titration methodology for the characterization of surface acidic groups on functionalized carbon nanotubes. <i>Carbon</i> , 2016, 96, 729-741.	5.4	17
100	Revisiting the Role of Graphene Quantum Dots in Ternary Organic Solar Cells: Insights into the Nanostructure Reconstruction and Effective Förster Resonance Energy Transfer. <i>ACS Applied Energy Materials</i> , 2019, 2, 8826-8835.	2.5	17
101	New insights into the oxidation of single-walled carbon nanotubes for the fabrication of transparent conductive films. <i>Carbon</i> , 2015, 81, 525-534.	5.4	16
102	Atomic-Distributed Coordination State of Metal-Phenolic Compounds Enabled Low Temperature Graphitization for High-Performance Multioriented Graphite Anode. <i>Small</i> , 2020, 16, e2003104.	5.2	16
103	Monte Carlo simulation of copolymerization by ester interchange reaction in miscible polyester blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1998, 36, 1637-1645.	2.4	15
104	Revisit to the correlation of surface characteristic nature with performance of N-enriched carbon-based supercapacitor. <i>Carbon</i> , 2018, 140, 68-76.	5.4	15
105	Enhancing the cycle stability of Li <sub>2</sub> O batteries via functionalized carbon nanotube-based electrodes. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4263-4273.	5.2	15
106	New modified poly(ethylene terephthalate) (MPET)-based adsorbent for heavy metal ions. <i>Journal of Applied Polymer Science</i> , 1997, 63, 773-778.	1.3	14
107	Effect of annealing with pressure on tungsten film properties fabricated by atmospheric plasma spray. <i>Metals and Materials International</i> , 2014, 20, 1037-1042.	1.8	14
108	Function-regeneration of non-porous hydrolyzed-MOF-derived materials. <i>Nano Research</i> , 2019, 12, 1921-1930.	5.8	14



#	ARTICLE	IF	CITATIONS
109	Compressional behavior of carbon nanotube reinforced mesophase pitch-based carbon fibers. <i>Fibers and Polymers</i> , 2006, 7, 85-87.	1.1	13
110	Unusual thermopower of inhomogeneous graphene grown by chemical vapor deposition. <i>Applied Physics Letters</i> , 2014, 104, 021902.	1.5	13
111	Demonstration of the nanosize effect of carbon nanomaterials on the dehydrogenation temperature of ammonia borane. <i>Nanoscale Advances</i> , 2019, 1, 4697-4703.	2.2	13
112	Secondary Interactions of Graphene Oxide on Liquid Crystal Formation and Stability. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1600383.	1.2	12
113	One step synthesis of sulfur-carbon nanosheet hybrids via a solid solvothermal reaction for lithium sulfur batteries. <i>RSC Advances</i> , 2014, 4, 3684-3690.	1.7	11
114	Size-engineered biocompatible polymeric nanophotosensitizer for locoregional photodynamic therapy of cancer. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 144, 303-310.	2.5	11
115	Regioselective succinylation and gelation behavior of glycol chitosan. <i>Macromolecular Research</i> , 2008, 16, 57-61.	1.0	10
116	Crucial Role of Oxidation Debris of Carbon Nanotubes in Subsequent End-Use Applications of Carbon Nanotubes. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 17552-17564.	4.0	10
117	Versatile reorganization of metal-polyphenol coordination on CNTs for dispersion, assembly, and transformation. <i>Carbon</i> , 2019, 144, 402-409.	5.4	10
118	Electro-stabilized homogeneous dispersion of boron nitride nanotubes in wide-range of solvents achieved by surface polarity modulation through pyridine attachment. <i>Nano Research</i> , 2020, 13, 344-352.	5.8	10
119	High-throughput thermal plasma synthesis of Fe <sub>x</sub> Co <sub>1-x</sub> nano-chained particles with unusually high permeability and their electromagnetic wave absorption properties at high frequency (1-26 GHz). <i>Nanoscale</i> , 2021, 13, 12004-12016.	2.8	10
120	Effect of microstructure and morphological properties of carbon nanotubes on the length reduction during melt processing. <i>Composites Science and Technology</i> , 2015, 112, 42-49.	3.8	9
121	Easy preparation of partially-opened carbon nanotubes by simple air oxidation for high performance Li-S batteries. <i>RSC Advances</i> , 2016, 6, 113522-113526.	1.7	8
122	Bifunctional Graphene Oxide Hole-Transporting and Barrier Layers for Transparent Bifacial Flexible Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 8824-8831.	2.5	8
123	Titration Method for the Identification of Surface Functional Groups. , 2016, , 273-286.		7
124	One step growth to spinning of biaxially multilayered CNT web electrode for long cycling Li-O <sub>2</sub> batteries. <i>Carbon</i> , 2021, 182, 318-326.	5.4	7
125	Accurate measurement of interlayer spacing value of carbon fibers using a silver foil as an internal standard. <i>Carbon</i> , 2006, 44, 1016-1019.	5.4	6
126	The enhanced anodic performance of highly crimped and crystalline nanofibrillar carbon in lithium-ion batteries. <i>Electrochimica Acta</i> , 2007, 53, 944-950.	2.6	6



#	ARTICLE	IF	CITATIONS
127	Effects of morphological characteristics of Pt nanoparticles supported on poly(acrylic acid)-wrapped multiwalled carbon nanotubes on electrochemical performance of direct methanol fuel cells. <i>Journal of Materials Research</i> , 2012, 27, 2035-2045.	1.2	6
128	Influence of the physicochemical characteristics of reduced graphene oxides on the gas permeability of the barrier films for organic electronics. <i>Chemical Communications</i> , 2017, 53, 6573-6576.	2.2	6
129	Surface energy modification of graphene oxide film by silanization co-functionalized with fluorine to maximize the moisture barrier property. <i>Synthetic Metals</i> , 2021, 277, 116770.	2.1	6
130	Synthesis and polymerization mechanism of bisacetoacetamides. <i>Journal of Polymer Science Part A</i> , 2001, 39, 1456-1462.	2.5	5
131	Catalyst-free and template-free preparation of semi-cylindrical carbon nanoribbons. <i>Carbon</i> , 2009, 47, 2391-2395.	5.4	5
132	A New Class of Carbon Nanostructures for High-Performance Electro-Magnetic and -Chemical Barriers. <i>Advanced Science</i> , 2021, 8, e2102718.	5.6	5
133	Metal-Phenolic Carbon Nanocomposites for Robust and Flexible Energy-Storage Devices. <i>ChemSusChem</i> , 2017, 10, 1644-1644.	3.6	4
134	Effect of solvents and thermal annealing on the morphology development of a novel block copolymer ionomer: a case study of sulfonated polystyrene-block-fluorinated polyisoprene. <i>Journal of Polymer Engineering</i> , 2013, 33, 49-59.	0.6	3
135	Effects of chirality and diameter of single-walled carbon nanotubes on their structural stability and solubility parameters. <i>RSC Advances</i> , 2014, 4, 33578.	1.7	3
136	Chemical modification of graphene oxide through poly(ethylene oxide)-conjugations. <i>Macromolecular Research</i> , 2017, 25, 452-460.	1.0	3
137	Effect of chemical structure on crystallization behavior of poly(phenylene alkylene dicarboxylate) (PPAD). <i>Journal of Applied Polymer Science</i> , 1997, 66, 1575-1582.	1.3	2
138	Poly(oxyethylene sugaramide)s: unprecedented multihydroxyl building blocks for tumor-homing nanoassembly. <i>Journal of Materials Chemistry B</i> , 2013, 1, 3437.	2.9	2
139	Concentration-driven polymorphic mesocrystal and morphosynthetic transformation toward omni-adsorbent with the widest range of pores. <i>Chemical Engineering Journal</i> , 2022, 433, 133871.	6.6	2
140	Syntheses of new film-forming aromatic poly(amide-imide)s containing isoindoloquinazolinone unit in the backbone: Poly(biphenylphthalicdianhydride-oxydianiline-4,4'-diamino-3'-carbamoyl-benzanilide) (poly(BPDA-ODA-DACB)). <i>Fibers and Polymers</i> , 2001, 2, 92-97.	1.1	1
141	Oxidative stabilization of conjugated linoleic acid by one-pot PEGylation. <i>Macromolecular Research</i> , 2011, 19, 822-826.	1.0	1
142	Effect of Helmholtz Oscillation on Auto-shroud for APS Tungsten Carbide Coating. <i>Journal of Thermal Spray Technology</i> , 2013, 22, 756-763.	1.6	1
143	Effect of solvents and thermal annealing on the morphology development of a novel block copolymer ionomer: a case study of sulfonated polystyrene-block-fluorinated polyisoprene; <i>J. Polym. Eng.</i> 2013, 33, 49-59. <i>Journal of Polymer Engineering</i> , 2013, 33, 191-191.	0.6	1
144	Lithium Ion Batteries: Atomic-Distributed Coordination State of Metal-Phenolic Compounds Enabled Low Temperature Graphitization for High-Performance Multioriented Graphite Anode (Small 33/2020). <i>Small</i> , 2020, 16, 2070182.	5.2	1

#	ARTICLE	IF	CITATIONS
145	Highly Enhanced Cycleability from High Crystalline Biaxially Aligned CNT Web for Li-Air Cathode Applications. ECS Meeting Abstracts, 2018, , .	0.0	1
146	Dual functions of ferrous sulfate as a pore-size controller and a carbon-yield enhancer in fabricating cellulose based porous carbons. Fibers and Polymers, 2008, 9, 160-165.	1.1	0
147	The influence of microstructure of carbon nanotubes on the degree of length reduction during melt processing with polycarbonate. , 2015, , .		0