

Bruno Salles Sotto-Maior

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6922956/publications.pdf>

Version: 2024-02-01

42
papers

663
citations

471371

17
h-index

610775

24
g-index

42
all docs

42
docs citations

42
times ranked

885
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of the peri-implant tissues in the esthetic zone with prefabricated titanium or zirconia abutments: A randomized controlled clinical trial with a minimum follow-up of 7 years. <i>Journal of Prosthetic Dentistry</i> , 2023, 129, 573-581.	1.1	1
2	Analysis of buccal gingival thickness in maxillary implants and its relation to gingival biotype. <i>Research, Society and Development</i> , 2022, 11, e46411528472.	0.0	1
3	A Comparative Histomorphometric Analysis of Two Biomaterials for Maxillary Sinus Augmentation: A Randomized Clinical, Crossover, and Split-Mouth Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-7.	0.5	2
4	Biomechanical behavior of atrophic maxillary restorations using the all-on-four concept and long trans-sinus implants: A finite element analysis. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , 2021, 15, 106-110.	0.4	4
5	Fatigue Behavior of Different CAD/CAM Materials for Monolithic, Implant-Supported Molar Crowns. <i>Journal of Prosthodontics</i> , 2019, 28, e548-e551.	1.7	4
6	Reply to the letter to the editor about "Influence of lip retraction on the cone beam computed tomography assessment of bone and gingival tissues of the anterior maxilla". <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2018, 125, 504-505.	0.2	0
7	Effect of anatomical region on the formation of metal artefacts produced by dental implants in cone beam computed tomographic images. <i>Dentomaxillofacial Radiology</i> , 2018, 47, 20170281.	1.3	26
8	Bone Volume Dynamics and Implant Placement Torque in Horizontal Bone Defects Reconstructed with Autologous or Xenogeneic Block Bone: A Randomized, Controlled, Split-Mouth, Prospective Clinical Trial. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018, 33, 888-894.	0.6	16
9	Influence of lip retraction on the cone beam computed tomography assessment of bone and gingival tissues of the anterior maxilla. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 714-720.	0.2	19
10	Rehabilitation of the atrophic mandible with short implants in different positions: A finite elements study. <i>Materials Science and Engineering C</i> , 2017, 80, 122-128.	3.8	14
11	Effect of Steam Autoclaving on the Tensile Strength of Resin Cements Used for Bonding Two-Piece Zirconia Abutments. <i>Journal of Oral Implantology</i> , 2017, 43, 87-93.	0.4	11
12	Biomechanical Behavior of the Dental Implant Macrodesign. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 264-270.	0.6	28
13	Retrospective Evaluation of the Influence of the Collar Surface Topography on Peri-implant Bone Preservation. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 858-863.	0.6	8
14	Influence of the Diameter of Dental Implants Replacing Single Molars: 3- to 6-Year Follow-Up. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 1111-1115.	0.6	5
15	Three-dimensional analysis of impacted maxillary third molars: A cone-beam computed tomographic study of the position and depth of impaction. <i>Imaging Science in Dentistry</i> , 2017, 47, 149.	0.6	14
16	Prosthetic abutment influences bone biomechanical behavior of immediately loaded implants. <i>Brazilian Oral Research</i> , 2016, 30, .	0.6	8
17	Biomechanical Effect of Prosthetic Connection and Implant Body Shape in Low-Quality Bone of Maxillary Posterior Single Implant-Supported Restorations. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016, 31, e92-e97.	0.6	10
18	Guidelines for Selecting the Implant Diameter During Immediate Implant Placement of a Fresh Extraction Socket: A Case Series. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2016, 36, 401-407.	0.4	10

#	ARTICLE	IF	CITATIONS
19	Evaluation of bone remodeling around single dental implants of different lengths: a mechanobiological numerical simulation and validation using clinical data. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2016, 19, 699-706.	0.9	25
20	Zirconia-based dental crown to support a removable partial denture: a three-dimensional finite element analysis using contact elements and micro-CT data. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1744-1752.	0.9	4
21	Biofilm and saliva affect the biomechanical behavior of dental implants. <i>Journal of Biomechanics</i> , 2015, 48, 997-1002.	0.9	22
22	Pouch Roll Technique for Implant Soft-Tissue Augmentation of Small Defects: Two Case Reports With 5-Year Follow-Up. <i>Journal of Oral Implantology</i> , 2015, 41, 314-320.	0.4	3
23	Bone augmentation of the atrophic anterior maxilla for dental implants using rhBMP-2 and titanium mesh: histological and tomographic analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2015, 44, 1492-1498.	0.7	18
24	Influence of Crown-to-Implant Ratio on Stress Around Single Short-to-Wide Implants: A Photoelastic Stress Analysis. <i>Journal of Prosthodontics</i> , 2015, 24, 52-56.	1.7	18
25	Biomechanical evaluation of subcrestal dental implants with different bone anchorages. <i>Brazilian Oral Research</i> , 2014, 28, 1-7.	0.6	15
26	Immediate implant placement, reconstruction of compromised sockets, and repair of gingival recession with a triple graft from the maxillary tuberosity: A variation of the immediate dentoalveolar restoration technique. <i>Journal of Prosthetic Dentistry</i> , 2014, 112, 717-722.	1.1	25
27	Effect of platform connection and abutment material on stress distribution in single anterior implant-supported restorations: A nonlinear 3-dimensional finite element analysis. <i>Journal of Prosthetic Dentistry</i> , 2014, 112, 1096-1102.	1.1	36
28	Influence of the veneer-framework interface on the mechanical behavior of ceramic veneers: A nonlinear finite element analysis. <i>Journal of Prosthetic Dentistry</i> , 2014, 112, 857-863.	1.1	8
29	A Retrospective Evaluation of the Survival Rates of Splinted and Non-splinted Short Dental Implants in Posterior Partially Edentulous Jaws. <i>Journal of Periodontology</i> , 2014, 85, 787-794.	1.7	52
30	Esthetic Outcomes and Tissue Stability of Implant Placement in Compromised Sockets Following Immediate Dentoalveolar Restoration: Results of a Prospective Case Series at 58 Months Follow-up. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2014, 34, 199-208.	0.4	25
31	Biomechanical evaluation of subcrestal dental implants with different bone anchorages. <i>Brazilian Oral Research</i> , 2014, 28, .	0.6	5
32	Adding denture cleanser to microwave disinfection regimen to reduce the irradiation time and the exposure of dentures to high temperatures. <i>Gerodontology</i> , 2013, 30, 26-31.	0.8	23
33	Retrospective Study of the Anterior Loop of the Inferior Alveolar Nerve and the Incisive Canal Using Cone Beam Computed Tomography. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013, 28, 388-392.	0.6	58
34	Clinical Accuracy of Flapless Computer-Guided Surgery for Implant Placement in Edentulous Arches. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013, 28, 1347-1351.	0.6	49
35	Immediate occlusal loading of extrasinus zygomatic implants: A prospective cohort study with a follow-up period of 8 years. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012, 41, 1072-1076.	0.7	24
36	Effect of double flasking and investing methods on artificial teeth movement in complete dentures processing. <i>Gerodontology</i> , 2012, 29, e435-9.	0.8	6

#	ARTICLE	IF	CITATIONS
37	Influence of crown-to-implant ratio, retention system, restorative material, and occlusal loading on stress concentrations in single short implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012, 27, e13-8.	0.6	19
38	Influence of immersion time of denture cleansers on the surface roughness of resilient denture liners. <i>Revista Odonto Ciencia</i> , 2011, 26, 35-39.	0.0	3
39	Corticosteroids or Cyclooxygenase 2-Selective Inhibitor Medication for the Management of Pain and Swelling After Third-Molar Surgery. <i>Journal of Craniofacial Surgery</i> , 2011, 22, 758-762.	0.3	22
40	Rapid denture fabrication for institutionalized patients. <i>Revista Odonto Ciencia</i> , 2011, 26, 267-271.	0.0	0
41	Influence of high insertion torque on implant placement: an anisotropic bone stress analysis. <i>Brazilian Dental Journal</i> , 2010, 21, 508-514.	0.5	22
42	Efficacy assessment of oral and sublingual sedation using alprazolam in implantology surgical procedures. <i>Rgo</i> , 0, 67, .	0.2	0