

Alessandra Minelli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6923807/alessandra-minelli-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

1,255
citations

17
h-index

34
g-index

65
ext. papers

1,566
ext. citations

4.2
avg. IF

3.9
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 58 | Transcriptional biomarkers of response to pharmacological treatments in severe mental disorders: A systematic review.. <i>European Neuropsychopharmacology</i> , 2022 , 55, 112-157 | 1.2 | 2 |
| 57 | Evaluating study designs and treatment outcomes of antidepressant pharmacogenetic clinical trials - Challenges and future perspectives. A critical review.. <i>European Neuropsychopharmacology</i> , 2022 , 59, 68-81 | 1.2 | 1 |
| 56 | A meta-analysis of polygenic risk scores for mood disorders, neuroticism, and schizophrenia in antidepressant response. <i>European Neuropsychopharmacology</i> , 2021 , 55, 86-95 | 1.2 | 3 |
| 55 | Inflammation-related microRNAs are involved in stressful life events exposure and in trauma-focused psychotherapy in treatment-resistant depressed patients.. <i>Högre Utbildning</i> , 2021 , 12, 1987655 | 5 | 0 |
| 54 | Evidence of an interaction between and polymorphisms on levels of Negative Symptoms of Schizophrenia and their response to antipsychotics. <i>European Psychiatry</i> , 2021 , 64, e39 | 6 | 0 |
| 53 | Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-9 | 3.8 | 1 |
| 52 | Biological correlates of early life stressful events in major depressive disorder. <i>Psychoneuroendocrinology</i> , 2021 , 125, 105103 | 5 | 7 |
| 51 | Investigating an in silico approach for prioritizing antidepressant drug prescription based on drug-induced expression profiles and predicted gene expression. <i>Pharmacogenomics Journal</i> , 2021 , 21, 85-93 | 3.5 | |
| 50 | Alterations observed in the interferon β and γ signaling pathway in MDD patients are marginally influenced by cis-acting alleles. <i>Scientific Reports</i> , 2021 , 11, 727 | 4.9 | |
| 49 | Establishment and characterization of induced pluripotent stem cell (iPSCs) line UNIBSi014-A from a healthy female donor. <i>Stem Cell Research</i> , 2021 , 51, 102216 | 1.6 | 0 |
| 48 | Molecular Biomarkers of Electroconvulsive Therapy Effects and Clinical Response: Understanding the Present to Shape the Future. <i>Brain Sciences</i> , 2021 , 11, | 3.4 | 2 |
| 47 | Clinical validation of a combinatorial PharmAcogeNomic approach in major Depressive disorder: an Observational prospective RANdomized, participant and rater-blinded, controlled trial (PANDORA trial).. <i>Trials</i> , 2021 , 22, 896 | 2.8 | 0 |
| 46 | Assessment of haptoglobin alleles in autism spectrum disorders. <i>Scientific Reports</i> , 2020 , 10, 7758 | 4.9 | 1 |
| 45 | Association study between HTR2A rs6313 polymorphism and early response to risperidone and olanzapine in schizophrenia patients. <i>Drug Development Research</i> , 2020 , 81, 754-761 | 5.1 | 5 |
| 44 | Genetic determinants of circulating VEGF levels in major depressive disorder and electroconvulsive therapy response. <i>Drug Development Research</i> , 2020 , 81, 593-599 | 5.1 | 6 |
| 43 | Generation of two human induced pluripotent stem cell lines, UNIBSi012-A and UNIBSi013-A, from two patients with treatment-resistant depression. <i>Stem Cell Research</i> , 2020 , 49, 102104 | 1.6 | 1 |
| 42 | International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932 | 5.1 | 8 |

| | | | |
|----|--|-----|-----|
| 41 | Childhood trauma and glucose metabolism in patients with first-episode psychosis. <i>Psychoneuroendocrinology</i> , 2020 , 113, 104536 | 5 | 10 |
| 40 | Social Cognition in a Research Domain Criteria Perspective: A Bridge Between Schizophrenia and Autism Spectra Disorders. <i>Frontiers in Psychiatry</i> , 2020 , 11, 806 | 5 | 11 |
| 39 | Blues in the Brain and Beyond: Molecular Bases of Major Depressive Disorder and Relative Pharmacological and Non-Pharmacological Treatments. <i>Genes</i> , 2020 , 11, | 4.2 | 5 |
| 38 | Clinical efficacy of trauma-focused psychotherapies in treatment-resistant depression (TRD) in-patients: A randomized, controlled pilot-study. <i>Psychiatry Research</i> , 2019 , 273, 567-574 | 9.9 | 15 |
| 37 | Treatment-Resistant Schizophrenia: Genetic and Neuroimaging Correlates. <i>Frontiers in Pharmacology</i> , 2019 , 10, 402 | 5.6 | 18 |
| 36 | BDNF Genotype and Baseline Serum Levels in Relation to Electroconvulsive Therapy Effectiveness in Treatment-Resistant Depressed Patients. <i>Journal of ECT</i> , 2019 , 35, 189-194 | 2 | 7 |
| 35 | Insulin-like growth factor binding protein 2 in bipolar disorder: An expression study in peripheral tissues. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 610-618 | 3.8 | 6 |
| 34 | The effect of childhood trauma on blood transcriptome expression in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018 , 104, 50-54 | 5.2 | 5 |
| 33 | Increased serum levels of sortilin-derived propeptide after electroconvulsive therapy in treatment-resistant depressed patients. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2307-2312 | 3.1 | 5 |
| 32 | The GRM7 gene, early response to risperidone, and schizophrenia: a genome-wide association study and a confirmatory pharmacogenetic analysis. <i>Pharmacogenomics Journal</i> , 2017 , 17, 146-154 | 3.5 | 29 |
| 31 | Serum sortilin-derived propeptides concentrations are decreased in major depressive disorder patients. <i>Journal of Affective Disorders</i> , 2017 , 208, 443-447 | 6.6 | 11 |
| 30 | Exome sequencing in schizophrenic patients with high levels of homozygosity identifies novel and extremely rare mutations in the GABA/glutamatergic pathways. <i>PLoS ONE</i> , 2017 , 12, e0182778 | 3.7 | 11 |
| 29 | Electroconvulsive Therapy in a Patient With Chronic Catatonia: Clinical Outcomes and Cerebral 18[F]Fludeoxyglucose Positron Emission Tomography Findings. <i>Journal of ECT</i> , 2016 , 32, 222-223 | 2 | 2 |
| 28 | Influence of GRIK4 genetic variants on the electroconvulsive therapy response. <i>Neuroscience Letters</i> , 2016 , 626, 94-8 | 3.3 | 8 |
| 27 | Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. <i>Behavior Genetics</i> , 2016 , 46, 170-82 | 3.2 | 122 |
| 26 | The Role of Metabotropic Glutamate Receptor Genes in Schizophrenia. <i>Current Neuropharmacology</i> , 2016 , 14, 540-50 | 7.6 | 13 |
| 25 | Seizure Adequacy Markers and the Prediction of Electroconvulsive Therapy Response. <i>Journal of ECT</i> , 2016 , 32, 88-92 | 2 | 29 |
| 24 | The role of GRIK4 gene in treatment-resistant depression. <i>Genetical Research</i> , 2015 , 97, e14 | 1.1 | 17 |

| | | | |
|----|--|------|-----|
| 23 | Altered gene expression in schizophrenia: findings from transcriptional signatures in fibroblasts and blood. <i>PLoS ONE</i> , 2015 , 10, e0116686 | 3.7 | 42 |
| 22 | Meta-analysis of Genome-wide Association Studies for Neuroticism, and the Polygenic Association With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2015 , 72, 642-50 | 14.5 | 222 |
| 21 | MTHFR: Genetic variants, expression analysis and COMT interaction in major depressive disorder. <i>Journal of Affective Disorders</i> , 2015 , 183, 179-86 | 6.6 | 13 |
| 20 | Proteasome system dysregulation and treatment resistance mechanisms in major depressive disorder. <i>Translational Psychiatry</i> , 2015 , 5, e687 | 8.6 | 17 |
| 19 | The role of the potassium channel gene KCNK2 in major depressive disorder. <i>Psychiatry Research</i> , 2015 , 225, 489-92 | 9.9 | 7 |
| 18 | Association between baseline serum vascular endothelial growth factor levels and response to electroconvulsive therapy. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 461-6 | 6.5 | 28 |
| 17 | Schizophrenia susceptibility and NMDA-receptor mediated signalling: an association study involving 32 tagSNPs of DAO, DAOA, PPP3CC, and DTNBP1 genes. <i>BMC Medical Genetics</i> , 2013 , 14, 33 | 2.1 | 20 |
| 16 | Role of allelic variants of FK506-binding protein 51 (FKBP5) gene in the development of anxiety disorders. <i>Depression and Anxiety</i> , 2013 , 30, 1170-6 | 8.4 | 34 |
| 15 | PCLO gene: its role in vulnerability to major depressive disorder. <i>Journal of Affective Disorders</i> , 2012 , 139, 250-5 | 6.6 | 14 |
| 14 | ErbB3 mRNA leukocyte levels as a biomarker for major depressive disorder. <i>BMC Psychiatry</i> , 2012 , 12, 145 | 4.2 | 15 |
| 13 | Effectiveness of cognitive behavioral therapy in the treatment of fibromyalgia syndrome: a meta-analytic literature review. <i>Reumatismo</i> , 2012 , 64, 151-7 | 1.1 | 5 |
| 12 | Vascular Endothelial Growth Factor (VEGF) serum concentration during electroconvulsive therapy (ECT) in treatment resistant depressed patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1322-5 | 5.5 | 66 |
| 11 | BDNF serum levels, but not BDNF Val66Met genotype, are correlated with personality traits in healthy subjects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 323-9 | 5.1 | 47 |
| 10 | The influence of psychiatric screening in healthy populations selection: a new study and meta-analysis of functional 5-HTTLPR and rs25531 polymorphisms and anxiety-related personality traits. <i>BMC Psychiatry</i> , 2011 , 11, 50 | 4.2 | 36 |
| 9 | New copy number variations in schizophrenia. <i>PLoS ONE</i> , 2010 , 5, e13422 | 3.7 | 72 |
| 8 | Serotonin transporter gene polymorphisms and treatment-resistant depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 934-9 | 5.5 | 32 |
| 7 | Effects of intravenous antidepressant drugs on the excitability of human motor cortex: a study with paired magnetic stimulation on depressed patients. <i>Brain Stimulation</i> , 2010 , 3, 15-21 | 5.1 | 23 |
| 6 | On the neural control of social emotional behavior. <i>Social Cognitive and Affective Neuroscience</i> , 2009 , 4, 50-8 | 4 | 110 |

| | | | |
|---|---|-----|----|
| 5 | An association of GRIK3 Ser310Ala functional polymorphism with personality traits. <i>Neuropsychobiology</i> , 2009 , 59, 28-33 | 4 | 15 |
| 4 | Personality traits in an Italian sample: relationship with anxiety and depression. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009 , 5, 26-30 | 3.2 | 15 |
| 3 | Lateralized readiness potential elicited by undetected visual stimuli. <i>Experimental Brain Research</i> , 2007 , 179, 683-90 | 2.3 | 12 |
| 2 | Long-lasting effects of high frequency repetitive transcranial magnetic stimulation in major depressed patients. <i>Psychiatry Research</i> , 2007 , 150, 181-6 | 9.9 | 46 |
| 1 | Genome-wide association studies on Northern Italy isolated populations provide further support concerning genetic susceptibility for major depressive disorder.. <i>World Journal of Biological Psychiatry</i> , 1-40 | 3.8 | 0 |