

Istvn Bitter

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6924152/istvan-bitter-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

7,422
citations

34
h-index

85
g-index

117
ext. papers

8,685
ext. citations

5.5
avg, IF

6.29
L-index

#	Paper	IF	Citations
108	Genome-wide association study identifies five new schizophrenia loci. <i>Nature Genetics</i> , 2011 , 43, 969-76	36.3	1508
107	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009 , 460, 744-7	50.4	1350
106	Prevalence and correlates of adult attention-deficit hyperactivity disorder: meta-analysis. <i>British Journal of Psychiatry</i> , 2009 , 194, 204-11	5.4	923
105	Efficacy of Esketamine Nasal Spray Plus Oral Antidepressant Treatment for Relapse Prevention in Patients With Treatment-Resistant Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 893-903	14.5	238
104	Duloxetine in the acute and long-term treatment of major depressive disorder: a placebo- and paroxetine-controlled trial. <i>European Neuropsychopharmacology</i> , 2004 , 14, 457-70	1.2	219
103	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019 , 56, 14-34	6	170
102	Cariprazine versus risperidone monotherapy for treatment of predominant negative symptoms in patients with schizophrenia: a randomised, double-blind, controlled trial. <i>Lancet, The</i> , 2017 , 389, 1103-1113	40.3	164
101	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011 , 20, 4076-81	5.6	162
100	Expanding the range of ZNF804A variants conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2011 , 16, 59-66	15.1	129
99	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014 , 24, 5-50	1.2	121
98	Mental health research priorities for Europe. <i>Lancet Psychiatry, the</i> , 2015 , 2, 1036-42	23.3	108
97	Haloperidol blood levels and clinical effects. <i>Archives of General Psychiatry</i> , 1992 , 49, 354-61		101
96	Persistent negative symptoms in first episode patients with schizophrenia: results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013 , 23, 196-204	1.2	99
95	Attention deficit hyperactivity disorder (ADHD): gender- and age-related differences in neurocognition. <i>Psychological Medicine</i> , 2009 , 39, 1337-45	6.9	95
94	Pharmacotherapy of adult attention deficit hyperactivity disorder (ADHD): a meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 1137-47	5.8	95
93	Olanzapine versus clozapine in treatment-resistant or treatment-intolerant schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 173-80	5.5	90
92	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76

91	P300 deficits in adults with attention deficit hyperactivity disorder: a meta-analysis. <i>Psychological Medicine</i> , 2011 , 41, 1529-38	6.9	76
90	A blind spot on the global mental health map: a scoping review of 25 years development of mental health care for people with severe mental illnesses in central and eastern Europe. <i>Lancet Psychiatry</i> , 2017 , 4, 634-642	23.3	74
89	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
88	Effectiveness of Antipsychotic Treatments for Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 312-321	4.6	63
87	Prevalence and comorbidity of affective disorders in persons making suicide attempts in Hungary: importance of the first depressive episodes and of bipolar II diagnoses. <i>Journal of Affective Disorders</i> , 2003 , 76, 113-9	6.6	56
86	The measurement of subjective experience in schizophrenia: the Subjective Deficit Syndrome Scale. <i>Comprehensive Psychiatry</i> , 1990 , 31, 216-26	7.3	52
85	Drug effect prediction by polypharmacology-based interaction profiling. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 134-45	6.1	49
84	Real-world effectiveness of antipsychotic monotherapy vs. polypharmacy in schizophrenia: to switch or to combine? A nationwide study in Hungary. <i>Schizophrenia Research</i> , 2014 , 152, 246-54	3.6	46
83	Novel antipsychotics specificity profile: A clinically oriented review of lurasidone, brexpiprazole, cariprazine and lumateperone. <i>European Neuropsychopharmacology</i> , 2019 , 29, 971-985	1.2	44
82	Executive function in deficit schizophrenia: what do the dimensions of the Wisconsin Card Sorting Test tell us?. <i>Schizophrenia Research</i> , 2010 , 122, 85-93	3.6	44
81	Intramuscular olanzapine and intramuscular haloperidol in acute schizophrenia: antipsychotic efficacy and extrapyramidal safety during the first 24 hours of treatment. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 716-21	4.8	43
80	Prescribing for inpatients with schizophrenia: an international multi-center comparative study. <i>Pharmacopsychiatry</i> , 2003 , 36, 143-9	2	42
79	Antipsychotic treatment and sexual functioning in first-time neuroleptic-treated schizophrenic patients. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 19-21	2.2	42
78	How do different diagnostic criteria, age and gender affect the prevalence of attention deficit hyperactivity disorder in adults? An epidemiological study in a Hungarian community sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 287-96	5.1	40
77	Effectiveness of clozapine, olanzapine, quetiapine, risperidone, and haloperidol monotherapy in reducing hostile and aggressive behavior in outpatients treated for schizophrenia: a prospective naturalistic study (IC-SOHO). <i>European Psychiatry</i> , 2005 , 20, 403-8	6	38
76	Efficacy of antipsychotic drugs against hostility in the European First-Episode Schizophrenia Trial (EUFEST). <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 955-61	4.6	37
75	A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019 , 29, 947-959	1.2	36
74	Genes and environments in schizophrenia: The different pieces of a manifold puzzle. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2424-37	9	34

73	Mortality and the relationship of somatic comorbidities to mortality in schizophrenia. A nationwide matched-cohort study. <i>European Psychiatry</i> , 2017 , 45, 97-103	6	34
72	Relationship between the Brief Psychiatric Rating Scale and the Scale for the Assessment of Negative Symptoms: a study of their correlation and redundancy. <i>Psychiatry Research</i> , 1991 , 36, 129-39	9.9	34
71	How to find the way out from four rooms? The learning of "chaining" associations may shed light on the neuropsychology of the deficit syndrome of schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 200-7	3.6	33
70	General and domain-specific neurocognitive impairments in deficit and non-deficit schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 107-15	5.1	31
69	Association study of NRG1, DTNBP1, RGS4, G72/G30, and PIP5K2A with schizophrenia and symptom severity in a Hungarian sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 792-801	3.5	31
68	Associative learning in deficit and nondeficit schizophrenia. <i>NeuroReport</i> , 2008 , 19, 55-8	1.7	29
67	Position statement of the European Psychiatric Association (EPA) on the value of antidepressants in the treatment of unipolar depression. <i>European Psychiatry</i> , 2012 , 27, 114-28	6	27
66	Comparative effectiveness of depot and oral second generation antipsychotic drugs in schizophrenia: a nationwide study in Hungary. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1383-90	1.2	25
65	A systematic review of health economic models and utility estimation methods in schizophrenia. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2018 , 18, 267-275	2.2	22
64	Patients' preference for olanzapine orodispersible tablet compared with conventional oral tablet in a multinational, randomized, crossover study. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 894-903	3.8	22
63	Psychiatry in selected countries of Central and Eastern Europe: an overview of the current situation. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 223-31	6.5	22
62	Antipsychotic prescription patterns in outpatient settings: 24-month results from the Intercontinental Schizophrenia Outpatient Health Outcomes (IC-SOHO) study. <i>European Neuropsychopharmacology</i> , 2008 , 18, 170-80	1.2	21
61	Alterations in resting-state gamma activity in patients with schizophrenia: a high-density EEG study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 429-437	5.1	21
60	Tardive Dyskinesia: analysis of outpatients with schizophrenia from Africa and the Middle East, Asia, Central and Eastern Europe, and Latin America. <i>Schizophrenia Research</i> , 2006 , 81, 139-43	3.6	20
59	Prevalence of subthreshold forms of psychiatric disorders in persons making suicide attempts in Hungary. <i>European Psychiatry</i> , 2000 , 15, 354-61	6	20
58	Fearful face recognition in schizophrenia: an electrophysiological study. <i>Schizophrenia Research</i> , 2013 , 149, 135-40	3.6	19
57	Is ADHD severity in adults associated with the lifetime prevalence of comorbid depressive episodes and anxiety disorders?. <i>European Psychiatry</i> , 2013 , 28, 308-14	6	19
56	Adverse reactions to duloxetine in depression. <i>Expert Opinion on Drug Safety</i> , 2011 , 10, 839-50	4.1	19

55	Optimization of Clonazepam Therapy Adjusted to Patient's CYP3A Status and NAT2 Genotype. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	19
54	Potential Role of Patients' CYP3A-Status in Clozapine Pharmacokinetics. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 529-537	5.8	18
53	Multivariate patterns of EEG microstate parameters and their role in the discrimination of patients with schizophrenia from healthy controls. <i>Psychiatry Research</i> , 2020 , 288, 112938	9.9	18
52	Functional impairment in adults positively screened for attention-deficit hyperactivity disorder: the role of symptom presentation and executive functioning. <i>Comprehensive Psychiatry</i> , 2013 , 54, 974-81	7.3	17
51	Electrodermally differentiated subgroups of anxiety patients. I. Automatic and vigilance characteristics. <i>International Journal of Psychophysiology</i> , 1987 , 5, 43-51	2.9	17
50	Replication study and meta-analysis in European samples supports association of the 3p21.1 locus with bipolar disorder. <i>Biological Psychiatry</i> , 2012 , 72, 645-50	7.9	15
49	12-week double-blind randomized multicenter study of efficacy and safety of agomelatine (25-50 mg/day) versus escitalopram (10-20 mg/day) in out-patients with severe generalized anxiety disorder. <i>European Neuropsychopharmacology</i> , 2018 , 28, 970-979	1.2	14
48	Pharmacological treatment of adult ADHD. <i>Current Opinion in Psychiatry</i> , 2012 , 25, 529-34	4.9	14
47	Lezl Meduna's pilot studies with camphor inductions of seizures: the first 11 patients. <i>Journal of ECT</i> , 2009 , 25, 3-11	2	14
46	Once-monthly paliperidone palmitate in recently diagnosed and chronic non-acute patients with schizophrenia. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 1043-53	4	14
45	Randomized, double-blind, placebo-controlled study of F17464, a preferential D antagonist, in the treatment of acute exacerbation of schizophrenia. <i>Neuropsychopharmacology</i> , 2019 , 44, 1917-1924	8.7	13
44	ADHD: a hidden comorbidity in adult psychiatric patients. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019 , 11, 83-89	3.1	12
43	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013 , 13, 71	4.2	12
42	Phenoconversion of CYP2D6 by inhibitors modifies aripiprazole exposure. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 71-82	5.1	12
41	Treatment adherence and insight in schizophrenia. <i>Psychiatria Hungarica</i> , 2015 , 30, 18-26	1.3	12
40	A proposal for a psychopharmacology-pharmacotherapy catalogue of learning objectives and a curriculum in Europe. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 29-38	3.8	11
39	Electrophysiological indices of aberrant error-processing in adults with ADHD: a new region of interest. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1616-1628	4.1	11
38	Insight and hostility as predictors and correlates of nonadherence in the European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 258-61	1.7	11

37	Relating the shape of protein binding sites to binding affinity profiles: is there an association?. <i>BMC Structural Biology</i> , 2010 , 10, 32	2.7	10
36	The beginnings of modern psychiatric treatment in Europe. Lessons from an early account of convulsive therapy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 434-40	5.1	10
35	Measuring Users' Receptivity Toward an Integral Intervention Model Based on mHealth Solutions for Patients With Treatment-Resistant Schizophrenia (m-RESIST): A Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e112	5.5	10
34	Decreased resting gamma activity in adult attention deficit/hyperactivity disorder. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 691-702	3.8	10
33	State of psychiatry in Hungary. <i>International Review of Psychiatry</i> , 2012 , 24, 307-13	3.6	9
32	Convulsive therapy turns 75. <i>British Journal of Psychiatry</i> , 2009 , 194, 387-8	5.4	9
31	Designer drugs in psychiatric practice - a review of the literature and the recent situation in Hungary. <i>Neuropsychopharmacologia Hungarica</i> , 2013 , 15, 223-31	0.6	8
30	Mortality in people with schizophrenia: a systematic review and meta-analysis of relative risk and aggravating or attenuating factors.. <i>World Psychiatry</i> , 2022 , 21, 248-271	14.4	8
29	Neural Correlates of Error Monitoring in Adult Attention Deficit Hyperactivity Disorder After Failed Inhibition in an Emotional Go/No-Go Task. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017 , 29, 326-333	2.7	7
28	Treating impulsivity with probiotics in adults (PROBIA): study protocol of a multicenter, double-blind, randomized, placebo-controlled trial. <i>Trials</i> , 2020 , 21, 161	2.8	7
27	The birth of convulsive therapy revisited: a reappraisal of László Meduna's first cohort of patients. <i>Journal of Affective Disorders</i> , 2012 , 136, 1179-82	6.6	7
26	A systematic review of the efficacy and safety of second generation antipsychotics in the treatment of mania. <i>European Psychiatry</i> , 2006 , 21, 1-9	6	7
25	Altered response-preparation in patients with adult ADHD: A high-density ERP study. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 249, 57-66	2.9	6
24	How well do patients with schizophrenia track multiple moving targets?. <i>Neuropsychology</i> , 2007 , 21, 319-25	3.5	6
23	Regressive and intensive methods of electroconvulsive therapy: a brief historical note. <i>Journal of ECT</i> , 2007 , 23, 229-32	2	6
22	Types of complaints in psychiatric and internal medical patients. <i>Psychopathology</i> , 1985 , 18, 241-53	3.4	6
21	A meta-analysis of effectiveness of real-world studies of antipsychotics in schizophrenia: Are the results consistent with the findings of randomized controlled trials?. <i>Translational Psychiatry</i> , 2021 , 11, 510	8.6	6
20	Suicidal ideation in adult ADHD: Gender difference with a specific psychopathological profile. <i>Comprehensive Psychiatry</i> , 2018 , 85, 23-29	7.3	5

19	Köbly Schaffer and his school: the birth of biological psychiatry in Hungary, 1890-1940. <i>European Psychiatry</i> , 2008 , 23, 449-56	6	5
18	Impaired early information processing in adult ADHD: a high-density ERP study. <i>BMC Psychiatry</i> , 2020 , 20, 292	4.2	4
17	beta-Endorphin administration to acute schizophrenic patients: a double blind study. <i>Annals of the New York Academy of Sciences</i> , 1982 , 398, 460-9	6.5	4
16	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018 , 28, 185-194	4.34	4
15	Deinstitutionalization in Europe: two recent examples from Germany and Hungary. <i>Psychiatria Danubina</i> , 2010 , 22, 406-12	1.8	4
14	Exploring the Relationship between Quality of Life (EQ-5D) and Clinical Measures in Adult Attention Deficit Hyperactivity Disorder (ADHD). <i>Applied Research in Quality of Life</i> , 2017 , 12, 409-424	2.3	3
13	Validity of reliability: comparison of interrater reliabilities of psychopathological symptoms. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 606-13	1.8	3
12	Structural Analogues of Clozapine 2006 , 297-313		3
11	European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 826465	5	3
10	Attention deficit hyperactivity disorder: Last in, first out - delayed brain maturation with an accelerated decline?. <i>European Neuropsychopharmacology</i> , 2020 , 34, 65-75	1.2	3
9	Effectiveness and tolerability of schizophrenia treatment in Central and Eastern Europe: results after 1 year from a prospective, observational study (IC-SOHO). <i>International Journal of Psychiatry in Clinical Practice</i> , 2006 , 10, 78-90	2.4	2
8	Atropine coma: a historical note. <i>Journal of ECT</i> , 2005 , 21, 203-6	2	2
7	Primary Negative Symptoms: Refining the Research Target. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1207-1210	1.3	2
6	Assessment and Treatment of Negative Symptoms in Schizophrenia-A Regional Perspective.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 820801	5	1
5	Efficacy and tolerability of olanzapine in patients with schizophrenia in lithuania: A 13-week, multicenter, open-label, nonrandomized study. <i>Current Therapeutic Research</i> , 2004 , 65, 57-69	2.4	
4	Rhythmic movements of chronic akathisia. <i>Biological Psychiatry</i> , 1990 , 27, 465-6	7.9	
3	Eficacia de la monoterapia de clozapina, olanzapina, quetiapina, risperidona y haloperidol en la reducci3n del comportamiento hostil y agresivo en pacientes ambulatorios tratados por esquizofrenia: un estudio naturalista prospectivo (IC-SOHO). <i>European Psychiatry (Ed Espa3ola)</i> , 2006 , 12, 70-76		
2	Using informative prior based on expert opinion in Bayesian estimation of the transition probability matrix in Markov modelling-an example from the cost-effectiveness analysis of the treatment of patients with predominantly negative symptoms of schizophrenia with cariprazine. <i>Cost Effectiveness and Resource Allocation</i> , 2020 , 18, 28	2.4	

- 1 Atypical resting-state gamma band trajectory in adult attention deficit/hyperactivity disorder.
Journal of Neural Transmission, **2021**, 128, 1239-1248 43