

Karol Adam Kaminski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6924509/karol-adam-kaminski-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

11,184
citations

24
h-index

105
g-index

177
ext. papers

16,634
ext. citations

4.7
avg. IF

4.71
L-index

#	Paper	IF	Citations
139	Estimation of recurrent atherosclerotic cardiovascular event risk in patients with established cardiovascular disease: the updated SMART2 algorithm.. <i>European Heart Journal</i> , 2022 ,	9.5	1
138	IGFBP7 Concentration May Reflect Subclinical Myocardial Damage and Kidney Function in Patients with Stable Ischemic Heart Disease.. <i>Biomolecules</i> , 2022 , 12,	5.9	1
137	Analysis of Clinical Course and Vaccination Influence on Serological Response in COVID-19 Convalescents.. <i>Microbiology Spectrum</i> , 2022 , e0248521	8.9	
136	The relationships between FLAIS, a novel insulin sensitivity index, and cardiovascular risk factors in a population-based study.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 55	8.7	
135	ECG in the clinical and prognostic evaluation of patients with pulmonary arterial hypertension: an underestimated value.. <i>Therapeutic Advances in Respiratory Disease</i> , 2022 , 16, 17534666221087846	4.9	0
134	Insulin-Like Growth Factor-Binding Protein 7 (IGFBP-7) New Diagnostic and Prognostic Marker in Symptomatic Peripheral Arterial Disease? Pilot Study. <i>Biomolecules</i> , 2022 , 12, 712	5.9	0
133	Recollection of Physician Information about Risk Factor and Lifestyle Changes in Chronic Coronary Syndrome Patients. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6416	4.6	0
132	Subjective well-being in non-obese individuals depends strongly on body composition. <i>Scientific Reports</i> , 2021 , 11, 21797	4.9	4
131	Smoking cessation in patients with established coronary artery disease: data from the POLASPIRE survey. <i>Kardiologia Polska</i> , 2021 , 79, 418-425	0.9	0
130	A Similar Lifetime CV Risk and a Similar Cardiometabolic Profile in the Moderate and High Cardiovascular Risk Populations: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
129	Effects of cardiac rehabilitation on risk factor management and quality of life in patients with ischemic heart disease: a multicenter cross-sectional study. <i>Polish Archives of Internal Medicine</i> , 2021 , 131, 617-625	1.9	0
128	Multimodal assessment of right ventricle overload-metabolic and clinical consequences in pulmonary arterial hypertension. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 49	6.9	1
127	Management of Dyslipidemia in Women and Men with Coronary Heart Disease: Results from POLASPIRE Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
126	Effectiveness and safety of a simple home-based rehabilitation program in pulmonary arterial hypertension: an interventional pilot study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021 , 13, 79	2.4	3
125	Prognostic role of PET/MRI hybrid imaging in patients with pulmonary arterial hypertension. <i>Heart</i> , 2021 , 107, 54-60	5.1	6
124	Prognostic value of late gadolinium enhancement mass index in patients with pulmonary arterial hypertension. <i>Advances in Medical Sciences</i> , 2021 , 66, 28-34	2.8	2
123	Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). <i>Therapeutic Advances in Chronic Disease</i> , 2021 , 12, 20406223211002961	4.9	7

122	Serum Chemerin Concentration Is Associated with Proinflammatory Status in Chronic Coronary Syndrome. <i>Biomolecules</i> , 2021 , 11,	5.9	2
121	COVID-19 Vaccine Hesitancy in Poland-Multifactorial Impact Trajectories. <i>Vaccines</i> , 2021 , 9,	5.3	21
120	Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2982-3021	15.1	922
119	ECG Indices Poorly Predict Left Ventricular Hypertrophy and Are Applicable Only in Individuals With Low Cardiovascular Risk. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
118	Galectin-3 as the Prognostic Factor of Adverse Cardiovascular Events in Long-Term Follow up in Patients after Myocardial Infarction-A Pilot Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
117	Treatment goal attainment for secondary prevention in coronary patients with or without diabetes mellitus [Polish multicenter study POLASPIRE. <i>Archives of Medical Science</i> , 2020 ,	2.9	2
116	Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	23
115	Association between rs2107595 HDAC9 gene polymorphism and advanced carotid atherosclerosis in the Slovenian cohort. <i>Lipids in Health and Disease</i> , 2020 , 19, 71	4.4	3
114	Secondary prevention of coronary artery disease in Poland. Results from the POLASPIRE survey. <i>Cardiology Journal</i> , 2020 , 27, 533-540	1.4	6
113	Altered microRNA dynamics in acute coronary syndrome. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020 , 16, 287-293	0.4	1
112	The prevalence of cardiovascular risk factors and cardiovascular disease among primary care patients in Poland: results from the LIPIDOGRAM2015 study. <i>Atherosclerosis Supplements</i> , 2020 , 42, e15-e24	1.7	7
111	Machine-learning facilitates selection of a novel diagnostic panel of metabolites for the detection of heart failure. <i>Scientific Reports</i> , 2020 , 10, 130	4.9	6
110	Chemokines profile in patients with chronic heart failure treated with cardiac resynchronization therapy. <i>Advances in Medical Sciences</i> , 2020 , 65, 102-110	2.8	0
109	The effect of interleukin 6 deficiency on myocardial signal transduction pathways activation induced by bacterial lipopolysaccharide in young and old mice. <i>Advances in Medical Sciences</i> , 2020 , 65, 386-393	2.8	1
108	Impact of Pulse Wave Velocity and Parameters Reflecting Android Type Fat Distribution on Left Ventricular Diastolic Dysfunction in Patients with Chronic Coronary Syndromes. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
107	Effects of neurohormonal antagonists on blood pressure in patients with heart failure with reduced ejection fraction (HFREF): a systematic review protocol. <i>Systematic Reviews</i> , 2020 , 9, 194	3	
106	Association of Empirical Dietary Atherogenic Indices with All-Cause and Cause-Specific Mortality in a Multi-Ethnic Adult Population of the United States. <i>Nutrients</i> , 2019 , 11,	6.7	9
105	Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. <i>Atherosclerosis</i> , 2019 , 285, 135-146	3.1	106

104	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002470	5.2	13
103	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002471	5.2	14
102	Insulin-like growth factor-binding protein 7 (IGFBP 7) as a new biomarker in coronary heart disease. <i>Advances in Medical Sciences</i> , 2019 , 64, 195-201	2.8	6
101	Database of Pulmonary Hypertension in the Polish Population (BNP-PL): design of the registry. <i>Kardiologia Polska</i> , 2019 , 77, 972-974	0.9	10
100	Insulin-like growth factor-binding protein 7 (IGFBP7): Novel, independent marker of cardiometabolic diseases?. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2019 , 73, 735-740	0.3	2
99	Sarcopenia and myokines profile as risk factors in cardiovascular diseases?. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2019 , 73, 550-562	0.3	
98	Independent Impact of Gynoid Fat Distribution and Free Testosterone on Circulating Levels of N-Terminal Pro-Brain Natriuretic Peptide (NT-proBNP) in Humans. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	7
97	The role of interleukin-6 in intracellular signal transduction after chronic βadrenergic stimulation in mouse myocardium. <i>Archives of Medical Science</i> , 2019 , 15, 1565-1575	2.9	8
96	Fluid therapy in non-septic, refractory acute decompensated heart failure patients - The cautious role of central venous pressure. <i>Advances in Medical Sciences</i> , 2019 , 64, 37-43	2.8	2
95	The relationships among monocyte subsets, miRNAs and inflammatory cytokines in patients with acute myocardial infarction. <i>Pharmacological Reports</i> , 2019 , 71, 73-81	3.9	8
94	Increased platelet content of SDF-1α is associated with worse prognosis in patients with pulmonary arterial hypertension. <i>Platelets</i> , 2019 , 30, 445-451	3.6	5
93	Interleukin 6 Knockout Inhibits Aging-Related Accumulation of p53 in the Mouse Myocardium. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 176-182	6.4	4
92	LC-MS-based serum fingerprinting reveals significant dysregulation of phospholipids in chronic heart failure. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 154, 354-363	3.5	15
91	Very Small Embryonic-Like Stem Cells, Endothelial Progenitor Cells, and Different Monocyte Subsets Are Effectively Mobilized in Acute Lymphoblastic Leukemia Patients after G-CSF Treatment. <i>Stem Cells International</i> , 2018 , 2018, 1943980	5	5
90	The role of platelets in the development and progression of pulmonary arterial hypertension. <i>Advances in Medical Sciences</i> , 2018 , 63, 312-316	2.8	14
89	Interleukin-6 deficiency modifies the effect of high fat diet on myocardial expression of fatty acid transporters and myocardial lipids. <i>Journal of Physiology and Pharmacology</i> , 2018 , 69,	2.1	2
88	The significance of diminished sTWEAK and P-selectin content in platelets of patients with pulmonary arterial hypertension. <i>Cytokine</i> , 2018 , 107, 52-58	4	7
87	Perioperative thrombocytopenia predicts poor outcome in patients undergoing transcatheter aortic valve implantation. <i>Advances in Medical Sciences</i> , 2018 , 63, 179-184	2.8	7

86	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850
85	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
84	Persistently elevated plasma heart-type fatty acid binding protein concentration is related with poor outcome in acute decompensated heart failure patients. <i>Clinica Chimica Acta</i> , 2018 , 487, 48-53	6.2	8
83	Decreased thromboembolic stroke but not atherosclerosis or vascular remodelling in mice with ROCK2-deficient platelets. <i>Cardiovascular Research</i> , 2017 , 113, 1307-1317	9.9	15
82	The causes of thrombocytopenia after transcatheter aortic valve implantation. <i>Thrombosis Research</i> , 2017 , 156, 39-44	8.2	16
81	Thrombocytopenia associated with TAVI-The summary of possible causes. <i>Advances in Medical Sciences</i> , 2017 , 62, 378-382	2.8	13
80	The quest for equilibrium: exploring the thin red line between bleeding and ischaemic risks in the management of acute coronary syndromes in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1967-1976	4.3	11
79	Impact of Selection Bias on Estimation of Subsequent Event Risk. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10,		19
78	Interleukin-6 Affects Aging-Related Changes of the PPAR γ -PGC-1 β Axis in the Myocardium. <i>Journal of Interferon and Cytokine Research</i> , 2017 , 37, 513-521	3.5	7
77	The strengths and weaknesses of non-invasive parameters obtained by echocardiography and cardiopulmonary exercise testing in comparison with the hemodynamic assessment by the right heart catheterization in patients with pulmonary hypertension. <i>Advances in Medical Sciences</i> , 2017 , 62, 39-44	2.8	4
76	Interleukin-6 signaling in patients with chronic heart failure treated with cardiac resynchronization therapy. <i>Archives of Medical Science</i> , 2017 , 13, 1069-1077	2.9	6
75	The rs2228145 polymorphism in the interleukin-6 receptor and its association with long-term prognosis after myocardial infarction in a pilot study. <i>Archives of Medical Science</i> , 2017 , 13, 93-99	2.9	3
74	Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2017 , 75, 286-293	0.9	
73	Metabolomics - A wide-open door to personalized treatment in chronic heart failure?. <i>International Journal of Cardiology</i> , 2016 , 219, 156-63	3.2	21
72	The influence of renal function on the association of rs854560 polymorphism of paraoxonase 1 gene with long-term prognosis in patients after myocardial infarction. <i>Heart and Vessels</i> , 2016 , 31, 15-22 ^{2.1}		8
71	Activity of the kynurenine pathway and its interplay with immunity in patients with pulmonary arterial hypertension. <i>Heart</i> , 2016 , 102, 230-7	5.1	16
70	Predictive value of Galectin-3 for the occurrence of coronary artery disease and prognosis after myocardial infarction and its association with carotid IMT values in these patients: A mid-term prospective cohort study. <i>Atherosclerosis</i> , 2016 , 246, 309-17	3.1	34
69	Remodeling of the intercalated disc related to aging in the mouse heart. <i>Journal of Cardiology</i> , 2016 , 68, 261-8	3	33

68	The 9p21 polymorphism is linked with atrial fibrillation during acute phase of ST-segment elevation myocardial infarction. <i>Heart and Vessels</i> , 2016 , 31, 1590-4	2.1	3
67	Prevalence of lipid abnormalities in Poland. The NATPOL 2011 survey. <i>Kardiologia Polska</i> , 2016 , 74, 213-239	23.9	28
66	A study to evaluate the prevalence and determinants of stress coping strategies in heart failure patients in Poland (CAPS-LOCK-HF sub-study). <i>Kardiologia Polska</i> , 2016 , 74, 1327-1331	0.9	1
65	Alterations of soluble TWEAK and CD163 concentrations in patients with chronic heart failure. <i>Cytokine</i> , 2016 , 80, 7-12	4	18
64	Interleukin 6 modulates PPAR α and PGC-1 β and is involved in high-fat diet induced cardiac lipotoxicity in mouse. <i>International Journal of Cardiology</i> , 2016 , 219, 1-8	3.2	18
63	Differential involvement of IL-6 in the early and late phase of 1-methylnicotinamide (MNA) release in Concanavalin A-induced hepatitis. <i>International Immunopharmacology</i> , 2015 , 28, 105-14	5.8	16
62	The multi-biomarker approach for heart failure in patients with hypertension. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 10715-33	6.3	24
61	Enhanced IL-6 trans-signaling in pulmonary arterial hypertension and its potential role in disease-related systemic damage. <i>Cytokine</i> , 2015 , 76, 187-192	4	28
60	Transcriptional and post-transcriptional regulation of CCN genes in failing heart. <i>Pharmacological Reports</i> , 2015 , 67, 204-8	3.9	7
59	The rs12526453 Polymorphism in an Intron of the PHACTR1 Gene and Its Association with 5-Year Mortality of Patients with Myocardial Infarction. <i>PLoS ONE</i> , 2015 , 10, e0129820	3.7	15
58	Circulating classical CD14 ⁺⁺ CD16 ⁻ monocytes predict shorter time to initial treatment in chronic lymphocytic leukemia patients: Differential effects of immune chemotherapy on monocyte-related membrane and soluble forms of CD163. <i>Oncology Reports</i> , 2015 , 34, 1269-78	3.5	9
57	The rs9982601 polymorphism of the region between the SLC5A3/MRPS6 and KCNE2 genes associated with a prevalence of myocardial infarction and subsequent long-term mortality. <i>Polish Archives of Internal Medicine</i> , 2015 , 125, 240-8	1.9	10
56	CHA2DS2-VASc and R2CHA2DS2-VASc scores have predictive value in patients with acute coronary syndromes. <i>Polish Archives of Internal Medicine</i> , 2015 , 125, 545-52	1.9	6
55	Lipid, blood pressure and kidney update 2013. <i>International Urology and Nephrology</i> , 2014 , 46, 947-61	2.3	47
54	Serum levels of CD163 and TWEAK in patients with pulmonary arterial hypertension. <i>Cytokine</i> , 2014 , 66, 40-5	4	22
53	Natural history and risk factors of long-term mortality in acute coronary syndrome patients with cardiogenic shock. <i>Advances in Medical Sciences</i> , 2014 , 59, 156-60	2.8	4
52	Polymorphism of 9p21.3 locus is associated with 5-year survival in high-risk patients with myocardial infarction. <i>PLoS ONE</i> , 2014 , 9, e104635	3.7	11
51	ESC Working Group on Myocardial Function Position Paper: how to study the right ventricle in experimental models. <i>European Journal of Heart Failure</i> , 2014 , 16, 509-18	12.3	10

50	PPAR Gamma Expression Levels during Development of Heart Failure in Patients with Coronary Artery Disease after Coronary Artery Bypass-Grafting. <i>PPAR Research</i> , 2014 , 2014, 242790	4.3	5
49	Running performance at high running velocities is impaired but V̇O ₂ (max) and peripheral endothelial function are preserved in IL-6 ^{-/-} mice. <i>PLoS ONE</i> , 2014 , 9, e88333	3.7	8
48	The effects of statins on blood pressure in normotensive or hypertensive subjects--a meta-analysis of randomized controlled trials. <i>International Journal of Cardiology</i> , 2013 , 168, 2816-24	3.2	32
47	The rs9982601 polymorphism of the intergenic region between SLC5A3/MRPS6/KCNE2 genes is associated with 5-year mortality of patients with ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2013 , 34, P1302-P1302	9.5	
46	Feasibility of strain and strain rate evaluation by two-dimensional speckle tracking in murine model of myocardial infarction: comparison with tissue Doppler echocardiography. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 136-43	1.9	5
45	Polymorphism of 9p21.3 locus is associated with 5-year survival in high-risk patients with myocardial infarction. <i>PLoS ONE</i> , 2013 , 8, e72333	3.7	6
44	CCN1 expression in interleukin-6 deficient mouse kidney in experimental model of heart failure. <i>Folia Histochemica Et Cytobiologica</i> , 2013 , 51, 84-91	1.4	10
43	Cardiogenic pulmonary oedema: alarmingly poor long term prognosis. Analysis of risk factors. <i>Kardiologia Polska</i> , 2013 , 71, 712-20	0.9	5
42	Single bout of endurance exercise increases NNMT activity in the liver and MNA concentration in plasma; the role of IL-6. <i>Pharmacological Reports</i> , 2012 , 64, 369-76	3.9	14
41	Interleukin 6 is not necessary for STAT3 phosphorylation and myocardial hypertrophy following short term beta-adrenergic stimulation. <i>Advances in Medical Sciences</i> , 2012 , 57, 94-9	2.8	2
40	The rs1801133 polymorphism of methylenetetrahydrofolate reductase gene- the association with 5-year survival in patients with ST-elevation myocardial infarction. <i>Advances in Medical Sciences</i> , 2012 , 57, 106-11	2.8	5
39	The effects of statins on blood pressure: current knowledge and future perspectives. <i>Archives of Medical Science</i> , 2012 , 8, 1-3	2.9	9
38	Rho-associated coiled-coil-containing kinase 2 deficiency in bone marrow-derived cells leads to increased cholesterol efflux and decreased atherosclerosis. <i>Circulation</i> , 2012 , 126, 2236-47	16.7	30
37	Atrial expression of the CCN1 and CCN2 proteins in chronic heart failure. <i>Folia Histochemica Et Cytobiologica</i> , 2012 , 50, 99-103	1.4	4
36	Atrial expression of the CCN1 and CCN2 proteins in chronic heart failure. <i>Folia Histochemica Et Cytobiologica</i> , 2012 , 50, 99-103	1.4	10
35	GRACE, TIMI, Zwolle and CADILLAC risk scores--do they predict 5-year outcomes after ST-elevation myocardial infarction treated invasively?. <i>International Journal of Cardiology</i> , 2011 , 148, 70-5	3.2	42
34	Hypotensive effect of atorvastatin in hypertensive patients: the association among flow-mediated dilation, oxidative stress and endothelial dysfunction. <i>Archives of Medical Science</i> , 2011 , 7, 955-62	2.9	13
33	Efficacy of invasive treatment and the occurrence of cardiac rupture in acute ST-elevation myocardial infarction. <i>Kardiologia Polska</i> , 2011 , 69, 795-800	0.9	4

32	Influence of atorvastatin on blood pressure control in treated hypertensive, normolipemic patients - An open, pilot study. <i>Blood Pressure</i> , 2010 , 19, 260-6	1.7	15
31	Circadian variations of interleukin 6 in coronary circulations of patients with myocardial infarction. <i>Cytokine</i> , 2010 , 50, 204-9	4	10
30	Hypotensive effect of atorvastatin is not related to changes in inflammation and oxidative stress. <i>Pharmacological Reports</i> , 2010 , 62, 883-90	3.9	9
29	Endothelial dysfunction and sympathetic nervous system activation in young patients with essential arterial hypertension and without hypercholesterolaemia. <i>Acta Cardiologica</i> , 2010 , 65, 535-40	0.9	4
28	Role of interleukin-6 on RANKL-RANK/osteoprotegerin system in hypothyroid ovariectomized mice. <i>Folia Histochemica Et Cytobiologica</i> , 2010 , 48, 549-54	1.4	2
27	Percutaneous coronary interventions affect concentrations of interleukin 6 and its soluble receptors in coronary sinus blood in patients with stable angina. <i>Angiology</i> , 2009 , 60, 322-8	2.1	5
26	Relation of body mass index to five-year survival in patients with ST-elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2009 , 103, 435	3	4
25	CCN2 protein is an announcing marker for cardiac remodeling following STZ-induced moderate hyperglycemia in mice. <i>Pharmacological Reports</i> , 2009 , 61, 496-503	3.9	15
24	Coronary sinus concentrations of interleukin 6 and its soluble receptors are affected by reperfusion and may portend complications in patients with myocardial infarction. <i>Atherosclerosis</i> , 2009 , 206, 581-7	3.1	23
23	Effect of interleukin 6 deficiency on the expression of Bcl-2 and Bax in the murine heart. <i>Pharmacological Reports</i> , 2009 , 61, 504-13	3.9	14
22	Myocardial perfusion assessed by contrast echocardiography correlates with angiographic perfusion parameters in patients with a first acute myocardial infarction successfully treated with angioplasty. <i>Canadian Journal of Cardiology</i> , 2008 , 24, 633-9	3.8	16
21	Oxidative stress and antioxidative defense parameters early after reperfusion therapy for acute myocardial infarction. <i>Acute Cardiac Care</i> , 2008 , 10, 121-6		16
20	Carvedilol modifies antioxidant status of patients with stable angina. <i>Cellular and Molecular Biology Letters</i> , 2008 , 13, 230-9	8.1	11
19	Impairment of recognition memory in interleukin-6 knock-out mice. <i>European Journal of Pharmacology</i> , 2007 , 577, 219-20	5.3	29
18	The association between type 2 diabetes mellitus and A1/A2 polymorphism of glycoprotein IIIa gene. <i>Acta Diabetologica</i> , 2007 , 44, 30-3	3.9	6
17	Lack of ST-segment depression normalization after PCI is a predictor of 5-year mortality in patients with ST-elevation myocardial infarction. <i>Circulation Journal</i> , 2007 , 71, 1851-6	2.9	6
16	A cathepsin D-cleaved 16 kDa form of prolactin mediates postpartum cardiomyopathy. <i>Cell</i> , 2007 , 128, 589-600	56.2	586
15	TIMI Risk Score accurately predicts risk of death in 30-day and one-year follow-up in STEMI patients treated with primary percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2007 , 65, 788-95; discussion 796-7	0.9	8

14	Interleukin-6 is not essential for bone turnover in hypothyroid mice. <i>Folia Histochemica Et Cytobiologica</i> , 2007 , 45, 387-92	1.4	1
13	The effects of moderate physical exercise on cardiac hypertrophy in interleukin 6 deficient mice. <i>Advances in Medical Sciences</i> , 2007 , 52, 164-8	2.8	17
12	Neutrophil superoxide anion generation during atorvastatin and fluvastatin therapy used in coronary heart disease primary prevention. <i>Journal of Cardiovascular Pharmacology</i> , 2006 , 48, 143-7	3.1	35
11	The benefits of repeated measurements of B-type natriuretic peptide in patients with first ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>International Heart Journal</i> , 2006 , 47, 843-54	1.8	3
10	The effect of glycoprotein IIIa A1/A2 gene polymorphism on one-year outcome in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2006 , 64, 1350-5; discussion 1356	0.9	1
9	Does gastro-esophageal reflux provoke the myocardial ischemia in patients with CAD?. <i>International Journal of Cardiology</i> , 2005 , 104, 67-72	3.2	35
8	Lack of JunD promotes pressure overload-induced apoptosis, hypertrophic growth, and angiogenesis in the heart. <i>Circulation</i> , 2005 , 112, 1470-7	16.7	56
7	Supraventricular tachycardia and pulmonary hypertension at the presentation of Hodgkin's disease. <i>Acta Cardiologica</i> , 2005 , 60, 655-7	0.9	3
6	Signal transducer and activator of transcription 3 is required for myocardial capillary growth, control of interstitial matrix deposition, and heart protection from ischemic injury. <i>Circulation Research</i> , 2004 , 95, 187-95	15.7	316
5	Regulation of proangiogenic factor CCN1 in cardiac muscle: impact of ischemia, pressure overload, and neurohumoral activation. <i>Circulation</i> , 2004 , 109, 2227-33	16.7	93
4	Role of interleukin-6 for LV remodeling and survival after experimental myocardial infarction. <i>FASEB Journal</i> , 2003 , 17, 2118-20	0.9	92
3	Expression of CYR61, an angiogenic immediate early gene, in arteriosclerosis and its regulation by angiotensin II. <i>Circulation</i> , 2002 , 106, 254-60	16.7	90
2	Oxidative stress and neutrophil activation--the two keystones of ischemia/reperfusion injury. <i>International Journal of Cardiology</i> , 2002 , 86, 41-59	3.2	255
1	Diverse effects of prolonged physical training on learning of the delayed non-matching to sample by rats. <i>Neuroscience Research</i> , 2001 , 39, 79-84	2.9	9