

Winifred F Frick

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6926316/winifred-f-frick-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

3,331
citations

32
h-index

57
g-index

77
ext. papers

4,154
ext. citations

5.4
avg, IF

5.41
L-index

#	Paper	IF	Citations
70	Experimental inoculation trial to determine the effects of temperature and humidity on White-nose Syndrome in hibernating bats.. <i>Scientific Reports</i> , 2022 , 12, 971	4.9	2
69	A practical conservation tool to combine diverse types of evidence for transparent evidence-based decision-making. <i>Conservation Science and Practice</i> , 2022 , 4, e579	2.2	1
68	The scope and severity of white-nose syndrome on hibernating bats in North America. <i>Conservation Biology</i> , 2021 , 35, 1586-1597	6	16
67	Planning practical evidence-based decision making in conservation within time constraints: the Strategic Evidence Assessment Framework. <i>Journal for Nature Conservation</i> , 2021 , 60, 125975	2.3	2
66	NABat: A top-down, bottom-up solution to collaborative continental-scale monitoring. <i>Ambio</i> , 2021 , 50, 901-913	6.5	8
65	Bats Flying at High Altitudes. <i>Fascinating Life Sciences</i> , 2021 , 189-205	1.1	2
64	Temperature alone is insufficient to understand hibernation energetics. <i>Journal of Experimental Biology</i> , 2021 , 224,	3	5
63	Setting the Terms for Zoonotic Diseases: Effective Communication for Research, Conservation, and Public Policy. <i>Viruses</i> , 2021 , 13,	6.2	4
62	Limited refugia and high velocity range-shifts predicted for bat communities in drought-risk areas of the Northern Hemisphere. <i>Global Ecology and Conservation</i> , 2021 , 28, e01608	2.8	4
61	Assessing fatality minimization for hoary bats amid continued wind energy development. <i>Biological Conservation</i> , 2021 , 262, 109309	6.2	4
60	Identifying research needs to inform white-nose syndrome management decisions. <i>Conservation Science and Practice</i> , 2020 , 2, e220	2.2	10
59	Environmental reservoir dynamics predict global infection patterns and population impacts for the fungal disease white-nose syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 7255-7262	11.5	26
58	Possibility for reverse zoonotic transmission of SARS-CoV-2 to free-ranging wildlife: A case study of bats. <i>PLoS Pathogens</i> , 2020 , 16, e1008758	7.6	83
57	A review of the major threats and challenges to global bat conservation. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1469, 5-25	6.5	129
56	Higher fat stores contribute to persistence of little brown bat populations with white-nose syndrome. <i>Journal of Animal Ecology</i> , 2019 , 88, 591-600	4.7	39
55	Field trial of a probiotic bacteria to protect bats from white-nose syndrome. <i>Scientific Reports</i> , 2019 , 9, 9158	4.9	26
54	Weather surveillance radar as an objective tool for monitoring bat phenology and biogeography. <i>Journal of Engineering</i> , 2019 , 2019, 7062-7064	0.7	0

53	Toward integrating citizen science and radar data for migrant bird conservation. <i>Remote Sensing in Ecology and Conservation</i> , 2018 , 4, 127-136	5.3	12
52	Genetic diversity distribution among seasonal colonies of a nectar-feeding bat (<i>Leptonycteris yerbabuenae</i>) in the Baja California Peninsula. <i>Mammalian Biology</i> , 2018 , 92, 78-85	1.6	6
51	Energy conserving thermoregulatory patterns and lower disease severity in a bat resistant to the impacts of white-nose syndrome. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2018 , 188, 163-176	2.2	32
50	Seasonal ecology of a migratory nectar-feeding bat at the edge of its range. <i>Journal of Mammalogy</i> , 2018 , 99, 1072-1081	1.8	4
49	Cryptic connections illuminate pathogen transmission within community networks. <i>Nature</i> , 2018 , 563, 710-713	50.4	33
48	Fatalities at wind turbines may threaten population viability of a migratory bat. <i>Biological Conservation</i> , 2017 , 209, 172-177	6.2	113
47	Resistance in persisting bat populations after white-nose syndrome invasion. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017 , 372,	5.8	64
46	Pathogen dynamics during invasion and establishment of white-nose syndrome explain mechanisms of host persistence. <i>Ecology</i> , 2017 , 98, 624-631	4.6	71
45	PRINCIPLES AND PATTERNS OF BAT MOVEMENTS: FROM AERODYNAMICS TO ECOLOGY. <i>Quarterly Review of Biology</i> , 2017 , 92, 267-287	5.4	28
44	Using behavioral and stable isotope data to quantify rare dietary plasticity in a temperate bat. <i>Journal of Mammalogy</i> , 2017 , gyw196	1.8	2
43	Efficacy of a probiotic bacterium to treat bats affected by the disease white-nose syndrome. <i>Journal of Applied Ecology</i> , 2017 , 54, 701-708	5.8	40
42	The Lofty Lives of Aerial Consumers: Linking Population Ecology and Aeroecology 2017 , 379-399		5
41	Drivers of variation in species impacts for a multi-host fungal disease of bats. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016 , 371,	5.8	63
40	Host persistence or extinction from emerging infectious disease: insights from white-nose syndrome in endemic and invading regions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283, 20152861	4.4	33
39	White-Nose Syndrome Disease Severity and a Comparison of Diagnostic Methods. <i>EcoHealth</i> , 2016 , 13, 60-71	3.1	24
38	Widespread Bat White-Nose Syndrome Fungus, Northeastern China. <i>Emerging Infectious Diseases</i> , 2016 , 22, 140-2	10.2	40
37	White-Nose Syndrome in Bats 2016 , 245-262		34
36	Deconstructing the Bat Skin Microbiome: Influences of the Host and the Environment. <i>Frontiers in Microbiology</i> , 2016 , 7, 1753	5.7	50

35	Long-Term Persistence of <i>Pseudogymnoascus destructans</i> , the Causative Agent of White-Nose Syndrome, in the Absence of Bats. <i>EcoHealth</i> , 2015 , 12, 330-3	3.1	40
34	Context-dependent conservation responses to emerging wildlife diseases. <i>Frontiers in Ecology and the Environment</i> , 2015 , 13, 195-202	5.5	112
33	Invasion dynamics of white-nose syndrome fungus, midwestern United States, 2012-2014. <i>Emerging Infectious Diseases</i> , 2015 , 21, 1023-6	10.2	63
32	Conservation implications of ameliorating survival of little brown bats with white-nose syndrome. <i>Ecological Applications</i> , 2015 , 25, 1832-40	4.9	33
31	Host and pathogen ecology drive the seasonal dynamics of a fungal disease, white-nose syndrome. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282, 20142335	4.4	139
30	Efficacy of Visual Surveys for White-Nose Syndrome at Bat Hibernacula. <i>PLoS ONE</i> , 2015 , 10, e0133390	3.7	26
29	Bacteria isolated from bats inhibit the growth of <i>Pseudogymnoascus destructans</i> , the causative agent of white-nose syndrome. <i>PLoS ONE</i> , 2015 , 10, e0121329	3.7	91
28	Moving Beyond Too Little, Too Late: Managing Emerging Infectious Diseases in Wild Populations Requires International Policy and Partnerships. <i>EcoHealth</i> , 2015 , 12, 404-7	3.1	34
27	Disease alters macroecological patterns of North American bats. <i>Global Ecology and Biogeography</i> , 2015 , 24, 741-749	6.1	148
26	Direct detection of fungal siderophores on bats with white-nose syndrome via fluorescence microscopy-guided ambient ionization mass spectrometry. <i>PLoS ONE</i> , 2015 , 10, e0119668	3.7	23
25	Bats of the Chilean temperate rainforest: patterns of landscape use in a mosaic of native forests, eucalyptus plantations and grasslands within a South American biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2014 , 23, 1949-1963	3.4	8
24	Seasonal reliance on nectar by an insectivorous bat revealed by stable isotopes. <i>Oecologia</i> , 2014 , 174, 55-65	2.9	19
23	Insectivorous bat pollinates columnar cactus more effectively per visit than specialized nectar bat. <i>American Naturalist</i> , 2013 , 181, 137-44	3.7	24
22	Acoustic monitoring of bats, considerations of options for long-term monitoring. <i>Therya</i> , 2013 , 4, 69-78	1.8	27
21	Bat response to differing fire severity in mixed-conifer forest California, USA. <i>PLoS ONE</i> , 2013 , 8, e57884	3.7	46
20	Ecological energetics of an abundant aerial insectivore, the Purple Martin. <i>PLoS ONE</i> , 2013 , 8, e76616	3.7	19
19	Aeroecology 2013 , 149-167		8
18	Sociality, density-dependence and microclimates determine the persistence of populations suffering from a novel fungal disease, white-nose syndrome. <i>Ecology Letters</i> , 2012 , 15, 1050-7	10	236

17	Partly Cloudy with a Chance of Migration: Weather, Radars, and Aeroecology. <i>Bulletin of the American Meteorological Society</i> , 2012 , 93, 669-686	6.1	63
16	Climate and weather impact timing of emergence of bats. <i>PLoS ONE</i> , 2012 , 7, e42737	3.7	43
15	Quantifying animal phenology in the aerosphere at a continental scale using NEXRAD weather radars. <i>Ecosphere</i> , 2012 , 3, art16	3.1	42
14	Estimating animal densities in the aerosphere using weather radar: To Z or not to Z?. <i>Ecosphere</i> , 2012 , 3, art72	3.1	49
13	White-nose syndrome: is this emerging disease a threat to European bats?. <i>Trends in Ecology and Evolution</i> , 2011 , 26, 570-6	10.9	68
12	Risk factors associated with mortality from white-nose syndrome among hibernating bat colonies. <i>Biology Letters</i> , 2011 , 7, 950-3	3.6	50
11	Influence of climate and reproductive timing on demography of little brown myotis <i>Myotis lucifugus</i> . <i>Journal of Animal Ecology</i> , 2010 , 79, 128-36	4.7	157
10	An emerging disease causes regional population collapse of a common North American bat species. <i>Science</i> , 2010 , 329, 679-82	33.3	591
9	Nestedness of desert bat assemblages: species composition patterns in insular and terrestrial landscapes. <i>Oecologia</i> , 2009 , 158, 687-97	2.9	22
8	Facultative Nectar-Feeding Behavior in a Gleaning Insectivorous Bat (<i>Antrozous pallidus</i>). <i>Journal of Mammalogy</i> , 2009 , 90, 1157-1164	1.8	21
7	Patterns of island occupancy in bats: influences of area and isolation on insular incidence of volant mammals. <i>Global Ecology and Biogeography</i> , 2008 , 17, 622-632	6.1	8
6	Potential effects of environmental contamination on Yuma <i>Myotis</i> demography and population growth 2007 , 17, 1213-22		24
5	Island biogeography of bats in Baja California, Mexico: patterns of bat species richness in a near-shore archipelago. <i>Journal of Biogeography</i> , 2007 , 35, 071009214220001-???	4.1	1
4	ESTIMATION OF HABITAT-SPECIFIC DEMOGRAPHY AND POPULATION GROWTH FOR PEREGRINE FALCONS IN CALIFORNIA 2003 , 13, 1802-1816		49
3	Behavioural microclimate selection and physiological responses to environmental conditions in a hibernating bat. <i>Canadian Journal of Zoology</i> , 1-6	1.5	1
2	White-nose syndrome restructures bat skin microbiomes		4
1	Principles for the production of evidence-based guidance for conservation actions. <i>Conservation Science and Practice</i> ,	2.2	0