

Francis J McMahon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6926378/publications.pdf>

Version: 2024-02-01

257
papers

27,956
citations

7096

78
h-index

6996

154
g-index

285
all docs

285
docs citations

285
times ranked

26587
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	21.4	2,067
2	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983.	21.4	1,283
3	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
4	Cancer Regression and Neurological Toxicity Following Anti-MAGE-A3 TCR Gene Therapy. <i>Journal of Immunotherapy</i> , 2013, 36, 133-151.	2.4	953
5	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	28.9	935
6	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	27.8	772
7	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015, 18, 199-209.	14.8	701
8	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	2.1	696
9	Microduplications of 16p11.2 are associated with schizophrenia. <i>Nature Genetics</i> , 2009, 41, 1223-1227.	21.4	646
10	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
11	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.	28.9	623
12	A genome-wide association study implicates diacylglycerol kinase eta (DGKH) and several other genes in the etiology of bipolar disorder. <i>Molecular Psychiatry</i> , 2008, 13, 197-207.	7.9	619
13	Identification of common variants associated with human hippocampal and intracranial volumes. <i>Nature Genetics</i> , 2012, 44, 552-561.	21.4	594
14	Variation in the Gene Encoding the Serotonin 2A Receptor Is Associated with Outcome of Antidepressant Treatment. <i>American Journal of Human Genetics</i> , 2006, 78, 804-814.	6.2	434
15	Genome Scan Meta-Analysis of Schizophrenia and Bipolar Disorder, Part III: Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2003, 73, 49-62.	6.2	400
16	Genome-wide association study of bipolar disorder in European American and African American individuals. <i>Molecular Psychiatry</i> , 2009, 14, 755-763.	7.9	326
17	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> , The, 2016, 387, 1085-1093.	13.7	306
18	High Frequencies of De Novo CNVs in Bipolar Disorder and Schizophrenia. <i>Neuron</i> , 2011, 72, 951-963.	8.1	290

#	ARTICLE	IF	CITATIONS
19	In vivo radioligand binding to translocator protein correlates with severity of Alzheimer's disease. <i>Brain</i> , 2013, 136, 2228-2238.	7.6	280
20	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624.	12.8	250
21	G72/G30 in Schizophrenia and Bipolar Disorder: Review and Meta-analysis. <i>Biological Psychiatry</i> , 2006, 60, 106-114.	1.3	246
22	The FKBP5-Gene in Depression and Treatment Response—An Association Study in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Cohort. <i>Biological Psychiatry</i> , 2008, 63, 1103-1110.	1.3	240
23	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	6.2	225
24	Combined Analysis from Eleven Linkage Studies of Bipolar Disorder Provides Strong Evidence of Susceptibility Loci on Chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , 2005, 77, 582-595.	6.2	218
25	Common Genetic Variation and Antidepressant Efficacy in Major Depressive Disorder: A Meta-Analysis of Three Genome-Wide Pharmacogenetic Studies. <i>American Journal of Psychiatry</i> , 2013, 170, 207-217.	7.2	216
26	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	14.8	213
27	Association Between a Functional Serotonin Transporter Promoter Polymorphism and Citalopram Treatment in Adult Outpatients With Major Depression. <i>Archives of General Psychiatry</i> , 2007, 64, 783.	12.3	208
28	A Genetic Polymorphism for Translocator Protein 18 Kda Affects both <i>in Vitro</i> and <i>in Vivo</i> Radioligand Binding in Human Brain to this Putative Biomarker of Neuroinflammation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 53-58.	4.3	207
29	Identification of Pathways for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 657.	11.0	204
30	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , 2016, 19, 420-431.	14.8	204
31	Genetic Markers of Suicidal Ideation Emerging During Citalopram Treatment of Major Depression. <i>American Journal of Psychiatry</i> , 2007, 164, 1530-1538.	7.2	203
32	Genomewide Linkage Analyses of Bipolar Disorder: A New Sample of 250 Pedigrees from the National Institute of Mental Health Genetics Initiative. <i>American Journal of Human Genetics</i> , 2003, 73, 107-114.	6.2	202
33	Association of GRIK4 With Outcome of Antidepressant Treatment in the STAR*D Cohort. <i>American Journal of Psychiatry</i> , 2007, 164, 1181-1188.	7.2	189
34	Brain-Derived Neurotrophic Factor Val66Met Polymorphism and Antidepressant Efficacy of Ketamine in Depressed Patients. <i>Biological Psychiatry</i> , 2012, 72, e27-e28.	1.3	187
35	Clock genes may influence bipolar disorder susceptibility and dysfunctional circadian rhythm. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1047-1055.	1.7	182
36	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182

#	ARTICLE	IF	CITATIONS
37	Genome-wide association study meta-analysis of European and Asian-ancestry samples identifies three novel loci associated with bipolar disorder. <i>Molecular Psychiatry</i> , 2013, 18, 195-205.	7.9	180
38	Convergent functional genomics of genome-wide association data for bipolar disorder: Comprehensive identification of candidate genes, pathways and mechanisms. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 155-181.	1.7	178
39	Two variants in Ankyrin 3 (ANK3) are independent genetic risk factors for bipolar disorder. <i>Molecular Psychiatry</i> , 2009, 14, 487-491.	7.9	171
40	Suggestive Linkage to Chromosomal Regions 13q31 and 22q12 in Families With Psychotic Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2003, 160, 680-686.	7.2	165
41	The genetics of bipolar disorder. <i>Molecular Psychiatry</i> , 2020, 25, 544-559.	7.9	161
42	Two gene co-expression modules differentiate psychotics and controls. <i>Molecular Psychiatry</i> , 2013, 18, 1308-1314.	7.9	160
43	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	2.5	156
44	Enrichment of cis-regulatory gene expression SNPs and methylation quantitative trait loci among bipolar disorder susceptibility variants. <i>Molecular Psychiatry</i> , 2013, 18, 340-346.	7.9	153
45	Meta-analysis of genome-wide association data identifies a risk locus for major mood disorders on 3p21.1. <i>Nature Genetics</i> , 2010, 42, 128-131.	21.4	152
46	Rare variants in neuronal excitability genes influence risk for bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3576-3581.	7.1	152
47	Initial genomic scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 3, 5, 15, 16, 17, and 22. , 1997, 74, 238-246.		149
48	Initial genome scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 1, 6, 8, 10, and 12. <i>American Journal of Medical Genetics Part A</i> , 1997, 74, 247-253.	2.4	145
49	Diagnostic Reliability of Bipolar II Disorder. <i>Archives of General Psychiatry</i> , 2002, 59, 736.	12.3	145
50	Parental Diagnoses in Youth With Narrow Phenotype Bipolar Disorder or Severe Mood Dysregulation. <i>American Journal of Psychiatry</i> , 2007, 164, 1238-1241.	7.2	144
51	A genome-wide association study of attempted suicide. <i>Molecular Psychiatry</i> , 2012, 17, 433-444.	7.9	141
52	Family-based association of FKBP5 in bipolar disorder. <i>Molecular Psychiatry</i> , 2009, 14, 261-268.	7.9	140
53	Genome-Wide Association Study of Suicide Attempts in Mood Disorder Patients. <i>American Journal of Psychiatry</i> , 2010, 167, 1499-1507.	7.2	140
54	Defining the Phenotype in Human Genetic Studies: Forward Genetics and Reverse Phenotyping. <i>Human Heredity</i> , 2004, 58, 131-138.	0.8	137

#	ARTICLE	IF	CITATIONS
55	Singleton deletions throughout the genome increase risk of bipolar disorder. <i>Molecular Psychiatry</i> , 2009, 14, 376-380.	7.9	137
56	Genome-wide scan of bipolar disorder in 65 pedigrees: supportive evidence for linkage at 8q24, 18q22, 4q32, 2p12, and 13q12. <i>Molecular Psychiatry</i> , 2003, 8, 288-298.	7.9	134
57	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSII to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78.	1.9	134
58	Initial Genome Scan of the NIMH Genetics Initiative Bipolar Pedigrees: Chromosomes 4, 7, 9, 18, 19, 20, and 21q. , 1997, 74, 254-262.		133
59	Findings in an independent sample support an association between bipolar affective disorder and the G72/G30 locus on chromosome 13q33. <i>Molecular Psychiatry</i> , 2004, 9, 87-92.	7.9	125
60	Genotype-Phenotype Studies in Bipolar Disorder Showing Association Between the DAOA/G30 Locus and Persecutory Delusions: A First Step Toward a Molecular Genetic Classification of Psychiatric Phenotypes. <i>American Journal of Psychiatry</i> , 2005, 162, 2101-2108.	7.2	123
61	Molecular genetic overlap in bipolar disorder, schizophrenia, and major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 200-208.	2.6	120
62	Genomic survey of bipolar illness in the NIMH genetics initiative pedigrees: A preliminary report. , 1997, 74, 227-237.		115
63	Increased levels of a mitochondrial DNA deletion in the brain of patients with bipolar disorder. <i>Biological Psychiatry</i> , 1997, 42, 871-875.	1.3	111
64	Attempted Suicide and Alcoholism in Bipolar Disorder: Clinical and Familial Relationships. <i>American Journal of Psychiatry</i> , 2000, 157, 2048-2050.	7.2	104
65	Brain-derived neurotrophic factor (BDNF) gene: no major impact on antidepressant treatment response. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 93.	2.1	104
66	Meta-analysis of two genome-wide association studies of bipolar disorder reveals important points of agreement. <i>Molecular Psychiatry</i> , 2008, 13, 466-467.	7.9	103
67	Genome-wide association study of suicidal ideation emerging during citalopram treatment of depressed outpatients. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 666-674.	1.5	103
68	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
69	Linkage of Bipolar Affective Disorder to Chromosome 18 Markers in a New Pedigree Series. <i>American Journal of Human Genetics</i> , 1997, 61, 1397-1404.	6.2	101
70	RNA-sequencing of the brain transcriptome implicates dysregulation of neuroplasticity, circadian rhythms and GTPase binding in bipolar disorder. <i>Molecular Psychiatry</i> , 2014, 19, 1179-1185.	7.9	100
71	Genetic association mapping at the crossroads: Which test and why? Overview and practical guidelines. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 1-11.	2.4	98
72	What Is Familial About Familial Bipolar Disorder?. <i>Archives of General Psychiatry</i> , 2006, 63, 1368-76.	12.3	98

#	ARTICLE	IF	CITATIONS
73	Panic disorder with familial bipolar disorder. <i>Biological Psychiatry</i> , 1997, 42, 90-95.	1.3	97
74	Initial genome screen for bipolar disorder in the NIMH genetics initiative pedigrees: Chromosomes 2, 11, 13, 14, and X. , 1997, 74, 263-269.		97
75	A Novel, Heritable, Expanding CTG Repeat in an Intron of the SEF2-1 Gene on Chromosome 18q21.1. <i>Human Molecular Genetics</i> , 1997, 6, 1855-1863.	2.9	96
76	Review and Consensus on Pharmacogenomic Testing in Psychiatry. <i>Pharmacopsychiatry</i> , 2021, 54, 5-17.	3.3	96
77	Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. <i>American Journal of Psychiatry</i> , 2007, 164, 236-247.	7.2	93
78	Nested Association Between Genetic Variation in Tryptophan Hydroxylase II, Bipolar Affective Disorder, and Suicide Attempts. <i>Biological Psychiatry</i> , 2007, 61, 181-186.	1.3	92
79	Genetic and Clinical Predictors of Sexual Dysfunction in Citalopram-Treated Depressed Patients. <i>Neuropsychopharmacology</i> , 2009, 34, 1819-1828.	5.4	88
80	Genome-Wide Linkage and Follow-Up Association Study of Postpartum Mood Symptoms. <i>American Journal of Psychiatry</i> , 2009, 166, 1229-1237.	7.2	85
81	Genome-wide scan and conditional analysis in bipolar disorder: evidence for genomic interaction in the National Institute of Mental Health genetics initiative bipolar pedigrees. <i>Biological Psychiatry</i> , 2003, 54, 1265-1273.	1.3	80
82	The DISC locus and schizophrenia: evidence from an association study in a central European sample and from a meta-analysis across different European populations. <i>Human Molecular Genetics</i> , 2009, 18, 2719-2727.	2.9	78
83	Full-Genome Scan for Linkage in 50 Families Segregating the Bipolar Affective Disease Phenotype. <i>American Journal of Human Genetics</i> , 2000, 66, 205-215.	6.2	77
84	Replication and meta-analysis of TMEM132D gene variants in panic disorder. <i>Translational Psychiatry</i> , 2012, 2, e156-e156.	4.8	74
85	Bipolar disorder and panic disorder in families: an analysis of chromosome 18 data. <i>American Journal of Psychiatry</i> , 1998, 155, 829-31.	7.2	74
86	The Bipolar Disorder Phenome Database: A Resource for Genetic Studies. <i>American Journal of Psychiatry</i> , 2007, 164, 1229-1237.	7.2	73
87	Mitochondrial DNA Sequence Diversity in Bipolar Affective Disorder. <i>American Journal of Psychiatry</i> , 2000, 157, 1058-1064.	7.2	71
88	Association Study of Wnt Signaling Pathway Genes in Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2008, 65, 785.	12.3	70
89	Pharmacogenetics Studies in STAR*D: Strengths, Limitations, and Results. <i>Psychiatric Services</i> , 2009, 60, 1446-1457.	2.0	69
90	Genetic association studies in mood disorders: issues and promise. <i>International Review of Psychiatry</i> , 2004, 16, 301-310.	2.8	66

#	ARTICLE	IF	CITATIONS
91	Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees. , 2000, 96, 18-23.		65
92	It Is Time to Take a Stand for Medical Research and Against Terrorism Targeting Medical Scientists. Biological Psychiatry, 2008, 63, 725-727.	1.3	65
93	The Bcl-2 Gene Polymorphism rs956572AA Increases Inositol 1,4,5-Trisphosphate Receptorâ€Mediated Endoplasmic Reticulum Calcium Release in Subjects with Bipolar Disorder. Biological Psychiatry, 2011, 69, 344-352.	1.3	65
94	Psychiatric epigenetics: a new focus for the new century. Molecular Psychiatry, 2000, 5, 342-346.	7.9	64
95	A Network-Based Approach to Prioritize Results from Genome-Wide Association Studies. PLoS ONE, 2011, 6, e24220.	2.5	64
96	Pharmacogenomics and Personalized Medicine in Neuropsychiatry. Neuron, 2012, 74, 773-776.	8.1	64
97	SSRI response in depression may be influenced by SNPs in HTR1B and HTR1A. Psychiatric Genetics, 2009, 19, 281-291.	1.1	62
98	Loci on chromosomes 6q and 6p interact to increase susceptibility to bipolar affective disorder in the national institute of mental health genetics initiative pedigrees. Biological Psychiatry, 2004, 56, 18-23.	1.3	60
99	Familial Variation in Episode Frequency in Bipolar Affective Disorder. American Journal of Psychiatry, 2005, 162, 1266-1272.	7.2	60
100	Genome-Wide Association of Bipolar Disorder Suggests an Enrichment of Replicable Associations in Regions near Genes. PLoS Genetics, 2011, 7, e1002134.	3.5	59
101	Neurocognitive functioning in euthymic patients with bipolar disorder and unaffected relatives: A review of the literature. Neuroscience and Biobehavioral Reviews, 2016, 69, 193-215.	6.1	59
102	Familial aggregation of psychotic symptoms in a replication set of 69 bipolar disorder pedigrees. American Journal of Medical Genetics Part A, 2003, 116B, 90-97.	2.4	58
103	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. Molecular Psychiatry, 2021, 26, 4179-4190.	7.9	58
104	Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin. Nature Genetics, 2004, 36, 783-784.	21.4	57
105	Rapid mood switching and suicidality in familial bipolar disorder. Bipolar Disorders, 2005, 7, 441-448.	1.9	57
106	A Rare Truncating Mutation in ADH1C (G78Stop) Shows Significant Association With Parkinson Disease in a Large International Sample. Archives of Neurology, 2005, 62, 74.	4.5	57
107	Familiality of Polarity at Illness Onset in Bipolar Affective Disorder. American Journal of Psychiatry, 2006, 163, 1754-1759.	7.2	56
108	Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. Bipolar Disorders, 2008, 10, 38-44.	1.9	55

#	ARTICLE	IF	CITATIONS
109	Sex-specific association of the reelin gene with bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 549-553.	1.7	55
110	Gene Expression and Genetic Variation Data Implicate PCLO in Bipolar Disorder. Biological Psychiatry, 2011, 69, 353-359.	1.3	53
111	NEDD4L on human chromosome 18q21 has multiple forms of transcripts and is a homologue of the mouse Nedd4-2 gene. European Journal of Human Genetics, 2001, 9, 922-930.	2.8	52
112	Genetic variation in cholinergic muscarinic-2 receptor gene modulates M2 receptor binding in vivo and accounts for reduced binding in bipolar disorder. Molecular Psychiatry, 2011, 16, 407-418.	7.9	52
113	Evidence of association between brain-derived neurotrophic factor gene and bipolar disorder. Psychiatric Genetics, 2008, 18, 267-274.	1.1	51
114	Coming to grips with complex disorders: Genetic risk prediction in bipolar disorder using panels of genes identified through convergent functional genomics. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 850-877.	1.7	50
115	Pharmacogenetics Studies in STAR*D: Strengths, Limitations, and Results. Psychiatric Services, 2009, 60, 1446-57.	2.0	50
116	Family-based association of <i>YWHAH</i> in psychotic bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 977-983.	1.7	49
117	Prediction of treatment outcomes in psychiatry—where do we stand ?. Dialogues in Clinical Neuroscience, 2014, 16, 455-464.	3.7	47
118	The genetics of panic disorder. Journal of Medical Genetics, 2011, 48, 361-368.	3.2	46
119	Convergent genome wide association results for bipolar disorder and substance dependence. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 182-190.	1.7	45
120	A genome-wide association study of bipolar disorder with comorbid eating disorder replicates the SOX2-OT region. Journal of Affective Disorders, 2016, 189, 141-149.	4.1	45
121	Common and rare alleles of the serotonin transporter gene, <i>SLC6A4</i> , associated with Tourette's disorder. Movement Disorders, 2013, 28, 1263-1270.	3.9	44
122	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470.	7.9	44
123	Rediscovering the value of families for psychiatric genetics research. Molecular Psychiatry, 2019, 24, 523-535.	7.9	43
124	Attempted Suicide in Bipolar Disorder Pedigrees: Evidence for Linkage to 2p12. Biological Psychiatry, 2007, 61, 725-727.	1.3	42
125	SERT Ileu425Val in autism, Asperger syndrome and obsessive-compulsive disorder. Psychiatric Genetics, 2008, 18, 31-39.	1.1	42
126	Genome-wide association analysis of age at onset and psychotic symptoms in bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 370-378.	1.7	42

#	ARTICLE	IF	CITATIONS
127	Genome-wide association studies of antidepressant outcome: A brief review. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1553-1557.	4.8	41
128	Genome scan of a second wave of NIMH genetics initiative bipolar pedigrees: chromosomes 2, 11, 13, 14, and X. American Journal of Medical Genetics Part A, 2003, 119B, 69-76.	2.4	39
129	Defining haplotype blocks and tag single-nucleotide polymorphisms in the human genome. Human Molecular Genetics, 2004, 13, 335-342.	2.9	39
130	Race, Genetic Ancestry and Response to Antidepressant Treatment for Major Depression. Neuropsychopharmacology, 2013, 38, 2598-2606.	5.4	39
131	Increased gene expression of diacylglycerol kinase ϵ in bipolar disorder. International Journal of Neuropsychopharmacology, 2010, 13, 1127-1128.	2.1	38
132	Apparent replication of suggestive linkage on chromosome 16 in the NIMH genetics initiative bipolar pedigrees. American Journal of Medical Genetics Part A, 2002, 114, 407-412.	2.4	37
133	Circadian genes and lithium response in bipolar disorders: associations with $\langle \text{PPARGC1A} \rangle$ ($\langle \text{PGC} \rangle \pm$) and $\langle \text{RORA} \rangle$. Genes, Brain and Behavior, 2016, 15, 660-668.	2.2	37
134	Common genetic variation in the indoleamine-2,3-dioxygenase genes and antidepressant treatment outcome in major depressive disorder. Journal of Psychopharmacology, 2012, 26, 360-367.	4.0	36
135	Interaction networks of lithium and valproate molecular targets reveal a striking enrichment of apoptosis functional clusters and neurotrophin signaling. Pharmacogenomics Journal, 2012, 12, 328-341.	2.0	36
136	Variant $\langle \text{GADL1} \rangle$ and Response to Lithium in Bipolar I Disorder. New England Journal of Medicine, 2014, 370, 1855-1860.	27.0	36
137	Genome scan of the fifty-six bipolar pedigrees from the NIMH genetics initiative replication sample: Chromosomes 4, 7, 9, 18, 19, 20, and 21. American Journal of Medical Genetics Part A, 2003, 121B, 21-27.	2.4	35
138	Genetic variation in HTR2A influences serotonin transporter binding potential as measured using PET and [11C]DASB. International Journal of Neuropsychopharmacology, 2010, 13, 715-724.	2.1	35
139	Genome-wide linkage scan of 98 bipolar pedigrees and analysis of clinical covariates. Molecular Psychiatry, 2007, 12, 630-639.	7.9	34
140	Sodium valproate rescues expression of TRANK1 in iPSC-derived neural cells that carry a genetic variant associated with serious mental illness. Molecular Psychiatry, 2019, 24, 613-624.	7.9	34
141	Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. PLoS ONE, 2014, 9, e104326.	2.5	34
142	Sequence variation in DOCK9 and heterogeneity in bipolar disorder. Psychiatric Genetics, 2007, 17, 274-286.	1.1	33
143	Family-based association study of Neuregulin 1 with psychotic bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 693-702.	1.7	31
144	Genome-wide linkage analysis of 972 bipolar pedigrees using single-nucleotide polymorphisms. Molecular Psychiatry, 2012, 17, 818-826.	7.9	31

#	ARTICLE	IF	CITATIONS
145	Evidence of association between bipolar disorder and Citron on chromosome 12q24. <i>Molecular Psychiatry</i> , 2005, 10, 807-809.	7.9	30
146	A Genome-Wide Association Study of Amygdala Activation in Youths With and Without Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 33-41.	0.5	30
147	Do Participants in Genome Sequencing Studies of Psychiatric Disorders Wish to Be Informed of Their Results? A Survey Study. <i>PLoS ONE</i> , 2014, 9, e101111.	2.5	30
148	Additional, physically ordered markers increase linkage signal for bipolar disorder on chromosome 18q22. <i>Biological Psychiatry</i> , 2003, 53, 239-243.	1.3	29
149	Exome sequencing of a large family identifies potential candidate genes contributing risk to bipolar disorder. <i>Gene</i> , 2018, 645, 119-123.	2.2	29
150	Evaluation of Recipients of Positive and Negative Secondary Findings Evaluations in a Hybrid CLIA-Research Sequencing Pilot. <i>American Journal of Human Genetics</i> , 2018, 103, 358-366.	6.2	29
151	Association study of phosphodiesterase genes in the Sequenced Treatment Alternatives to Relieve Depression sample. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 235-238.	1.5	29
152	Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. <i>American Journal of Psychiatry</i> , 2007, 164, 236.	7.2	29
153	An Integrative Genomic Study Implicates the Postsynaptic Density in the Pathogenesis of Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2016, 41, 886-895.	5.4	28
154	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28
155	Cutaneous cryptococcosis without evidence of systemic involvement. <i>Journal of the American Academy of Dermatology</i> , 1984, 11, 371-374.	1.2	27
156	Genetic linkage and association studies in bipolar affective disorder: A time for optimism. <i>American Journal of Medical Genetics Part A</i> , 2003, 123C, 36-47.	2.4	27
157	Response to Zhang et al., (2005) Loss-of-Function Mutation in Tryptophan Hydroxylase-2 Identified in Unipolar Major Depression. <i>Neuron</i> 45, 11â€“16. <i>Neuron</i> , 2005, 48, 702-703.	8.1	26
158	The Pharmacogenetics of Major Depression: Past, Present, and Future. <i>Biological Psychiatry</i> , 2007, 62, 1205-1207.	1.3	26
159	Neurotransmission and bipolar disorder: A systematic family-based association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1270-1277.	1.7	26
160	Exploratory genome-wide association analysis of response to ketamine and a polygenic analysis of response to scopolamine in depression. <i>Translational Psychiatry</i> , 2018, 8, 280.	4.8	26
161	Anticipation in schizophrenia: A review and reconsideration. , 1999, 88, 686-693.		25
162	Finding Rare, Disease-Associated Variants in Isolated Groups: Potential Advantages of Mennonite Populations. <i>Human Biology</i> , 2016, 88, 109.	0.2	25

#	ARTICLE	IF	CITATIONS
163	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
164	Bcl-2 Polymorphism Influences Gray Matter Volume in the Ventral Striatum in Healthy Humans. <i>Biological Psychiatry</i> , 2009, 66, 804-807.	1.3	24
165	Amish revisited: next-generation sequencing studies of psychiatric disorders among the Plain people. <i>Trends in Genetics</i> , 2013, 29, 412-418.	6.7	24
166	Can long-range microsatellite data be used to predict short-range linkage disequilibrium?. <i>Human Molecular Genetics</i> , 2002, 11, 1363-1372.	2.9	22
167	Using Duplicate Genotyped Data in Genetic Analyses: Testing Association and Estimating Error Rates. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2007, 6, Article4.	0.6	22
168	Deep transcriptome sequencing of subgenual anterior cingulate cortex reveals cross-diagnostic and diagnosis-specific RNA expression changes in major psychiatric disorders. <i>Neuropsychopharmacology</i> , 2021, 46, 1364-1372.	5.4	22
169	Genome-Wide Association Study of Irritable vs. Elated Mania Suggests Genetic Differences between Clinical Subtypes of Bipolar Disorder. <i>PLoS ONE</i> , 2013, 8, e53804.	2.5	22
170	Pharmacogenetics of Major Depression. <i>Molecular Diagnosis and Therapy</i> , 2008, 12, 321-330.	3.8	21
171	A functional alternative splicing mutation in human tryptophan hydroxylase-2. <i>Molecular Psychiatry</i> , 2011, 16, 1169-1176.	7.9	21
172	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
173	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	2.8	20
174	A non-synonymous polymorphism in galactose mutarotase (GALM) is associated with serotonin transporter binding potential in the human thalamus: results of a genome-wide association study. <i>Molecular Psychiatry</i> , 2011, 16, 584-585.	7.9	19
175	Pharmacogenetics of antidepressants, mood stabilizers, and antipsychotics in diverse human populations. <i>Discovery Medicine</i> , 2013, 16, 113-22.	0.5	19
176	RETENTION AND ATTRITION AMONG AFRICAN AMERICANS IN THE STAR*D STUDY: WHAT CAUSES RESEARCH VOLUNTEERS TO STAY OR STRAY?. <i>Depression and Anxiety</i> , 2013, 30, 1137-1144.	4.1	17
177	Risk factors for suicide in bipolar I disorder in two prospectively studied cohorts. <i>Journal of Affective Disorders</i> , 2016, 190, 1-5.	4.1	17
178	The antidepressant efficacy of subanesthetic-dose ketamine does not correlate with baseline subcortical volumes in a replication sample with major depressive disorder. <i>Journal of Psychopharmacology</i> , 2017, 31, 1570-1577.	4.0	17
179	Genetic pleiotropy between mood disorders, metabolic, and endocrine traits in a multigenerational pedigree. <i>Translational Psychiatry</i> , 2018, 8, 218.	4.8	17
180	Gene-based SNP mapping of a psychotic bipolar affective disorder linkage region on 22q12.3: Association with <i>HMG2L1</i> and <i>TOM1</i> . <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 59-67.	1.7	16

#	ARTICLE	IF	CITATIONS
181	A population-specific reference panel empowers genetic studies of Anabaptist populations. Scientific Reports, 2017, 7, 6079.	3.3	16
182	Polygenic risk for anxiety influences anxiety comorbidity and suicidal behavior in bipolar disorder. Translational Psychiatry, 2020, 10, 298.	4.8	16
183	Exemplar scoring identifies genetically separable phenotypes of lithium responsive bipolar disorder. Translational Psychiatry, 2021, 11, 36.	4.8	16
184	Description of the Genetic Analysis Workshop 10 bipolar disorder linkage data sets. , 1997, 14, 563-568.		15
185	Association study of serotonin pathway genes in attempted suicide. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 112-119.	1.7	15
186	Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. Journal of Affective Disorders, 2015, 172, 453-461.	4.1	15
187	Carbohydrate Reactivation of Thyroxine 5 α -Deiodinase (Type II) in Cultured Mouse Neuroblastoma Cells Is Dependent upon New Protein Synthesis*. Endocrinology, 1989, 124, 635-641.	2.8	14
188	Quantitative analysis of leukocyte mitochondrial DNA deletion in affective disorders. Biological Psychiatry, 1997, 42, 311-316.	1.3	14
189	Genome-wide parametric linkage analyses of 644 bipolar pedigrees suggest susceptibility loci at chromosomes 16 and 20. Psychiatric Genetics, 2008, 18, 191-198.	1.1	14
190	Premenstrual mood symptoms: study of familiarity and personality correlates in mood disorder pedigrees. Archives of Women's Mental Health, 2009, 12, 27-34.	2.6	14
191	Genome-wide significant association between a "negative mood delusions" dimension in bipolar disorder and genetic variation on chromosome 3q26.1. Translational Psychiatry, 2012, 2, e165-e165.	4.8	14
192	Corpus Callosum Size Is Highly Heritable in Humans, and May Reflect Distinct Genetic Influences on Ventral and Rostral Regions. PLoS ONE, 2014, 9, e99980.	2.5	14
193	Reply to "Replication of association of 3p21.1 with susceptibility to bipolar disorder but not major depression". Nature Genetics, 2011, 43, 5-5.	21.4	13
194	Familiarity of Polarity at Illness Onset in Bipolar Affective Disorder. American Journal of Psychiatry, 2006, 163, 1754.	7.2	13
195	The Diagnosis of Pulmonary Alveolar Proteinosis by Sputum Examination. Diseases of the Chest, 1966, 49, 326-332.	0.3	11
196	Inconsistent designs of association studies: a missed opportunity. Molecular Psychiatry, 2003, 8, 770-772.	7.9	11
197	Common and rare variants of <i>DAOA</i> in bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 960-966.	1.7	11
198	Prediction of lithium response using genomic data. Scientific Reports, 2021, 11, 1155.	3.3	11

#	ARTICLE	IF	CITATIONS
199	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
200	Hyperactivity following posterior cortical injury in lateralized, sensitive to lesion size and independent of the nigrostriatal dopamine system. <i>Brain Research</i> , 1989, 503, 185-190.	2.2	10
201	A Genome-Wide Association Study of Amygdala Activation in Youths With and Without Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 33-41.	0.5	10
202	Genetic association of bipolar disorder with the $\alpha 3$ nicotinic receptor subunit gene. <i>Psychiatric Genetics</i> , 2011, 21, 77-84.	1.1	10
203	Evidence for association of bipolar disorder to haplotypes in the 22q12.3 region near the genes stargazin, <i>IFT27</i> and parvalbumin. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 941-950.	1.7	10
204	Convergent analysis of genome-wide genotyping and transcriptomic data suggests association of zinc finger genes with lithium response in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 658-664.	1.7	10
205	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
206	Association study of 83 candidate genes for bipolar disorder in chromosome 6q selected using an evidence-based prioritization algorithm. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 898-906.	1.7	9
207	Test-retest reliability of a new questionnaire for the retrospective assessment of long-term lithium use in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 589-593.	4.1	8
208	Detecting significant genotype-phenotype association rules in bipolar disorder: market research meets complex genetics. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 24.	2.2	8
209	The genetic interacting landscape of 63 candidate genes in Major Depressive Disorder: an explorative study. <i>BioData Mining</i> , 2014, 7, 19.	4.0	7
210	Clinically Useful Genetic Markers of Antidepressant Response: How Do We Get There From Here?. <i>American Journal of Psychiatry</i> , 2015, 172, 697-699.	7.2	7
211	From genetics to biology: advancing mental health research in the Genomics ERA. <i>Molecular Psychiatry</i> , 2019, 24, 1576-1582.	7.9	7
212	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170.	0.7	7
213	Frequency Finder: a multi-source web application for collection of public allele frequencies of SNP markers. <i>Bioinformatics</i> , 2004, 20, 439-443.	4.1	6
214	A tree-based model for allele-sharing-based linkage analysis in human complex diseases. <i>Genetic Epidemiology</i> , 2006, 30, 155-169.	1.3	6
215	An investigation of candidate regions for association with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1292-1297.	1.7	6
216	Identity-by-descent filtering as a tool for the identification of disease alleles in exome sequence data from distant relatives. <i>BMC Proceedings</i> , 2011, 5, S76.	1.6	6

#	ARTICLE	IF	CITATIONS
217	Symptom profiles and illness course among Anabaptist and Non-Anabaptist adults with major mood disorders. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 21.	2.2	6
218	Integrating clinical and laboratory data in genetic studies of complex phenotypes: A network-based data management system. , 1998, 81, 248-256.		5
219	Pioneering First Steps and Cautious Conclusions. <i>Biological Psychiatry</i> , 2010, 67, 99-100.	1.3	5
220	Linear mixed models for association analysis of quantitative traits with next-generation sequencing data. <i>Genetic Epidemiology</i> , 2019, 43, 189-206.	1.3	5
221	Validity of the Mood Disorder Questionnaire (MDQ) as a screening tool for bipolar spectrum disorders in anabaptist populations. <i>Journal of Psychiatric Research</i> , 2020, 123, 159-163.	3.1	5
222	Genetic Overlap Profiles of Cognitive Ability in Psychotic and Affective Illnesses: A Multisite Study of Multiplex Pedigrees. <i>Biological Psychiatry</i> , 2021, 90, 373-384.	1.3	5
223	Rare variants implicate NMDA receptor signaling and cerebellar gene networks in risk for bipolar disorder. <i>Molecular Psychiatry</i> , 2022, 27, 3842-3856.	7.9	5
224	Case-control association study of <i>TCF7L2</i> in attempted suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1016-1023.	1.7	4
225	Population-Based Estimates of Heritability Shed New Light on Clinical Features of Major Depression. <i>American Journal of Psychiatry</i> , 2018, 175, 1058-1060.	7.2	4
226	Clinical and genetic validity of quantitative bipolarity. <i>Translational Psychiatry</i> , 2019, 9, 228.	4.8	4
227	Multiple dimensions of stress vs. genetic effects on depression. <i>Translational Psychiatry</i> , 2021, 11, 254.	4.8	4
228	Neither single-marker nor haplotype analyses support an association between genetic variation near NOTCH4 and bipolar disorder. <i>American Journal of Medical Genetics Part A</i> , 2004, 131A, 10-15.	2.4	3
229	Genetic Markers of Suicidal Ideation Emerging During Citalopram Treatment of Major Depression. <i>Focus (American Psychiatric Publishing)</i> , 2008, 6, 69-79.	0.8	3
230	Gene-Based Association Testing of Dichotomous Traits With Generalized Functional Linear Mixed Models Using Extended Pedigrees: Applications to Age-Related Macular Degeneration. <i>Journal of the American Statistical Association</i> , 2021, 116, 531-545.	3.1	3
231	Cyclic adenosine 3',5'-monophosphate and glucose stimulate thyroxine 5'-deiodinase type II in cultured mouse neuroblastoma cells. <i>Metabolism: Clinical and Experimental</i> , 1990, 39, 474-479.	3.4	2
232	Genetics of Bipolar Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 5, 19-30.	1.7	2
233	Constance E. Lieber, Theodore R. Stanley, and the Enduring Impact of Philanthropy on Psychiatry Research. <i>Biological Psychiatry</i> , 2016, 80, 84-86.	1.3	2
234	Genetic association studies in psychiatry: time for pay-off. <i>Lancet Psychiatry</i> , 2016, 3, 309-310.	7.4	2

#	ARTICLE	IF	CITATIONS
235	Genetic versus stress and mood determinants of sleep in the Amish. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2021, 186, 113-121.	1.7	2
236	The genetic basis of bipolar disorder. , 2009, , 59-76.		2
237	A Success at the End of an Era, and a Glimpse of Things to Come. American Journal of Psychiatry, 2007, 164, 999.	7.2	2
238	Putting Genetics to Work in the Psychiatric Clinic. American Journal of Psychiatry, 2022, 179, 182-188.	7.2	2
239	The current status and prospects for genetic studies of bipolar disorder. Clinical Neuroscience Research, 2001, 1, 153-157.	0.8	1
240	Trapping and sequence analysis of 1138 putative exons from human chromosome 18. Molecular Psychiatry, 2003, 8, 619-623.	7.9	1
241	Bipolar disorder as a phenotype in genetic studies. Clinical Neuroscience Research, 2005, 5, 37-43.	0.8	1
242	A Success at the End of an Era, and a Glimpse of Things to Come. American Journal of Psychiatry, 2007, 164, 999-1001.	7.2	1
243	200. Effects of Medications on RNA-Seq Gene Expression from Anterior Cingulate Cortex in Adult Major Psychiatric Disorders. Biological Psychiatry, 2017, 81, S83.	1.3	1
244	Affective Disorders. , 1998, , 995-1003.		1
245	Dr. McMahon and Colleagues Reply. American Journal of Psychiatry, 2001, 158, 1170-1170.	7.2	1
246	Polygenic Risk for Anxiety Influences Anxiety Comorbidity and Suicidal Behavior in Bipolar Disorder. SSRN Electronic Journal, 0, , .	0.4	1
247	Clinical features of affective disorders and bereavement. Current Opinion in Psychiatry, 1992, 5, 580-584.	6.3	0
248	Mental Disorders in the Genomics Era. CNS Spectrums, 2002, 7, 195-195.	1.2	0
249	Dr. McMahon Replies. American Journal of Psychiatry, 2008, 165, 395-396.	7.2	0
250	Pharmacogenetics and mood disorders. , 0, , 368-379.		0
251	A Novel Mixture Model to Estimate the Time to Drug Effect Onset and Its Association with Covariates. Human Heredity, 2015, 80, 90-99.	0.8	0
252	691. RNA-sequencing of the Subgenual Anterior Cingulate Cortex in Adult Major Psychiatric Disorders. Biological Psychiatry, 2017, 81, S280.	1.3	0

#	ARTICLE	IF	CITATIONS
253	506. Cyclic Expression of Circadian Genes in Neural Progenitor Cells Derived from Human Induced Pluripotent Stem Cells. Biological Psychiatry, 2017, 81, S205-S206.	1.3	0
254	Coherence Through Incongruenceâ€”Can Genetic Markers Inform Nosology After All?. JAMA Psychiatry, 2018, 75, 7.	11.0	0
255	Unusual Book Review. American Journal of Psychiatry, 2001, 158, 1169-1169.	7.2	0
256	GENETICS AND THE GLOBAL HEALTH BURDEN OF MOOD DISORDERS. , 2003, , .		0
257	The Genetic Basis of Bipolar Disorder. Milestones in Drug Therapy, 2016, , 73-92.	0.1	0