

Kimiko Tomioka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6927516/publications.pdf>

Version: 2024-02-01

46
papers

1,560
citations

361413

20
h-index

315739

38
g-index

47
all docs

47
docs citations

47
times ranked

2300
citing authors

#	ARTICLE	IF	CITATIONS
1	Age differences in the association of physical leisure activities with incident disability among community-dwelling older adults. <i>Environmental Health and Preventive Medicine</i> , 2022, 27, 16-16.	3.4	0
2	Number of public health nurses and COVID-19 incidence rate by variant type: an ecological study of 47 prefectures in Japan. <i>Environmental Health and Preventive Medicine</i> , 2022, 27, 18-18.	3.4	3
3	Mental component of health-related quality of life is an independent predictor of incident functional disability among community-dwelling older people: a prospective cohort study. <i>Quality of Life Research</i> , 2021, 30, 1853-1862.	3.1	6
4	Association between heaviness of cigarette smoking and serious psychological distress is stronger in women than in men: a nationally representative cross-sectional survey in Japan. <i>Harm Reduction Journal</i> , 2021, 18, 27.	3.2	9
5	Fraction and Number of Unemployed Associated with Self-Reported Low Back Pain: A Nation-Wide Cross-Sectional Study in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10760.	2.6	0
6	Occupational status and self-reported low back pain by gender: a nation-wide cross-sectional study among the general population in Japan. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 111.	3.4	3
7	The Association Between Education and Smoking Prevalence, Independent of Occupation: A Nationally Representative Survey in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 136-142.	2.4	44
8	Regular dental visits may prevent severe functional disability: A community-based prospective study. <i>Archives of Gerontology and Geriatrics</i> , 2020, 88, 104019.	3.0	5
9	Longitudinal association between lifetime workforce participation and risk of self-reported cognitive decline in community-dwelling older adults. <i>PLoS ONE</i> , 2020, 15, e0234392.	2.5	4
10	Association between housing tenure and self-rated health in Japan: Findings from a nationwide cross-sectional survey. <i>PLoS ONE</i> , 2019, 14, e0224821.	2.5	9
11	The interaction effect between physical and cultural leisure activities on the subsequent decline of instrumental ADL: the Fujiwara-kyo study. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 71.	3.4	12
12	Older Adult Males Who Worked at Small-Sized Workplaces Have an Increased Risk of Decline in Instrumental Activities of Daily Living: A Community-Based Prospective Study. <i>Journal of Epidemiology</i> , 2019, 29, 407-413.	2.4	7
13	Cross-Sectional Association Between Types of Leisure Activities and Self-rated Health According to Gender and Work Status Among Older Japanese Adults. <i>Journal of Epidemiology</i> , 2019, 29, 424-431.	2.4	7
14	Title is missing!. , 2019, 14, e0224821.		0
15	Title is missing!. , 2019, 14, e0224821.		0
16	Title is missing!. , 2019, 14, e0224821.		0
17	Title is missing!. , 2019, 14, e0224821.		0
18	Social Participation and Cognitive Decline Among Community-dwelling Older Adults: A Community-based Longitudinal Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018, 73, gbw059.	3.9	78

#	ARTICLE	IF	CITATIONS
19	Beneficial effects of working later in life on the health of community-dwelling older adults. <i>Geriatrics and Gerontology International</i> , 2018, 18, 308-314.	1.5	18
20	The differential effects of type and frequency of social participation on IADL declines of older people. <i>PLoS ONE</i> , 2018, 13, e0207426.	2.5	43
21	Association between stairs in the home and instrumental activities of daily living among community-dwelling older adults. <i>BMC Geriatrics</i> , 2018, 18, 132.	2.7	8
22	Self-rated health predicts decline in instrumental activities of daily living among high-functioning community-dwelling older people. <i>Age and Ageing</i> , 2017, 46, 265-270.	1.6	23
23	Association between the frequency and autonomy of social participation and self-rated health. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2537-2544.	1.5	37
24	Age and gender differences in the association between social participation and instrumental activities of daily living among community-dwelling elderly. <i>BMC Geriatrics</i> , 2017, 17, 99.	2.7	67
25	Positive and negative influences of social participation on physical and mental health among community-dwelling elderly aged 65-70 years: a cross-sectional study in Japan. <i>BMC Geriatrics</i> , 2017, 17, 111.	2.7	64
26	Association Between Social Participation and 3-Year Change in Instrumental Activities of Daily Living in Community-Dwelling Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 107-113.	2.6	85
27	Cross-sectional association between medical expenses and intellectual activity in community-dwelling older adults. <i>Environmental Health and Preventive Medicine</i> , 2017, 22, 65.	3.4	2
28	Relationship of Having Hobbies and a Purpose in Life With Mortality, Activities of Daily Living, and Instrumental Activities of Daily Living Among Community-Dwelling Elderly Adults. <i>Journal of Epidemiology</i> , 2016, 26, 361-370.	2.4	58
29	Risk of Lung Cancer in Workers Exposed to Benzidine and/or Beta-Naphthylamine: A Systematic Review and Meta-Analysis. <i>Journal of Epidemiology</i> , 2016, 26, 447-458.	2.4	11
30	Association Between Social Participation and Instrumental Activities of Daily Living Among Community-Dwelling Older Adults. <i>Journal of Epidemiology</i> , 2016, 26, 553-561.	2.4	85
31	Self-Reported Hearing Loss Predicts 5-Year Decline in Higher-Level Functional Capacity in High-Functioning Elderly Adults: The Fujiwara-Kyo Study. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2260-2268.	2.6	21
32	Walking speed is associated with self-perceived hearing handicap in high-functioning older adults: The Fujiwara-Kyo study. <i>Geriatrics and Gerontology International</i> , 2015, 15, 745-754.	1.5	11
33	Association of Psychosocial Conditions, Oral Health, and Dietary Variety with Intellectual Activity in Older Community-Dwelling Japanese Adults. <i>PLoS ONE</i> , 2015, 10, e0137656.	2.5	10
34	Increased risk of lung cancer associated with occupational exposure to benzidine and/or beta-naphthylamine. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 455-465.	2.3	8
35	Association of Tooth Loss With Development of Swallowing Problems in Community-Dwelling Independent Elderly Population: The Fujiwara-kyo Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 1548-1554.	3.6	44
36	Association between Tooth Loss and the Development of Mild Memory Impairment in the Elderly: The Fujiwara-kyo Study. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 777-786.	2.6	77

#	ARTICLE	IF	CITATIONS
37	Social Participation and the Prevention of Decline in Effectance among Community-Dwelling Elderly: A Population-Based Cohort Study. PLoS ONE, 2015, 10, e0139065.	2.5	54
38	Risk for lung cancer in workers exposed to benzidine and/or beta-naphthylamine: a protocol for systematic review and meta-analysis. Systematic Reviews, 2014, 3, 112.	5.3	2
39	Stronger association of indoor temperature than outdoor temperature with blood pressure in colder months. Journal of Hypertension, 2014, 32, 1582-1589.	0.5	91
40	Health-related Quality of Life (HRQOL) Decreases Independently of Chronic Conditions and Geriatric Syndromes in Older Adults With Diabetes: The Fujiwara-kyo Study. Journal of Epidemiology, 2014, 24, 259-266.	2.4	30
41	The Hearing Handicap Inventory for Elderly-Screening (HHIE-S) versus a single question: reliability, validity, and relations with quality of life measures in the elderly community, Japan. Quality of Life Research, 2013, 22, 1151-1159.	3.1	57
42	Association between depressive symptoms and metabolic syndrome in Japanese community-dwelling older people: a cross-sectional analysis from the baseline results of the Fujiwara-kyo prospective cohort study. International Journal of Geriatric Psychiatry, 2013, 28, 1251-1259.	2.7	34
43	Relationship Between Swallowing Problems and Tooth Loss in Community-Dwelling Independent Elderly Adults: The Fujiwara-kyo Study. Journal of the American Geriatrics Society, 2012, 60, 849-853.	2.6	67
44	Reliability and Validity of the International Physical Activity Questionnaire (IPAQ) in Elderly Adults: The Fujiwara-kyo Study. Journal of Epidemiology, 2011, 21, 459-465.	2.4	249
45	An updated historical cohort mortality study of workers exposed to asbestos in a refitting shipyard, 1947-2007. International Archives of Occupational and Environmental Health, 2011, 84, 959-967.	2.3	20
46	Relationship of tooth loss to mild memory impairment and cognitive impairment: findings from the fujiwara-kyo study. Behavioral and Brain Functions, 2010, 6, 77.	3.3	90