

Ekihiro Seki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6927950/publications.pdf>

Version: 2024-02-01

162
papers

26,200
citations

11608

70
h-index

7496

151
g-index

165
all docs

165
docs citations

165
times ranked

38090
citing authors

#	ARTICLE	IF	CITATIONS
1	An Intestine-Derived HDL as a Novel Regulator of the Activity of Gut-Derived LPS: Ushering in a New Era of Research on the Gut-Liver Axis. <i>Gastroenterology</i> , 2022, 162, 651-652.	0.6	1
2	Hepatocyte TGF β ² Signaling Inhibiting WAT Browning to Promote NAFLD and Obesity Is Associated With Let α ⁵ . <i>Hepatology Communications</i> , 2022, 6, 1301-1321.	2.0	20
3	Depletion of mitochondrial methionine adenosyltransferase β ¹ triggers mitochondrial dysfunction in alcohol-associated liver disease. <i>Nature Communications</i> , 2022, 13, 557.	5.8	18
4	Hyaluronan synthase 2, a target of miR-200c, promotes carbon tetrachloride-induced acute and chronic liver inflammation via regulation of CCL3 and CCL4. <i>Experimental and Molecular Medicine</i> , 2022, 54, 739-752.	3.2	6
5	Serum Glial Cell Line-Derived Neurotrophic Factor (sGDNF) Is a Novel Biomarker in Predicting Cirrhosis in Patients with Chronic Hepatitis B. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2022, 2022, 1-9.	0.8	1
6	Inhibition of hyaluronan synthesis by 4-methylumbelliferone ameliorates non-alcoholic steatohepatitis in choline-deficient l-amino acid-defined diet-induced murine model. <i>Archives of Pharmacal Research</i> , 2021, 44, 230-240.	2.7	8
7	Global Spread of a Local Fire: Transmission of Endoplasmic Reticulum Stress via Connexin 43. <i>Cell Metabolism</i> , 2021, 33, 229-230.	7.2	5
8	Liver homeostasis is maintained by midlobular zone 2 hepatocytes. <i>Science</i> , 2021, 371, .	6.0	154
9	Promotion of cholangiocarcinoma growth by diverse cancer-associated fibroblast subpopulations. <i>Cancer Cell</i> , 2021, 39, 866-882.e11.	7.7	159
10	Tumor restriction by type I collagen opposes tumor-promoting effects of cancer-associated fibroblasts. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	144
11	Modeling alcohol-associated liver disease in a human Liver-Chip. <i>Cell Reports</i> , 2021, 36, 109393.	2.9	37
12	Deregulated 14-3-3 η and methionine adenosyltransferase β ¹ interplay promotes liver cancer tumorigenesis in mice and humans. <i>Oncogene</i> , 2021, 40, 5866-5879.	2.6	5
13	Crossing the Rubicon: Adipose Tissue Autophagy Breaks Out NAFLD. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 12, 1877-1878.	2.3	1
14	An Epigenetic Switch Between Differentiation and Proliferation in Hepatoblastoma. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 12, 1875-1876.	2.3	2
15	Guidelines for the use and interpretation of assays for monitoring autophagy (4th) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 182 1,430	4.3	1,430
16	Oral administration of PEGylated TLR7 ligand ameliorates alcohol-associated liver disease via the induction of IL-22. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, e2020868118.	3.3	20
17	TAK1: A Molecular Link Between Liver Inflammation, Fibrosis, Steatosis, and Carcinogenesis. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 734749.	1.8	10
18	Kupffer Cell TLR2/3 Signaling: A Pathway for EGCG Amelioration of Ethanol-Induced Hepatic Injury. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 9, 187-188.	2.3	2

#	ARTICLE	IF	CITATIONS
19	Neurotrophin Inhibits Lipid Accumulation by Maintaining Mitochondrial Function in Hepatocytes via AMPK Activation. <i>Frontiers in Physiology</i> , 2020, 11, 950.	1.3	3
20	A negative reciprocal regulatory axis between cyclin D1 and HNF4 α modulates cell cycle progression and metabolism in the liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17177-17186.	3.3	34
21	The liver fibrosis niche: Novel insights into the interplay between fibrosis-composing mesenchymal cells, immune cells, endothelial cells, and extracellular matrix. <i>Food and Chemical Toxicology</i> , 2020, 143, 111556.	1.8	26
22	Reciprocal Regulation Between Forkhead Box M1/NF κ B and Methionine Adenosyltransferase 1A Drives Liver Cancer. <i>Hepatology</i> , 2020, 72, 1682-1700.	3.6	32
23	Hepatic Stellate Cell-Macrophage Crosstalk in Liver Fibrosis and Carcinogenesis. <i>Seminars in Liver Disease</i> , 2020, 40, 307-320.	1.8	76
24	Increase in Alcoholic Hepatitis as an Etiology for Liver Transplantation in the United States: A 2004-2018 Analysis. <i>Transplantation Direct</i> , 2020, 6, e612.	0.8	5
25	Inflammation and Liver Cancer: Molecular Mechanisms and Therapeutic Targets. <i>Seminars in Liver Disease</i> , 2019, 39, 026-042.	1.8	257
26	Murine macrophage autophagy protects against alcohol-induced liver injury by degrading interferon regulatory factor 1 (IRF1) and removing damaged mitochondria. <i>Journal of Biological Chemistry</i> , 2019, 294, 12359-12369.	1.6	25
27	Glial cell line-derived neurotrophic factor (GDNF) mediates hepatic stellate cell activation via ALK5/Smad signalling. <i>Gut</i> , 2019, 68, 2214-2227.	6.1	37
28	Hyaluronan synthase 2-mediated hyaluronan production mediates Notch1 activation and liver fibrosis. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	91
29	NOD-like receptor C4 Inflammasome Regulates the Growth of Colon Cancer Liver Metastasis in NAFLD. <i>Hepatology</i> , 2019, 70, 1582-1599.	3.6	53
30	Evidence for a Novel Regulatory Interaction Involving Cyclin D1, Lipid Droplets, Lipolysis, and Cell Cycle Progression in Hepatocytes. <i>Hepatology Communications</i> , 2019, 3, 406-422.	2.0	18
31	MEK inhibition suppresses K-Ras wild-type cholangiocarcinoma in vitro and in vivo via inhibiting cell proliferation and modulating tumor microenvironment. <i>Cell Death and Disease</i> , 2019, 10, 120.	2.7	10
32	Intestinal Lipolysis Mitigates Nonalcoholic Fatty Liver Disease: New Roles for Carboxylesterase 2c in the Intestine. <i>Hepatology Communications</i> , 2019, 3, 177-179.	2.0	0
33	The mitochondrial chaperone Prohibitin 1 negatively regulates interleukin-8 in human liver cancers. <i>Journal of Biological Chemistry</i> , 2019, 294, 1984-1996.	1.6	15
34	A new mechanism of action of glucagon-like peptide-1 agonist in hepatic steatosis: Promotion of hepatic insulin clearance through induction of carcinoembryonic antigen-related cell adhesion molecule 1. <i>Hepatology Communications</i> , 2018, 2, 9-12.	2.0	2
35	The contribution of toll-like receptor signaling to the development of liver fibrosis and cancer in hepatocyte-specific TAK1-deleted mice. <i>International Journal of Cancer</i> , 2018, 142, 81-91.	2.3	47
36	Astrocyte elevated gene-1 (AEG-1): a new potential therapeutic target for the treatment of nonalcoholic steatohepatitis (NASH). <i>Hepatobiliary Surgery and Nutrition</i> , 2018, 7, 44-47.	0.7	2

#	ARTICLE	IF	CITATIONS
37	Alcoholic liver disease: A current molecular and clinical perspective. <i>Liver Research</i> , 2018, 2, 161-172.	0.5	80
38	Nuclear Receptors: Opening Up New Avenues of Pediatric Fatty Liver Research. <i>Hepatology Communications</i> , 2018, 2, 1157-1159.	2.0	0
39	Integrative genomic analysis of mouse and human hepatocellular carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9879-E9888.	3.3	67
40	Mechanisms of MAFG Dysregulation in Cholestatic Liver Injury and Development of Liver Cancer. <i>Gastroenterology</i> , 2018, 155, 557-571.e14.	0.6	68
41	Chemokines and Chemokine Receptors in the Development of NAFLD. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1061, 45-53.	0.8	68
42	New mitochondrial DNA synthesis enables NLRP3 inflammasome activation. <i>Nature</i> , 2018, 560, 198-203.	13.7	722
43	MicroRNA-942 mediates hepatic stellate cell activation by regulating BAMBI expression in human liver fibrosis. <i>Archives of Toxicology</i> , 2018, 92, 2935-2946.	1.9	42
44	Tumor Suppressor Down-Regulation Promotes Hepatocyte Proliferation: A New GANKster on the Block. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 6, 345-346.	2.3	0
45	Interventional Potential of Recombinant Feline Hepatocyte Growth Factor in a Mouse Model of Non-alcoholic Steatohepatitis. <i>Frontiers in Endocrinology</i> , 2018, 9, 378.	1.5	14
46	Liver Cancer Initiation Requires p53 Inhibition by CD44-Enhanced Growth Factor Signaling. <i>Cancer Cell</i> , 2018, 33, 1061-1077.e6.	7.7	151
47	C12 ablation exacerbates liver steatosis and obesity by suppressing USP22/SIRT1-regulated mitochondrial respiration. <i>Journal of Clinical Investigation</i> , 2018, 128, 5587-5602.	3.9	41
48	Hepatocyte Death in Liver Inflammation, Fibrosis, and Tumorigenesis. , 2017, , 219-235.		1
49	TRIF Differentially Regulates Hepatic Steatosis and Inflammation/Fibrosis in Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 3, 469-483.	2.3	53
50	S-adenosylmethionine and methylthioadenosine inhibit cancer metastasis by targeting microRNA 34a/b-methionine adenosyltransferase 2A/2B axis. <i>Oncotarget</i> , 2017, 8, 78851-78869.	0.8	27
51	Basic and Clinical Advances in Chronic Liver Inflammation. <i>Mediators of Inflammation</i> , 2016, 2016, 1-1.	1.4	1
52	Finding a new role for NEMO: A key player in preventing hepatocyte apoptosis and liver tumorigenesis by inhibiting RIPK1. <i>Hepatology</i> , 2016, 64, 295-297.	3.6	6
53	HEDGEHOG Signal in hepatocytes mediates macrophage recruitment: A new mechanism and potential therapeutic target for fatty liver disease. <i>Hepatology</i> , 2016, 63, 1071-1073.	3.6	12
54	LPS-TLR4 Pathway Mediates Ductular Cell Expansion in Alcoholic Hepatitis. <i>Scientific Reports</i> , 2016, 6, 35610.	1.6	25

#	ARTICLE	IF	CITATIONS
55	Sa1651 TLR7 Signaling As a Mechanism and Therapeutic Target for Mouse Model of Alcoholic Hepatitis. <i>Gastroenterology</i> , 2016, 150, S1086.	0.6	0
56	Acrolein, a New Villain in the Development of Alcoholic Liver Disease. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 544-545.	2.3	1
57	MET and epidermal growth factor signaling: The pillars of liver regeneration?. <i>Hepatology</i> , 2016, 64, 1427-1429.	3.6	5
58	p62, Upregulated during Preneoplasia, Induces Hepatocellular Carcinogenesis by Maintaining Survival of Stressed HCC-Initiating Cells. <i>Cancer Cell</i> , 2016, 29, 935-948.	7.7	353
59	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
60	NF- κ B Restricts Inflammasome Activation via Elimination of Damaged Mitochondria. <i>Cell</i> , 2016, 164, 896-910.	13.5	859
61	Exosome Migration Inhibitory Factor as a Marker and Therapeutic Target for Pancreatic Cancer. <i>Gastroenterology</i> , 2016, 150, 1033-1035.	0.6	15
62	Serum Amyloid A Induces Inflammation, Proliferation and Cell Death in Activated Hepatic Stellate Cells. <i>PLoS ONE</i> , 2016, 11, e0150893.	1.1	52
63	Cyclin D1 represses peroxisome proliferator-activated receptor alpha and inhibits fatty acid oxidation. <i>Oncotarget</i> , 2016, 7, 47674-47686.	0.8	23
64	TLR2 and TLR9 contribute to alcohol-mediated liver injury through induction of CXCL1 and neutrophil infiltration. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, G30-G41.	1.6	113
65	TNF α in Liver Fibrosis. <i>Current Pathobiology Reports</i> , 2015, 3, 253-261.	1.6	141
66	MafG, A Novel Target of FXR that Regulates Bile Acid Homeostasis. <i>Gastroenterology</i> , 2015, 149, 1981-1983.	0.6	5
67	Effect of Weight Loss on Magnetic Resonance Imaging Estimation of Liver Fat and Volume in Patients With Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 561-568.e1.	2.4	128
68	Recent advancement of molecular mechanisms of liver fibrosis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 512-518.	1.4	259
69	Inhibition of type I natural killer T cells by retinoids or following sulfatide-mediated activation of type II natural killer T cells attenuates alcoholic liver disease in mice. <i>Hepatology</i> , 2015, 61, 1357-1369.	3.6	95
70	Heritability of Hepatic Fibrosis and Steatosis Based on a Prospective Twin Study. <i>Gastroenterology</i> , 2015, 149, 1784-1793.	0.6	294
71	The TM6SF2 Variants, Novel Genetic Predictors for Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2015, 148, 252-254.	0.6	13
72	Hepatic inflammation and fibrosis: Functional links and key pathways. <i>Hepatology</i> , 2015, 61, 1066-1079.	3.6	724

#	ARTICLE	IF	CITATIONS
73	Toll-like receptor 7-mediated type I interferon signaling prevents cholestasis- and hepatotoxin-induced liver fibrosis. <i>Hepatology</i> , 2014, 60, 237-249.	3.6	54
74	Reply. <i>Hepatology</i> , 2014, 60, 1114-1115.	3.6	0
75	TAK1-mediated autophagy and fatty acid oxidation prevent hepatosteatosis and tumorigenesis. <i>Journal of Clinical Investigation</i> , 2014, 124, 3566-3578.	3.9	142
76	TAK1-dependent autophagy: A suppressor of fatty liver disease and hepatic oncogenesis. <i>Molecular and Cellular Oncology</i> , 2014, 1, e968507.	0.3	10
77	A TLR2/S100A9/CXCL-2 signaling network is necessary for neutrophil recruitment in acute and chronic liver injury in the mouse. <i>Journal of Hepatology</i> , 2014, 60, 782-791.	1.8	130
78	Microbiomeâ€œObesityâ€œLiver Cancer Interaction: Senescence of Hepatic Stellate Cells and Bile Acids Play New Roles. <i>Gastroenterology</i> , 2014, 146, 860-861.	0.6	9
79	Transforming growth factor beta signaling in hepatocytes participates in steatohepatitis through regulation of cell death and lipid metabolism in mice. <i>Hepatology</i> , 2014, 59, 483-495.	3.6	220
80	TAK1 regulates hepatic cell survival and carcinogenesis. <i>Journal of Gastroenterology</i> , 2014, 49, 185-194.	2.3	96
81	Transcriptional Repression of the Transforming Growth Factor β^2 (TGF- β^2) Pseudoreceptor BMP and Activin Membrane-bound Inhibitor (BAMBI) by Nuclear Factor κ B (NF- κ B) p50 Enhances TGF- β^2 Signaling in Hepatic Stellate Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 7082-7091.	1.6	88
82	GIV/Girdin is a central hub for profibrogenic signalling networks during liver fibrosis. <i>Nature Communications</i> , 2014, 5, 4451.	5.8	84
83	ER Stress Cooperates with Hypernutrition to Trigger TNF-Dependent Spontaneous HCC Development. <i>Cancer Cell</i> , 2014, 26, 331-343.	7.7	412
84	Novel Fate-Tracing Strategies Show that Hepatic Stellate Cells Mediate Fibrosis In Vivo. <i>Gastroenterology</i> , 2014, 146, 1823-1825.	0.6	3
85	NCOA5, IL-6, Type 2 Diabetes, and HCC: The Deadly Quartet. <i>Cell Metabolism</i> , 2014, 19, 6-7.	7.2	20
86	Liver Damage, Inflammation, and Enhanced Tumorigenesis after Persistent mTORC1 Inhibition. <i>Cell Metabolism</i> , 2014, 20, 133-144.	7.2	162
87	Nrf2 Activation Protects the Liver From Ischemia/Reperfusion Injury in Mice. <i>Annals of Surgery</i> , 2014, 260, 118-127.	2.1	90
88	Neurotrophin Suppresses Inflammatory Cytokine Expression and Cell Death through Suppression of NF- κ B and JNK in Hepatocytes. <i>PLoS ONE</i> , 2014, 9, e114071.	1.1	16
89	Tollâ€œlike receptors in alcoholic liver disease, nonâ€œalcoholic steatohepatitis and carcinogenesis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 38-42.	1.4	230
90	Identification of Liver Cancer Progenitors Whose Malignant Progression Depends on Autocrine IL-6 Signaling. <i>Cell</i> , 2013, 155, 384-396.	13.5	384

#	ARTICLE	IF	CITATIONS
91	Transforming Growth Factor β 2 Signaling in Hepatocytes Promotes Hepatic Fibrosis and Carcinogenesis in Mice With Hepatocyte-Specific Deletion of TAK1. <i>Gastroenterology</i> , 2013, 144, 1042-1054.e4.	0.6	131
92	p38 γ Inhibits Liver Fibrogenesis and Consequent Hepatocarcinogenesis by Curtailing Accumulation of Reactive Oxygen Species. <i>Cancer Research</i> , 2013, 73, 215-224.	0.4	65
93	Insulin Resistance Increases MRI-Estimated Pancreatic Fat in Nonalcoholic Fatty Liver Disease and Normal Controls. <i>Gastroenterology Research and Practice</i> , 2013, 2013, 1-8.	0.7	42
94	Toll-like receptor 2 and palmitic acid cooperatively contribute to the development of nonalcoholic steatohepatitis through inflammasome activation in mice. <i>Hepatology</i> , 2013, 57, 577-589.	3.6	242
95	Hepatic recruitment of macrophages promotes nonalcoholic steatohepatitis through CCR2. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, G1310-G1321.	1.6	417
96	Cyclin D1 inhibits hepatic lipogenesis via repression of carbohydrate response element binding protein and hepatocyte nuclear factor 4 β . <i>Cell Cycle</i> , 2012, 11, 2681-2690.	1.3	74
97	A Liver Full of JNK: Signaling in Regulation of Cell Function and Disease Pathogenesis, and Clinical Approaches. <i>Gastroenterology</i> , 2012, 143, 307-320.	0.6	414
98	Liver epithelial cells proliferate under hypoxia and protect the liver from ischemic injury via expression of HIF-1 alpha target genes. <i>Surgery</i> , 2012, 152, 869-878.	1.0	12
99	Toll-Like Receptors in Liver Fibrosis: Cellular Crosstalk and Mechanisms. <i>Frontiers in Physiology</i> , 2012, 3, 138.	1.3	144
100	Role of innate immunity and the microbiota in liver fibrosis: crosstalk between the liver and gut. <i>Journal of Physiology</i> , 2012, 590, 447-458.	1.3	361
101	CYLD and HCC: When Being Too Sensitive to Your Dirty Neighbors Results in Self-Destruction. <i>Cancer Cell</i> , 2012, 21, 711-712.	7.7	7
102	Correlation between liver histology and novel magnetic resonance imaging in adult patients with nonalcoholic fatty liver disease: MRI accurately quantifies hepatic steatosis in NAFLD. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 22-29.	1.9	285
103	Origin of myofibroblasts in liver fibrosis. <i>Fibrogenesis and Tissue Repair</i> , 2012, 5, S17.	3.4	99
104	CCR2 Promotes the Progression of NASH in Mice. <i>Gastroenterology</i> , 2011, 140, S-904-S-905.	0.6	0
105	Nonalcoholic steatohepatitis-induced fibrosis: Toll-like receptors, reactive oxygen species and Jun N-terminal kinase. <i>Hepatology Research</i> , 2011, 41, 683-686.	1.8	45
106	Toll-like receptor signaling in liver regeneration, fibrosis and carcinogenesis. <i>Hepatology Research</i> , 2011, 41, 597-610.	1.8	34
107	Toll-Like Receptor 4 Mediates Alcohol-Induced Steatohepatitis Through Bone Marrow-Derived and Endogenous Liver Cells in Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, no-no.	1.4	112
108	The nicotinamide adenine dinucleotide phosphate oxidase (NOX) homologues NOX1 and NOX2/gp91phox mediate hepatic fibrosis in mice. <i>Hepatology</i> , 2011, 53, 1730-1741.	3.6	176

#	ARTICLE	IF	CITATIONS
109	Innate immunity in alcoholic liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G516-G525.	1.6	191
110	Mutation of the 5' Untranslated Region Stem-Loop Structure Inhibits $\alpha 1(I)$ Collagen Expression in Vivo. <i>Journal of Biological Chemistry</i> , 2011, 286, 8609-8619.	1.6	28
111	Acid sphingomyelinase regulates glucose and lipid metabolism in hepatocytes through AKT activation and AMP-activated protein kinase suppression. <i>FASEB Journal</i> , 2011, 25, 1133-1144.	0.2	45
112	l-Tryptophan-mediated Enhancement of Susceptibility to Nonalcoholic Fatty Liver Disease Is Dependent on the Mammalian Target of Rapamycin. <i>Journal of Biological Chemistry</i> , 2011, 286, 34800-34808.	1.6	72
113	S6 kinase 1 is required for rapamycin-sensitive liver proliferation after mouse hepatectomy. <i>Journal of Clinical Investigation</i> , 2011, 121, 2821-2832.	3.9	68
114	Role of acid sphingomyelinase of Kupffer cells in cholestatic liver injury in mice. <i>Hepatology</i> , 2010, 51, 237-245.	3.6	39
115	CX3CL1-CX3CR1 interaction prevents carbon tetrachloride-induced liver inflammation and fibrosis in mice. <i>Hepatology</i> , 2010, 52, 1390-1400.	3.6	163
116	Role and cellular source of nicotinamide adenine dinucleotide phosphate oxidase in hepatic fibrosis. <i>Hepatology</i> , 2010, 52, 1420-1430.	3.6	73
117	Toll-Like Receptor Signaling in Liver Diseases. <i>Gastroenterology Research and Practice</i> , 2010, 2010, 1-2.	0.7	18
118	Role of Toll-Like Receptors and Their Downstream Molecules in the Development of Nonalcoholic Fatty Liver Disease. <i>Gastroenterology Research and Practice</i> , 2010, 2010, 1-9.	0.7	126
119	Disruption of TAK1 in hepatocytes causes hepatic injury, inflammation, fibrosis, and carcinogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 844-849.	3.3	247
120	Toll-Like Receptor Signaling and Liver Fibrosis. <i>Gastroenterology Research and Practice</i> , 2010, 2010, 1-8.	0.7	117
121	Cyclin D1 regulates hepatic estrogen and androgen metabolism. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, G884-G895.	1.6	16
122	Toll-Like Receptor 9 Promotes Steatohepatitis by Induction of Interleukin- 1β in Mice. <i>Gastroenterology</i> , 2010, 139, 323-334.e7.	0.6	640
123	Toll-like receptor 4 mediates synergism between alcohol and HCV in hepatic oncogenesis involving stem cell marker Nanog. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1548-1553.	3.3	210
124	CCR2 promotes hepatic fibrosis in mice. <i>Hepatology</i> , 2009, 50, 185-197.	3.6	359
125	Angiotensin-converting-enzyme 2 inhibits liver fibrosis in mice. <i>Hepatology</i> , 2009, 50, 929-938.	3.6	117
126	c-Jun N-terminal Kinase-1 From Hematopoietic Cells Mediates Progression From Hepatic Steatosis to Steatohepatitis and Fibrosis in Mice. <i>Gastroenterology</i> , 2009, 137, 1467-1477.e5.	0.6	171

#	ARTICLE	IF	CITATIONS
127	Investigating the role of the extracellular environment in modulating hepatic stellate cell biology with arrayed combinatorial microenvironments. <i>Integrative Biology (United Kingdom)</i> , 2009, 1, 513.	0.6	48
128	Apoptosis in Liver Injury and Liver Diseases. , 2009, , 547-564.		0
129	CCR1 and CCR5 promote hepatic fibrosis in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 1858-70.	3.9	340
130	Toll-like receptors and adaptor molecules in liver disease: Update. <i>Hepatology</i> , 2008, 48, 322-335.	3.6	614
131	Reduced nicotinamide adenine dinucleotide phosphate oxidase mediates fibrotic and inflammatory effects of leptin on hepatic stellate cells. <i>Hepatology</i> , 2008, 48, 2016-2026.	3.6	81
132	Hepatic Stellate Cells Secrete Angiopoietin 1 That Induces Angiogenesis in Liver Fibrosis. <i>Gastroenterology</i> , 2008, 135, 1729-1738.	0.6	243
133	Extracellular matrix combinations differentially modulate hepatic stellate cell biology. <i>Digestive and Liver Disease</i> , 2008, 40, A132-A133.	0.4	0
134	Demonstration of cooperative contribution of MET- and EGFR-mediated STAT3 phosphorylation to liver regeneration by exogenous suppressor of cytokine signalings. <i>Journal of Hepatology</i> , 2008, 48, 237-245.	1.8	45
135	Distinct proliferative and transcriptional effects of the D-type cyclins in vivo. <i>Cell Cycle</i> , 2008, 7, 2215-2224.	1.3	71
136	Selective inactivation of NF- κ B in the liver using NF- κ B decoy suppresses CCl ₄ -induced liver injury and fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G631-G639.	1.6	117
137	Akt-mediated Liver Growth Promotes Induction of Cyclin E through a Novel Translational Mechanism and a p21-mediated Cell Cycle Arrest. <i>Journal of Biological Chemistry</i> , 2007, 282, 21244-21252.	1.6	49
138	The role of NF- κ B in hepatocarcinogenesis: Promoter or suppressor?. <i>Journal of Hepatology</i> , 2007, 47, 307-309.	1.8	23
139	Gene Expression Profiles During Hepatic Stellate Cell Activation in Culture and In Vivo. <i>Gastroenterology</i> , 2007, 132, 1937-1946.	0.6	402
140	Alpha-1 antitrypsin Z protein (PiZ) increases hepatic fibrosis in a murine model of cholestasis. <i>Hepatology</i> , 2007, 46, 1443-1452.	3.6	53
141	TLR4 enhances TGF- β 2 signaling and hepatic fibrosis. <i>Nature Medicine</i> , 2007, 13, 1324-1332.	15.2	1,712
142	Role of innate immune response in liver regeneration. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, S57-S58.	1.4	18
143	Toll-like receptor signaling in the liver. , 2006, , 125-142.		1
144	Toll-Like Receptor Signaling in the Liver. <i>Gastroenterology</i> , 2006, 130, 1886-1900.	0.6	377

#	ARTICLE	IF	CITATIONS
145	Gastric Bypass Surgery Improves Metabolic and Hepatic Abnormalities Associated With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2006, 130, 1564-1572.	0.6	258
146	Blockage of HGF/c-Met system by gene therapy (adenovirus-mediated NK4 gene) suppresses hepatocellular carcinoma in mice. <i>Journal of Hepatology</i> , 2006, 45, 688-695.	1.8	31
147	Systemic mediators induce fibrogenic effects in normal liver after partial bile duct ligation. <i>Liver International</i> , 2006, 26, 1138-1147.	1.9	20
148	Loss of MMP 13 attenuates murine hepatic injury and fibrosis during cholestasis. <i>Hepatology</i> , 2006, 44, 420-429.	3.6	169
149	Fatty Acid Amide Hydrolase Determines Anandamide-induced Cell Death in the Liver. <i>Journal of Biological Chemistry</i> , 2006, 281, 10431-10438.	1.6	86
150	Contribution of Toll-like receptor/myeloid differentiation factor 88 signaling to murine liver regeneration. <i>Hepatology</i> , 2005, 41, 443-450.	3.6	157
151	Contribution of CD1d-unrestricted hepatic DX5+ NKT cells to liver injury in <i>Plasmodium berghei</i> -parasitized erythrocyte-injected mice. <i>International Immunology</i> , 2004, 16, 787-798.	1.8	22
152	Roles of caspase-1 in <i>Listeria</i> infection in mice. <i>International Immunology</i> , 2004, 16, 335-343.	1.8	112
153	ASC is essential for LPS-induced activation of procaspase-1 independently of TLR-associated signal adaptor molecules. <i>Genes To Cells</i> , 2004, 9, 1055-1067.	0.5	169
154	Nuclear factor κ B decoy oligodeoxynucleotides prevent endotoxin-induced fatal liver failure in a murine model. <i>Hepatology</i> , 2003, 38, 335-344.	3.6	48
155	Repeated hepatocyte injury promotes hepatic tumorigenesis in hepatitis C virus transgenic mice. <i>Cancer Science</i> , 2003, 94, 679-685.	1.7	32
156	Evidence That Cyclin D1 Mediates Both Growth and Proliferation Downstream of TOR in Hepatocytes. <i>Journal of Biological Chemistry</i> , 2003, 278, 3656-3663.	1.6	115
157	Amino Acids Regulate Hepatocyte Proliferation through Modulation of Cyclin D1 Expression. <i>Journal of Biological Chemistry</i> , 2003, 278, 25853-25858.	1.6	48
158	Cytokine-Induced Inflammatory Liver Injuries. <i>Current Molecular Medicine</i> , 2003, 3, 545-559.	0.6	56
159	Critical Roles of Myeloid Differentiation Factor 88-Dependent Proinflammatory Cytokine Release in Early Phase Clearance of <i>Listeria monocytogenes</i> in Mice. <i>Journal of Immunology</i> , 2002, 169, 3863-3868.	0.4	265
160	SOCS-1 Participates in Negative Regulation of LPS Responses. <i>Immunity</i> , 2002, 17, 677-687.	6.6	583
161	<i>Plasmodium berghei</i> Infection in Mice Induces Liver Injury by an IL-12- and Toll-Like Receptor/Myeloid Differentiation Factor 88-Dependent Mechanism. <i>Journal of Immunology</i> , 2001, 167, 5928-5934.	0.4	186
162	Lipopolysaccharide-Induced IL-18 Secretion from Murine Kupffer Cells Independently of Myeloid Differentiation Factor 88 That Is Critically Involved in Induction of Production of IL-12 and IL-1 β . <i>Journal of Immunology</i> , 2001, 166, 2651-2657.	0.4	222