

Antonio Torres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6928055/publications.pdf>

Version: 2024-02-01

68
papers

2,845
citations

186254

28
h-index

175241

52
g-index

69
all docs

69
docs citations

69
times ranked

2899
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Results of Single-Anastomosis Duodeno-ileal Bypass with Sleeve Gastrectomy (SADI-S). <i>Obesity Surgery</i> , 2022, 32, 682-689.	2.1	24
2	SADI-S 250 vs Roux-en-Y Duodenal Switch (RY-DS): Results of 5-Year Observational Study. <i>Obesity Surgery</i> , 2021, 31, 570-579.	2.1	39
3	Defining Global Benchmarks in Elective Secondary Bariatric Surgery Comprising Conversional, Revisional, and Reversal Procedures. <i>Annals of Surgery</i> , 2021, 274, 821-828.	4.2	26
4	Single Anastomosis Duodeno-ileal Bypass As a Revisional Procedure Following Sleeve Gastrectomy: Review of the Literature. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2021, , .	1.0	4
5	Single Anastomosis Duodenal-Ileal Bypass with Sleeve Gastrectomy/One Anastomosis Duodenal Switch (SADI-S/OADS) IFSO Position Statementâ€”Update 2020. <i>Obesity Surgery</i> , 2021, 31, 3-25.	2.1	37
6	The first consensus statement on revisional bariatric surgery using a modified Delphi approach. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 1648-1657.	2.4	58
7	Extraction-site incisional hernia after laparoscopic colorectal surgery: should we carry out a study about prophylactic mesh closure?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4048-4052.	2.4	13
8	SADI (Single-Anastomosis Duodeno-Ileal Bypass): Current Evidence. <i>Current Surgery Reports</i> , 2020, 8, 1.	0.9	1
9	Comments on: Early complications, long-term adverse event,s and qualityÂof life after duodenal switch and gastric bypass in a matched national cohort. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, e37-e38.	1.2	0
10	Single Anastomosis Duodeno-ileostomy (SADI-S) Versus One Anastomosis Gastric Bypass (OAGB-MGB) as Revisional Procedures for Patients with Weight Recidivism After Sleeve Gastrectomy: a Comparative Analysis of Efficacy and Outcomes. <i>Obesity Surgery</i> , 2020, 30, 4715-4723.	2.1	38
11	Single-anastomosis duodenoileal bypass as a revisional or second-step operation after sleeve gastrectomy. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 1491-1496.	1.2	20
12	Conversion from Sleeve Gastrectomy to OADS. , 2020, , 407-413.		0
13	Preoperative treatment with botulinum toxin A: a tool for giant groin hernia repair? Case report. <i>Polski Przegląd Chirurgiczny</i> , 2020, 93, 1-5.	0.4	2
14	Beneficial Effect of Bariatric Surgery on Abnormal MMP-9 and AMPK Activities: Potential Markers of Obesity-Related CV Risk. <i>Frontiers in Physiology</i> , 2019, 10, 553.	2.8	17
15	Comment on: The study of single-anastomosis duodenoileal bypass with sleeve gastrectomy (SADI-S) as the revision surgery for laparoscopic adjustable gastric banding (LAGB). <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, e11-e13.	1.2	1
16	Laparoscopic single-anastomosis duodenal-jejunal bypass with sleeve gastrectomy (SADJB-SG): Surgical risk and long-term results. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 243-244.	1.2	3
17	Duodenal switch in revisional bariatric surgery: conclusions from an expert consensus panel. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 894-899.	1.2	35
18	Defining Global Benchmarks in Bariatric Surgery. <i>Annals of Surgery</i> , 2019, 270, 859-867.	4.2	95

#	ARTICLE	IF	CITATIONS
19	Umbilical hernia repair with composite prosthesis: a single-centre experience. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2019, 23, 143-147.	2.0	12
20	Importance of mesh overlap on hernia recurrence after open umbilical hernia repair with bilayer prosthesis. <i>American Journal of Surgery</i> , 2018, 216, 919-922.	1.8	8
21	Implanted Closed-Loop Gastric Electrical Stimulation (CLGES) System with Sensor-Based Feedback Safely Limits Weight Regain at 24 Months. <i>Obesity Surgery</i> , 2018, 28, 1766-1774.	2.1	10
22	The incidence of complications associated with loop duodeno-ileostomy after single-anastomosis duodenal switch procedures among 1328 patients: a multicenter experience. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 594-601.	1.2	74
23	Single Anastomosis Duodenal-Ileal Bypass with Sleeve Gastrectomy/One Anastomosis Duodenal Switch (SADI-S/OADS) IFSO Position Statement. <i>Obesity Surgery</i> , 2018, 28, 1207-1216.	2.1	76
24	Incidence of new-onset benign anal disorders after bariatric surgery. <i>Clinical Obesity</i> , 2018, 8, 50-54.	2.0	3
25	Importancia del tracto gastrointestinal en la diabetes de tipo 2. La cirugía metabólica es más que incretinas. <i>Cirugía Española</i> , 2018, 96, 537-545.	0.2	1
26	Single Anastomosis Duodenal Switch (SADI-S). , 2018, , 139-144.		1
27	Differential proteomic and oxidative profiles unveil dysfunctional protein import to adipocyte mitochondria in obesity-associated aging and diabetes. <i>Redox Biology</i> , 2017, 11, 415-428.	9.0	40
28	The Impact of Severe Obesity on Healthcare Resource Utilisation in Spain. <i>Obesity Surgery</i> , 2017, 27, 2058-2066.	2.1	15
29	Antonio J. Torres, MD, PhD. <i>Obesity Surgery</i> , 2017, 27, 2783-2784.	2.1	2
30	Glucose Variability After Bariatric Surgery: Is Prediction of Diabetes Remission Possible?. <i>Obesity Surgery</i> , 2017, 27, 3341-3343.	2.1	19
31	Cardiovascular Risk Factors After Single Anastomosis Duodeno-Ileal Bypass with Sleeve Gastrectomy (SADI-S): a New Effective Therapeutic Approach?. <i>Current Atherosclerosis Reports</i> , 2017, 19, 58.	4.8	38
32	The impact of obesity on health-related quality of life in Spain. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 197.	2.4	99
33	Closed-loop gastric electrical stimulation versus laparoscopic adjustable gastric band for the treatment of obesity: a randomized 12-month multicenter study. <i>International Journal of Obesity</i> , 2016, 40, 1891-1898.	3.4	21
34	Single-Anastomosis Pylorus-Preserving Bariatric Procedures: Review of the Literature. <i>Obesity Surgery</i> , 2016, 26, 2503-2515.	2.1	27
35	Proteome-wide alterations on adipose tissue from obese patients as age-, diabetes- and gender-specific hallmarks. <i>Scientific Reports</i> , 2016, 6, 25756.	3.3	61
36	Technique of Hill's Gastropexy Combined with Sleeve Gastrectomy for Patients with Morbid Obesity and Gastroesophageal Reflux Disease or Hiatal Hernia. <i>Obesity Surgery</i> , 2016, 26, 910-912.	2.1	33

#	ARTICLE	IF	CITATIONS
37	Single-anastomosis duodenoileal bypass with sleeve gastrectomy (SADI-S) for obese diabetic patients. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 1092-1098.	1.2	140
38	Single-anastomosis duodenoileal bypass as a second step after sleeve gastrectomy. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 351-355.	1.2	96
39	Influence of median surgeon operative duration on adverse outcomes in bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 207-213.	1.2	76
40	Statistical models to predict type 2 diabetes remission after bariatric surgery. <i>Obesity Surgery</i> , 2014, 6, 472-477.	1.8	39
41	Fat-soluble vitamin deficiencies after bariatric surgery could be misleading if they are not appropriately adjusted. <i>Nutricion Hospitalaria</i> , 2014, 30, 118-23.	0.3	16
42	Remission of Type 2 Diabetes Mellitus Should Not Be the Foremost Goal after Bariatric Surgery. <i>Obesity Surgery</i> , 2013, 23, 2020-2025.	2.1	18
43	Diagnosis of Diabetes Remission After Bariatric Surgery May be Jeopardized by Remission Criteria and Previous Hypoglycemic Treatment. <i>Obesity Surgery</i> , 2013, 23, 1520-1526.	2.1	26
44	Single-anastomosis duodenoileal bypass with sleeve gastrectomy: metabolic improvement and weight loss in first 100 patients. <i>Surgery for Obesity and Related Diseases</i> , 2013, 9, 731-735.	1.2	134
45	Interdisciplinary European Guidelines on Metabolic and Bariatric Surgery. <i>Obesity Facts</i> , 2013, 6, 449-468.	3.4	252
46	C-peptide levels predict type 2 diabetes remission after bariatric surgery. <i>Nutricion Hospitalaria</i> , 2013, 28, 1599-603.	0.3	15
47	Severe vitamin A deficiency after malabsorptive bariatric surgery. <i>Nutricion Hospitalaria</i> , 2013, 28, 1337-40.	0.3	11
48	Clinical experience with ertapenem in the treatment of infections of the biliary tract in daily practice in five Spanish hospitals. <i>Journal of Chemotherapy</i> , 2012, 24, 338-343.	1.5	1
49	Training Programs Influence in the Learning Curve of Laparoscopic Gastric Bypass for Morbid Obesity: A Systematic Review. <i>Obesity Surgery</i> , 2012, 22, 34-41.	2.1	63
50	Liver Upregulation of Genes Involved in Cortisol Production and Action Is Associated with Metabolic Syndrome in Morbidly Obese Patients. <i>Obesity Surgery</i> , 2012, 22, 478-486.	2.1	30
51	Long-term Results of Laparoscopic Nissen Fundoplication With or Without Short Gastric Vessels Division. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011, 21, 267-270.	0.8	9
52	The Endocrine Society's Clinical Practice Guideline on endocrine and nutritional management of the post-bariatric surgery patient: Commentary from a European Perspective. <i>European Journal of Endocrinology</i> , 2011, 165, 171-176.	3.7	21
53	Single Anastomosis Duodenoileal Bypass with Sleeve Gastrectomy (SADI-S). One to Three-Year Follow-up. <i>Obesity Surgery</i> , 2010, 20, 1720-1726.	2.1	202
54	Laparoscopic approach to esophageal perforation secondary to pneumatic dilation for achalasia. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2009, 23, 1106-1109.	2.4	29

#	ARTICLE	IF	CITATIONS
55	Unusual Late-Onset Wernicke's Encephalopathy Following Vertical Banded Gastroplasty. <i>Obesity Surgery</i> , 2009, 19, 937-940.	2.1	18
56	Short- and Mid-term Outcomes of Sleeve Gastrectomy for Morbid Obesity: The Experience of the Spanish National Registry. <i>Obesity Surgery</i> , 2009, 19, 1203-1210.	2.1	139
57	Cost-effectiveness and Budget Impact of Obesity Surgery in Patients with Type 2 Diabetes in Three European Countries(II). <i>Obesity Surgery</i> , 2009, 19, 1542-1549.	2.1	76
58	Prophylactic Closure of Trocar Orifices with an Intraperitoneal Mesh (Ventralex®) in Laparoscopic Bariatric Surgery. <i>Obesity Surgery</i> , 2008, 18, 1489-1491.	2.1	19
59	Effects of Weight Loss after Bariatric Surgery for Morbid Obesity on Vascular Endothelial Growth Factor-A, Adipocytokines, and Insulin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4276-4281.	3.6	117
60	Gastric tube volume after duodenal switch and its correlation to short-term weight loss. <i>Obesity Surgery</i> , 2007, 17, 1178-1182.	2.1	12
61	Proximal Duodenal-Ileal End-to-Side Bypass with Sleeve Gastrectomy: Proposed Technique. <i>Obesity Surgery</i> , 2007, 17, 1614-1618.	2.1	207
62	Gastric tube volume after duodenal switch and its correlation to short-term weight loss. <i>Obesity Surgery</i> , 2007, 17, 1178-1182.	2.1	0
63	Expression of MMP-9 and TIMP-1 as prognostic markers in gastric carcinoma. <i>Hepato-Gastroenterology</i> , 2007, 54, 315-9.	0.5	9
64	Prognostic value of the quantified expression of p185c-erbB2 in non-small cell lung cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000, 119, 1119-1125.	0.8	11
65	Use of Possible Synergistic Expression of p53 and p185 as a Prognostic Tool for Stage I Non-small-cell Lung Cancer. <i>World Journal of Surgery</i> , 1999, 23, 1294-1300.	1.6	5
66	Catamenial pneumothorax caused by diaphragmatic endometriosis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998, 116, 179-180.	0.8	60
67	Prognostic Value of Flow Cytometric DNA Analysis in Non-Small-Cell Lung Cancer: Rationale of Sequential Processing of Frozen and Paraffin-Embedded Tissue. <i>World Journal of Surgery</i> , 1997, 21, 323-329.	1.6	16
68	Prognostic significance of serum ca 125 antigen assay in patients with non-small cell lung cancer. <i>Cancer</i> , 1994, 73, 1368-1376.	4.1	25