Dirk Schindler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6928436/publications.pdf

Version: 2024-02-01

218677 254184 2,233 71 26 43 h-index citations g-index papers 77 77 77 2243 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----------------|---------------------|
| 1 | Heat and drought 2003 in Europe: a climate synthesis. Annals of Forest Science, 2006, 63, 569-577. | 2.0 | 253 |
| 2 | Human thermal comfort in summer within an urban street canyon in Central Europe. Meteorologische Zeitschrift, 2008, 17, 241-250. | 1.0 | 174 |
| 3 | Global comparison of the goodness-of-fit of wind speed distributions. Energy Conversion and Management, 2017, 133, 216-234. | 9.2 | 89 |
| 4 | Wind speed distribution selection $\hat{a}\in$ A review of recent development and progress. Renewable and Sustainable Energy Reviews, 2019, 114, 109290. | 16.4 | 85 |
| 5 | Assessing environmental and physiological controls over water relations in a Scots pine (Pinus) Tj ETQq1 1 0.784 Plant, Cell and Environment, 2007, 30, 113-127. | 314 rgBT 5.7 | /Overlock 1.0 83 |
| 6 | Importance of 3-D radiant flux densities for outdoor human thermal comfort on clear-sky summer days in Freiburg, Southwest Germany. Meteorologische Zeitschrift, 2014, 23, 315-330. | 1.0 | 71 |
| 7 | Introducing a system of wind speed distributions for modeling properties of wind speed regimes around the world. Energy Conversion and Management, 2017, 144, 181-192. | 9.2 | 58 |
| 8 | National and global wind resource assessment under six wind turbine installation scenarios. Energy Conversion and Management, 2018, 156, 403-415. | 9.2 | 53 |
| 9 | Microclimate within beech stands?part II: thermal conditions. European Journal of Forest Research, 2004, 123, 13-28. | 2.5 | 50 |
| 10 | The temporal variability of global wind energy – Long-term trends and inter-annual variability. Energy Conversion and Management, 2019, 188, 462-472. | 9.2 | 50 |
| 11 | The role of air density in wind energy assessment – A case study from Germany. Energy, 2019, 171, 385-392. | 8.8 | 50 |
| 12 | On the spatiotemporal variability and potential of complementarity of wind and solar resources. Energy Conversion and Management, 2020, 218, 113016. | 9.2 | 49 |
| 13 | Review on the Projections of Future Storminess over the North Atlantic European Region. Atmosphere, 2016, 7, 60. | 2.3 | 47 |
| 14 | Wind effects on trees. European Journal of Forest Research, 2012, 131, 159-163. | 2.5 | 45 |
| 15 | Vibration behavior of plantation-grown Scots pine trees in response to wind excitation. Agricultural and Forest Meteorology, 2010, 150, 984-993. | 4.8 | 37 |
| 16 | Changing wind speed distributions under future global climate. Energy Conversion and Management, 2019, 198, 111841. | 9.2 | 37 |
| 17 | Development of a statistical bivariate wind speed-wind shear model (WSWS) to quantify the height-dependent wind resource. Energy Conversion and Management, 2017, 149, 303-317. | 9.2 | 34 |
| 18 | On the inter-annual variability of wind energy generation – A case study from Germany. Applied Energy, 2018, 230, 845-854. | 10.1 | 33 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | The role of the power law exponent in wind energy assessment: A global analysis. International Journal of Energy Research, 2021, 45, 8484-8496. | 4.5 | 31 |
| 20 | Solar radiation transmission in and around canopy gaps in an uneven-aged Nothofagus betuloides forest. International Journal of Biometeorology, 2009, 53, 355-367. | 3.0 | 30 |
| 21 | Modelling the wind damage probability in forests in Southwestern Germany for the 1999 winter storm â€~Lothar'. International Journal of Biometeorology, 2009, 53, 543-554. | 3.0 | 29 |
| 22 | Achieving Germany's wind energy expansion target with an improved wind turbine siting approach. Energy Conversion and Management, 2018, 173, 383-398. | 9.2 | 29 |
| 23 | Introducing a new approach for wind energy potential assessment under climate change at the wind turbine scale. Energy Conversion and Management, 2020, 225, 113425. | 9.2 | 28 |
| 24 | The motion of trees in the wind: a data synthesis. Biogeosciences, 2021, 18, 4059-4072. | 3.3 | 28 |
| 25 | Responses of Scots pine trees to dynamic wind loading. Agricultural and Forest Meteorology, 2008, 148, 1733-1742. | 4.8 | 27 |
| 26 | On the influence of wind speed model resolution on the global technical wind energy potential. Renewable and Sustainable Energy Reviews, 2022, 156, 112001. | 16.4 | 27 |
| 27 | Evolution of the air pollution in SW Germany evaluated by the long-term air quality index LAQx. Atmospheric Environment, 2008, 42, 5071-5078. | 4.1 | 26 |
| 28 | Responses of an individual deciduous broadleaved tree to wind excitation. Agricultural and Forest Meteorology, 2013, 177, 69-82. | 4.8 | 26 |
| 29 | 3D statistical mapping of Germany's wind resource using WSWS. Energy Conversion and Management, 2018, 159, 96-108. | 9.2 | 25 |
| 30 | Sensitivity analysis of the system of wind speed distributions. Energy Conversion and Management, 2018, 177, 376-384. | 9.2 | 25 |
| 31 | GIS-based estimation of the winter storm damage probability in forests: a case study from Baden-Wuerttemberg (Southwest Germany). International Journal of Biometeorology, 2012, 56, 57-69. | 3.0 | 24 |
| 32 | Analysis of Air Pressure Fluctuations and Topsoil Gas Concentrations within a Scots Pine Forest. Atmosphere, 2016, 7, 125. | 2.3 | 24 |
| 33 | Copula-based estimation of directional wind energy yield: A case study from Germany. Energy Conversion and Management, 2018, 169, 359-370. | 9.2 | 24 |
| 34 | From above the forest into the soil – How wind affects soil gas transport through air pressure fluctuations. Agricultural and Forest Meteorology, 2019, 265, 424-434. | 4.8 | 24 |
| 35 | Integration of small-scale surface properties in a new high resolution global wind speed model. Energy Conversion and Management, 2020, 210, 112733. | 9.2 | 24 |
| 36 | Development of onshore wind turbine fleet counteracts climate change-induced reduction in global capacity factor. Nature Energy, 2022, 7, 608-619. | 39.5 | 24 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Using highly resolved maximum gust speed as predictor for forest storm damage caused by the highâ€impact winter storm Lothar in Southwest Germany. Atmospheric Science Letters, 2016, 17, 462-469. | 1.9 | 23 |
| 38 | Non-oscillatory response to wind loading dominates movement of Scots pine trees. Agricultural and Forest Meteorology, 2018, 250-251, 209-216. | 4.8 | 23 |
| 39 | Fossil fuel reduction potential in Germany's transport sector by wind-to-hydrogen. International Journal of Hydrogen Energy, 2018, 43, 23161-23167. | 7.1 | 22 |
| 40 | Modelling monthly nearâ€surface maximum daily gust speed distributions in Southwest Germany. International Journal of Climatology, 2016, 36, 4058-4070. | 3.5 | 21 |
| 41 | Sounding out the repowering potential of wind energy – A scenario-based assessment from Germany. Journal of Cleaner Production, 2021, 293, 126094. | 9.3 | 20 |
| 42 | No resonant response of Scots pine trees to wind excitation. Agricultural and Forest Meteorology, 2019, 265, 227-244. | 4.8 | 19 |
| 43 | Simulation of drought for a Scots pine forest (Pinus sylvestris L.) in the southern upper Rhine plain. Meteorologische Zeitschrift, 2005, 14, 143-150. | 1.0 | 18 |
| 44 | Coherent response of a group of plantation-grown Scots pine trees to wind loading. European Journal of Forest Research, 2012, 131, 191-202. | 2.5 | 18 |
| 45 | Global Gust Climate Evaluation and Its Influence on Wind Turbines. Energies, 2017, 10, 1474. | 3.1 | 18 |
| 46 | CO2 fluxes of a Scots pine forest growing in the warm and dry southern upper Rhine plain, SW Germany. European Journal of Forest Research, 2006, 125, 201-212. | 2.5 | 17 |
| 47 | The Role of Highly-Resolved Gust Speed in Simulations of Storm Damage in Forests at the Landscape Scale: A Case Study from Southwest Germany. Atmosphere, 2016, 7, 7. | 2.3 | 17 |
| 48 | On the Annual Cycle of Meteorological and Geographical Potential of Wind Energy: A Case Study from Southwest Germany. Sustainability, 2017, 9, 1169. | 3.2 | 17 |
| 49 | Historical Winter Storm Atlas for Germany (GeWiSA). Atmosphere, 2019, 10, 387. | 2.3 | 17 |
| 50 | Distance to power grids and consideration criteria reduce global wind energy potential the most. Journal of Cleaner Production, 2021, 317, 128472. | 9.3 | 17 |
| 51 | A review of recent studies on wind resource projections under climate change. Renewable and Sustainable Energy Reviews, 2022, 165, 112596. | 16.4 | 17 |
| 52 | Improving empirical storm damage models by coupling with high-resolution gust speed data. Agricultural and Forest Meteorology, 2019, 268, 23-31. | 4.8 | 15 |
| 53 | Assessment of the Response of a Scots Pine Tree to Effective Wind Loading. Forests, 2020, 11, 145. | 2.1 | 11 |
| 54 | The annual cycle and intra-annual variability of the global wind power distribution estimated by the system of wind speed distributions. Sustainable Energy Technologies and Assessments, 2020, 42, 100852. | 2.7 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A global wind farm potential index to increase energy yields and accessibility. Energy, 2021, 231, 120923. | 8.8 | 10 |
| 56 | Getting more with less? Why repowering onshore wind farms does not always lead to more wind power generation – A German case study. Renewable Energy, 2021, 180, 245-257. | 8.9 | 10 |
| 57 | Coherent Momentum Exchange above and within a Scots Pine Forest. Atmosphere, 2016, 7, 61. | 2.3 | 9 |
| 58 | On the spatiotemporal complementarity of the European onshore wind resource. Energy Conversion and Management, 2021, 237, 114098. | 9.2 | 8 |
| 59 | Analysis and simulation of dynamic response behavior of Scots pine trees to wind loading. International Journal of Biometeorology, 2013, 57, 819-833. | 3.0 | 7 |
| 60 | Inexpensive highâ€precision system for measuring air pressure fluctuations. Meteorological Applications, 2020, 27, e1815. | 2.1 | 7 |
| 61 | TreeMMoSys: A low cost sensor network to measure wind-induced tree response. HardwareX, 2021, 9, e00180. | 2.2 | 7 |
| 62 | Assessment of Effective Wind Loads on Individual Plantation-Grown Forest Trees. Forests, 2022, 13, 1026. | 2.1 | 5 |
| 63 | Spatio-temporal analysis of present and future precipitation responses over South Germany. Journal of Water and Climate Change, 2018, 9, 490-499. | 2.9 | 4 |
| 64 | 1D Air Pressure Fluctuations Cannot Fully Explain the Natural Pressureâ€Pumping Effect on Soil Gas Transport. Soil Science Society of America Journal, 2019, 83, 1044-1053. | 2.2 | 4 |
| 65 | Modeling wind turbine-related greenhouse gas payback times in Europe at high spatial resolution. Energy Conversion and Management, 2021, 243, 114334. | 9.2 | 4 |
| 66 | Does the winter storm-related wind gust intensity in Germany increase under warming climate? – A high-resolution assessment. Weather and Climate Extremes, 2021, 33, 100360. | 4.1 | 4 |
| 67 | Expected Impacts of Mixing European Beech with Silver Fir on Regional Air Quality and Radiation Balance. Climate, 2020, 8, 105. | 2.8 | 3 |
| 68 | Greenhouse Gas Savings Potential under Repowering of Onshore Wind Turbines and Climate Change: A Case Study from Germany. Wind, 2021, 1, 1-19. | 1.5 | 3 |
| 69 | On the Potential of Using Air Pressure Fluctuations to Estimate Wind-Induced Tree Motion in a Planted Scots Pine Forest. Forests, 2022, 13, 225. | 2.1 | 3 |
| 70 | Precipitation Atlas for Germany (GePrA). Atmosphere, 2019, 10, 737. | 2.3 | 2 |
| 71 | Highly resolved modeling of extreme wind speed in North America and Europe. Atmospheric Science Letters, 0, , . | 1.9 | 2 |