Donald B Jump

List of Publications by Citations

Source: https://exaly.com/author-pdf/6928437/donald-b-jump-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 86
 6,836
 41
 82

 papers
 citations
 h-index
 g-index

 89
 7,661
 4.6
 6.36

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
86	Regulation of gene expression by dietary fat. <i>Annual Review of Nutrition</i> , 1999 , 19, 63-90	9.9	518
85	The biochemistry of n-3 polyunsaturated fatty acids. <i>Journal of Biological Chemistry</i> , 2002 , 277, 8755-8	5.4	443
84	Role of gut microbiota in type 2 diabetes pathophysiology. <i>EBioMedicine</i> , 2020 , 51, 102590	8.8	403
83	Fatty acid regulation of hepatic gene transcription. <i>Journal of Nutrition</i> , 2005 , 135, 2503-6	4.1	330
82	N-3 polyunsaturated fatty acid regulation of hepatic gene transcription. <i>Current Opinion in Lipidology</i> , 2008 , 19, 242-7	4.4	306
81	Dietary polyunsaturated fatty acids and regulation of gene transcription. <i>Current Opinion in Lipidology</i> , 2002 , 13, 155-64	4.4	305
80	Fatty acid regulation of gene transcription. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2004 , 41, 41-	7 8 .4	260
79	Regulation of hepatic fatty acid elongase and desaturase expression in diabetes and obesity. Journal of Lipid Research, 2006 , 47, 2028-41	6.3	233
78	Polyunsaturated fatty acid suppression of hepatic fatty acid synthase and S14 gene expression does not require peroxisome proliferator-activated receptor alpha. <i>Journal of Biological Chemistry</i> , 1997 , 272, 26827-32	5.4	216
77	Tissue-specific, nutritional, and developmental regulation of rat fatty acid elongases. <i>Journal of Lipid Research</i> , 2005 , 46, 706-15	6.3	195
76	Fatty acid regulation of hepatic lipid metabolism. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2011 , 14, 115-20	3.8	175
75	Temporal and dose-dependent hepatic gene expression patterns in mice provide new insights into TCDD-Mediated hepatotoxicity. <i>Toxicological Sciences</i> , 2005 , 85, 1048-63	4.4	160
74	Unsaturated fatty acid regulation of peroxisome proliferator-activated receptor alpha activity in rat primary hepatocytes. <i>Journal of Biological Chemistry</i> , 2003 , 278, 35931-9	5.4	156
73	Sterol response element-binding protein 1c (SREBP1c) is involved in the polyunsaturated fatty acid suppression of hepatic S14 gene transcription. <i>Journal of Biological Chemistry</i> , 1999 , 274, 32725-32	5.4	154
72	Omega-3 fatty acid supplementation and cardiovascular disease. <i>Journal of Lipid Research</i> , 2012 , 53, 2525-45	6.3	139
71	Fatty acid-regulated transcription factors in the liver. <i>Annual Review of Nutrition</i> , 2013 , 33, 249-69	9.9	138
70	Dietary polyunsaturated fats uniquely suppress rat liver fatty acid synthase and S14 mRNA content. <i>Journal of Nutrition</i> , 1990 , 120, 225-31	4.1	134

(1997-2005)

69	Anti-inflammatory effect of docosahexaenoic acid on cytokine-induced adhesion molecule expression in human retinal vascular endothelial cells. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 4342-7		127	
68	Docosahexaenoic acid (DHA) and hepatic gene transcription. <i>Chemistry and Physics of Lipids</i> , 2008 , 153, 3-13	3.7	121	
67	Docosahexaneoic acid (22:6,n-3) regulates rat hepatocyte SREBP-1 nuclear abundance by Erk- and 26S proteasome-dependent pathways. <i>Journal of Lipid Research</i> , 2006 , 47, 181-92	6.3	120	
66	The role of liver X receptor-alpha in the fatty acid regulation of hepatic gene expression. <i>Journal of Biological Chemistry</i> , 2003 , 278, 40736-43	5.4	118	
65	Role of fatty acid elongases in determination of de novo synthesized monounsaturated fatty acid species. <i>Journal of Lipid Research</i> , 2010 , 51, 1871-7	6.3	104	
64	Docosahexaenoic acid attenuates hepatic inflammation, oxidative stress, and fibrosis without decreasing hepatosteatosis in a Ldlr(-/-) mouse model of western diet-induced nonalcoholic steatohepatitis. <i>Journal of Nutrition</i> , 2013 , 143, 315-23	4.1	96	
63	Remodeling of retinal Fatty acids in an animal model of diabetes: a decrease in long-chain polyunsaturated fatty acids is associated with a decrease in fatty acid elongases Elovl2 and Elovl4. <i>Diabetes</i> , 2010 , 59, 219-27	0.9	96	
62	Growth hormone regulates the balance between bone formation and bone marrow adiposity. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 757-68	6.3	90	
61	Nutritional control of rat liver fatty acid synthase and S14 mRNA abundance. <i>Journal of Nutrition</i> , 1990 , 120, 218-24	4.1	77	
60	Inhibition of cytokine signaling in human retinal endothelial cells through modification of caveolae/lipid rafts by docosahexaenoic acid. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 18-26		75	
59	Soraphen A, an inhibitor of acetyl CoA carboxylase activity, interferes with fatty acid elongation. <i>Biochemical Pharmacology</i> , 2011 , 81, 649-60	6	74	
58	Peroxisome proliferator-activated receptor alpha inhibits hepatic S14 gene transcription. Evidence against the peroxisome proliferator-activated receptor alpha as the mediator of polyunsaturated fatty acid regulation of s14 gene transcription. <i>Journal of Biological Chemistry</i> , 1996 , 271, 17167-73	5.4	70	
57	Mammalian fatty acid elongases. <i>Methods in Molecular Biology</i> , 2009 , 579, 375-89	1.4	67	
56	Omega-3 polyunsaturated fatty acids as a treatment strategy for nonalcoholic fatty liver disease. <i>Pharmacology & Therapeutics</i> , 2018 , 181, 108-125	13.9	64	
55	Regulation of rat hepatic L-pyruvate kinase promoter composition and activity by glucose, n-3 polyunsaturated fatty acids, and peroxisome proliferator-activated receptor-alpha agonist. <i>Journal of Biological Chemistry</i> , 2006 , 281, 18351-62	5.4	62	
54	Dyslipidemia, but not hyperglycemia, induces inflammatory adhesion molecules in human retinal vascular endothelial cells. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 5016-22		60	
53	Fatty acid regulation of liver X receptors (LXR) and peroxisome proliferator-activated receptor alpha (PPARalpha) in HEK293 cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 39243-50	5.4	60	
52	Fatty acid regulation of gene expression. Its role in fuel partitioning and insulin resistance. <i>Annals of the New York Academy of Sciences</i> , 1997 , 827, 178-87	6.5	54	

51	Elevated hepatic fatty acid elongase-5 activity affects multiple pathways controlling hepatic lipid and carbohydrate composition. <i>Journal of Lipid Research</i> , 2008 , 49, 1538-52	6.3	52
50	Potential for dietary B fatty acids to prevent nonalcoholic fatty liver disease and reduce the risk of primary liver cancer. <i>Advances in Nutrition</i> , 2015 , 6, 694-702	10	49
49	Elevated hepatic fatty acid elongase-5 activity corrects dietary fat-induced hyperglycemia in obese C57BL/6J mice. <i>Journal of Lipid Research</i> , 2010 , 51, 2642-54	6.3	49
48	Evidence against the peroxisome proliferator-activated receptor [PPAR] as the mediator for polyunsaturated fatty acid suppression of hepatic L-pyruvate kinase gene transcription. <i>Journal of Lipid Research</i> , 2000 , 41, 742-751	6.3	47
47	Arachidonic acid and PGE2 regulation of hepatic lipogenic gene expression. <i>Journal of Lipid Research</i> , 1999 , 40, 1045-1052	6.3	45
46	Elovl5 regulates the mTORC2-Akt-FOXO1 pathway by controlling hepatic cis-vaccenic acid synthesis in diet-induced obese mice. <i>Journal of Lipid Research</i> , 2013 , 54, 71-84	6.3	44
45	Insulin rapidly induces rat liver S14 gene transcription. <i>Molecular Endocrinology</i> , 1990 , 4, 1655-60		39
44	Vitamin E deficiency decreases long-chain PUFA in zebrafish (Danio rerio). <i>Journal of Nutrition</i> , 2011 , 141, 2113-8	4.1	37
43	Dietary polyunsaturated fatty acids and hepatic gene expression. <i>Lipids</i> , 1999 , 34 Suppl, S209-12	1.6	37
42	Selective proteolytic processing of rat hepatic sterol regulatory element binding protein-1 (SREBP-1) and SREBP-2 during postnatal development. <i>Journal of Biological Chemistry</i> , 2003 , 278, 6959-	·6̄2⁴	36
41	A metabolomic analysis of omega-3 fatty acid-mediated attenuation of western diet-induced nonalcoholic steatohepatitis in LDLR-/- mice. <i>PLoS ONE</i> , 2013 , 8, e83756	3.7	36
40	Menhaden oil decreases high-fat diet-induced markers of hepatic damage, steatosis, inflammation, and fibrosis in obese Ldlr-/- mice. <i>Journal of Nutrition</i> , 2012 , 142, 1495-503	4.1	35
39	Functional interaction between sterol regulatory element-binding protein-1c, nuclear factor Y, and 3,5,3 Ttriiodothyronine nuclear receptors. <i>Journal of Biological Chemistry</i> , 2001 , 276, 34419-27	5.4	34
38	Docosahexaenoic acid blocks progression of western diet-induced nonalcoholic steatohepatitis in obese Ldlr-/- mice. <i>PLoS ONE</i> , 2017 , 12, e0173376	3.7	32
37	Novel liquid chromatography-mass spectrometry method shows that vitamin E deficiency depletes arachidonic and docosahexaenoic acids in zebrafish (Danio rerio) embryos. <i>Redox Biology</i> , 2013 , 2, 105-1	1 ³ 1.3	31
36	Omega-3 fatty acids and nonalcoholic fatty liver disease in adults and children: where do we stand?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2019 , 22, 103-110	3.8	31
35	Fatty acid elongase-5 (Elovl5) regulates hepatic triglyceride catabolism in obese C57BL/6J mice. Journal of Lipid Research, 2014 , 55, 1448-64	6.3	30
34	Docosahexaenoic acid attenuates Western diet-induced hepatic fibrosis in Ldlr-/- mice by targeting the TGFESmad3 pathway. <i>Journal of Lipid Research</i> , 2015 , 56, 1936-46	6.3	29

33	Impact of dietary fat on the development of non-alcoholic fatty liver disease in Ldlr-/- mice. Proceedings of the Nutrition Society, 2016 , 75, 1-9	2.9	29	
32	The CCAAT box binding factor, NF-Y, is required for thyroid hormone regulation of rat liver S14 gene transcription. <i>Journal of Biological Chemistry</i> , 1997 , 272, 27778-86	5.4	27	
31	A GC-rich region containing Sp1 and Sp1-like binding sites is a crucial regulatory motif for fatty acid synthase gene promoter activity in adipocytes. Implication In the overactivity of FAS promoter in obese Zucker rats. <i>Journal of Biological Chemistry</i> , 1996 , 271, 21297-302	5.4	26	
30	T3 stimulates the synthesis of a specific mRNA in primary hepatocyte culture. <i>Biochemical and Biophysical Research Communications</i> , 1984 , 123, 1122-9	3.4	26	
29	Is Western Diet-Induced Nonalcoholic Steatohepatitis in Ldlr-/- Mice Reversible?. <i>PLoS ONE</i> , 2016 , 11, e0146942	3.7	26	
28	Retinoic acid and dexamethasone interact to regulate S14 gene transcription in 3T3-F442A adipocytes. <i>Molecular and Cellular Endocrinology</i> , 1992 , 84, 65-72	4.4	20	
27	Lipidomic and transcriptomic analysis of western diet-induced nonalcoholic steatohepatitis (NASH) in female Ldlr -/- mice. <i>PLoS ONE</i> , 2019 , 14, e0214387	3.7	17	
26	Transkingdom interactions between Lactobacilli and hepatic mitochondria attenuate western diet-induced diabetes. <i>Nature Communications</i> , 2021 , 12, 101	17.4	16	
25	Hormonal regulation of the S14 gene in 3T3-F442A cells. <i>Molecular Endocrinology</i> , 1989 , 3, 1207-14		15	
24	Localization of an adipocyte-specific retinoic acid response domain controlling S14 gene transcription. <i>Biochemical and Biophysical Research Communications</i> , 1992 , 188, 470-6	3.4	14	
23	Negative growth effects of ciglitazone on kidney interstitial fibroblasts: role of PPAR-gamma. <i>Kidney and Blood Pressure Research</i> , 2003 , 26, 2-9	3.1	13	
22	Specific effects of polyunsaturated fatty acids on gene expression. <i>Current Opinion in Lipidology</i> , 1996 , 7, 53-5	4.4	12	
21	Association of thyroid hormone receptors with chromatin. <i>Molecular and Cellular Biochemistry</i> , 1983 , 55, 159-76	4.2	12	
20	Probes to study the effect of methyl nitrosourea on ADP-ribosylation and chromatin structure at the subunit level. <i>Chemico-Biological Interactions</i> , 1980 , 30, 35-51	5	12	
19	Thermoneutral housing attenuates premature cancellous bone loss in male C57BL/6J mice. <i>Endocrine Connections</i> , 2019 , 8, 1455-1467	3.5	12	
18	Supplementing Ca salts of soybean oil after artificial insemination increases pregnancy success in Bos taurus beef cows. <i>Journal of Animal Science</i> , 2018 , 96, 2838-2850	0.7	9	
17	Supplementing calcium salts of soybean oil to beef steers early in life to enhance carcass development and quality1. <i>Journal of Animal Science</i> , 2019 , 97, 4182-4192	0.7	9	
16	A Lipidomic Analysis of Docosahexaenoic Acid (22:6, B) Mediated Attenuation of Western Diet Induced Nonalcoholic Steatohepatitis in Male Mice. <i>Metabolites</i> , 2019 , 9,	5.6	9	

15	Fatty acids and gene transcription. Food Nutrition Research, 2006, 50, 5-12		9
14	Tissue specificity of S14 and fatty acid synthase in vitro transcription. <i>Biochemical and Biophysical Research Communications</i> , 1992 , 182, 631-7	3.4	9
13	Supplementing Ca salts of soybean oil to late-gestating beef cows: impacts on performance and physiological responses of the offspring. <i>Journal of Animal Science</i> , 2020 , 98,	0.7	6
12	Dietary polyunsaturated fatty acid regulation of hepatic gene transcription. <i>Scandinavian Journal of Nutrition</i> , 2002 , 46, 59-67		5
11	Evidence for post-transcriptional effects of T3 on hepatic ferritin synthesis. <i>Biochemical and Biophysical Research Communications</i> , 1982 , 104, 701-7	3.4	3
10	Plasma Oxylipins: A Potential Risk Assessment Tool in Atherosclerotic Coronary Artery Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 645786	5.4	3
9	Using low-moisture molasses-based blocks to supplement Ca salts of soybean oil to forage-fed beef cows. <i>Translational Animal Science</i> , 2020 , 4, txaa061	1.4	2
8	Elevated hepatic fatty acid elongase-5 (Elovl5) attenuates fatty liver in high fat diet induced obese mice. <i>FASEB Journal</i> , 2013 , 27, 1010.3	0.9	1
7	Tetrahydroxanthohumol, a xanthohumol derivative, attenuates high-fat diet-induced hepatic steatosis by antagonizing PPARII <i>ELife</i> , 2021 , 10,	8.9	1
6	Regulation of Rat Hepatic Elongase and Desaturase Expression. FASEB Journal, 2006, 20, A91	0.9	
5	Polyunsaturated Fatty Acids (PUFA) Regulate Hepatic Nuclear Factor-4 (HNF4) Binding to the Rat Hepatic L-Pyruvate Kinase (LPK) Promoter <i>FASEB Journal</i> , 2006 , 20, A958	0.9	
4	Insulin and Docosahexaenoic Acid (22:6,n-3) Regulate Rat Hepatocyte Sterol Regulatory Element Binding Protein-1 (SREBP-1) Nuclear Abundance. <i>FASEB Journal</i> , 2006 , 20, A958	0.9	
3	Lipids and Membrane Proteins that Regulate Genes of Lipid Metabolism. FASEB Journal, 2008, 22, 251.	2 o.9	
2	Fatty acid elongase-5 (Elovl5) regulates the mTORC2-FoxO1 pathway in obese-diabetic C57BL/6J mice. <i>FASEB Journal</i> , 2012 , 26, 759.2	0.9	
1	Weight loss alone does not fully resolve non-alcoholic steatohepatitis markers in western diet fed Ldlr-/- mice: a pilot study (1116.5). <i>FASEB Journal</i> , 2014 , 28, 1116.5	0.9	