

# Graham J Bodwell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6929675/publications.pdf>

Version: 2024-02-01

81  
papers

2,226  
citations

186265  
28  
h-index

233421  
45  
g-index

87  
all docs

87  
docs citations

87  
times ranked

1505  
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of a "Extended Azacorannulenophane Enabled by Strain-Induced 1,3-Dipolar Cycloaddition. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	17
2	Synthesis of <i>anti</i> -[1](1,6)Naphthaleno[1](1,6)naphthalenophane by Double Contractive Annulation of [2.2]Paracyclophane. <i>Organic Letters</i> , 2022, 24, 5009-5013.	4.6	4
3	Gram-Scale Synthesis of the 1,1, <i>n</i> , <i>n</i> -Tetramethyl[ <i>n</i> ](2,11)teropyrenophanes. <i>Chemistry - A European Journal</i> , 2021, 27, 390-400.	3.3	7
4	Comparative study of the photophysical and crystallographic properties of 4-(9 <i>H</i> -pyreno[4,5- <i>d</i> ]imidazol-10-yl)phenol and its alkylated derivatives. <i>New Journal of Chemistry</i> , 2021, 45, 7647-7658.	2.8	0
5	"Shadow"-Synthesis, Structure, and Electronic Properties of [2.2](1,6)(1,8)Pyrenophane-1-monoene. <i>Journal of Organic Chemistry</i> , 2021, 86, 4405-4412.	3.2	3
6	Synthesis of [2.2]Paracyclophane/9-Alkylfluorene Hybrids and the Discovery of a Solvent-assisted Rearrangement. <i>Organic Letters</i> , 2021, 23, 5461-5465.	4.6	3
7	A Highly Congested Dioxapyrenophane from an Attempted Synthesis of the Highly-Strained 1,1,6,6-Tetramethyl[6](2,11)teropyrenophane. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 3559-3568.	2.4	3
8	Highly sensitive detection for alkaline phosphatase using doped ZnS quantum dots with room temperature phosphorescence and its logic gate function. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 206, 111968.	5.0	6
9	The phenine concept delivers a nitrogen-doped nanotube and evokes infinite possibilities. <i>Communications Chemistry</i> , 2020, 3, .	4.5	3
10	Sodium sulfide on coal fly ash (Na <sub>2</sub> S/CFA) as a reagent for the synthesis of dithia[3.3]cyclophanes. <i>Canadian Journal of Chemistry</i> , 2020, 98, 322-326.	1.1	1
11	Crystal Engineering and Photophysical Properties of Phenyl-Pyrenoimidazole Systems. <i>Crystal Growth and Design</i> , 2020, 20, 1681-1693.	3.0	4
12	Synthesis, supramolecular complexation and DFT studies of a bis(pyrene)-appended "capped" triazole-linked calix[4]arene as Zn <sup>2+</sup> and Cd <sup>2+</sup> fluorescent chemosensors. <i>Supramolecular Chemistry</i> , 2020, 32, 325-333.	1.2	6
13	Advanced Molecular Nanocarbons: Fertile Ground for Discovery, Creation, and Invention. <i>Accounts of Chemical Research</i> , 2019, 52, 2757-2759.	15.6	9
14	Contractive Annulation: A Strategy for the Synthesis of Small, Strained Cyclophanes and Its Application in the Synthesis of [2](6,1)Naphthaleno[1]paracyclophane. <i>Angewandte Chemie</i> , 2019, 131, 9264-9268.	2.0	1
15	The Development of Synthetic Routes to 1,1, <i>n</i> , <i>n</i> -Tetramethyl[ <i>n</i> ](2,11)teropyrenophanes. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 4546-4560.	2.4	14
16	Contractive Annulation: A Strategy for the Synthesis of Small, Strained Cyclophanes and Its Application in the Synthesis of [2](6,1)Naphthaleno[1]paracyclophane. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 9166-9170.	13.8	12
17	Synthesis of Oligo(1,8-pyrenylene)s: A Series of Functional Molecular Liquids. <i>ChemPlusChem</i> , 2019, 84, 754-765.	2.8	4
18	Design and Synthesis of Tetrandrine Derivatives as Potential Anti-tumor Agents Against A549 Cell Lines. <i>ChemistrySelect</i> , 2019, 4, 196-201.	1.5	3

#	ARTICLE	IF	CITATIONS
19	Synthesis of 5-Alkynyltetrandrine Derivatives and Evaluation of their Anticancer Activity on A549 Cell Lines. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 19, 1454-1462.	1.7	2
20	Gram-scale Synthesis and Highly Regioselective Bromination of 1,1,9,9-tetramethyl[9](2,11)teropyrenophane. <i>Angewandte Chemie</i> , 2018, 130, 1723-1727.	2.0	12
21	Gram-scale Synthesis and Highly Regioselective Bromination of 1,1,9,9-tetramethyl[9](2,11)teropyrenophane. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 1707-1711.	13.8	21
22	Pyrenoimidazolyl-Benzaldehyde Fluorophores: Synthesis, Properties, and Sensing Function for Fluoride Anions. <i>ACS Omega</i> , 2018, 3, 16387-16397.	3.5	25
23	<i>Endo</i> or <i>Exo</i>? Structures of Gas-Phase Alkali Metal Cation/Aromatic Half-Belt Complexes. <i>ChemPhysChem</i> , 2018, 19, 2194-2199.	2.1	4
24	A New Wrinkle in Oligoarylene Architecture. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10642-10643.	13.8	0
25	A C-Pyrenyl Poly(methylenephosphine): Oxidation Turns On Blue Photoluminescence in Solution and the Solid State. <i>Organometallics</i> , 2017, 36, 2520-2526.	2.3	19
26	Generation of an extremely bent pyrene system using kinetic stabilization. <i>Canadian Journal of Chemistry</i> , 2017, 95, 460-481.	1.1	12
27	Eine neue Raffinesse bei Oligoarylen-Architekturen. <i>Angewandte Chemie</i> , 2017, 129, 10778-10779.	2.0	0
28	A Macrocyclization of 1,8-Bis(dithiafulvenyl)pyrenes. <i>Organic Letters</i> , 2016, 18, 2403-2406.	4.6	17
29	[2](1,3)Adamantano[2](2,7)pyrenophane: A Hydrocarbon with a Large Dipole Moment. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 9277-9281.	13.8	28
30	[2](1,3)Adamantano[2](2,7)pyrenophane: A Hydrocarbon with a Large Dipole Moment. <i>Angewandte Chemie</i> , 2016, 128, 9423-9427.	2.0	14
31	Kinetic Stabilization of a Highly Bent Pyrene System. <i>Synlett</i> , 2016, 27, 2113-2116.	1.8	11
32	Synthesis of Pyrene-4,5-dione on a 15 g Scale. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 5933-5936.	2.4	27
33	Cyclophanes containing large polycyclic aromatic hydrocarbons. <i>Chemical Society Reviews</i> , 2015, 44, 6494-6518.	38.1	129
34	A TTF-pyrene-based copolymer: synthesis, redox properties, and aggregation behaviour. <i>RSC Advances</i> , 2015, 5, 23952-23956.	3.6	5
35	Chimerical Pyrene-Based [7]Helicenes as Twisted Polycondensed Aromatics. <i>Chemistry - A European Journal</i> , 2015, 21, 8910-8917.	3.3	77
36	Extraordinary Transformations to Achieve the Synthesis of Remarkable Aromatic Compounds. <i>Chemical Record</i> , 2014, 14, 547-567.	5.8	21

#	ARTICLE	IF	CITATIONS
37	Closing the loop. <i>Nature Chemistry</i> , 2014, 6, 383-385.	13.6	16
38	1,1,n-Tetramethyl[n](2,11)teropyrenophanes (n = 7-9): a series of armchair SWCNT segments. <i>Chemical Communications</i> , 2013, 49, 5930.	4.1	43
39	Stretch Effects Induced by Molecular Strain on Weakening $\ddot{\text{C}}\text{-C}$ -Bonds: Molecular Design of Long-Lived Diradicals (Biradicals). <i>Journal of Organic Chemistry</i> , 2012, 77, 7612-7619.	3.2	31
40	Concise, aromatization-based approach to an elaborate C <sub>2</sub> -symmetric pyrenophane. <i>Chemical Communications</i> , 2012, 48, 7747.	4.1	20
41	Synthesis, Crystal Structure, and Resolution of [10](1,6)Pyrenophane: An Inherently Chiral [n]Cyclophane. <i>Journal of Organic Chemistry</i> , 2012, 77, 57-67.	3.2	30
42	Olefination Reactions in the Synthesis of Cyclophanes. <i>Israel Journal of Chemistry</i> , 2012, 52, 105-138.	2.3	38
43	1,8-Pyrenylene- $\pi$ -Ethyne Macrocycles. <i>Organic Letters</i> , 2011, 13, 2240-2243.	4.6	55
44	Growth potential. <i>Nature Nanotechnology</i> , 2010, 5, 103-104.	31.5	43
45	Mixed [2.2]Cyclophanes of Pyrene and Benzene. <i>Australian Journal of Chemistry</i> , 2010, 63, 1703.	0.9	19
46	1,1,8,8-Tetramethyl[8](2,11)teropyrenophane: Half of an Aromatic Belt and a Segment of an (8,8) Single-Walled Carbon Nanotube. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 5487-5491.	13.8	113
47	Interplay of $\pi$ -Electron Delocalization and Strain in [n](2,7)Pyrenophanes. <i>Journal of Organic Chemistry</i> , 2008, 73, 8001-8009.	3.2	55
48	Nonplanar Aromatic Compounds. 9. Synthesis, Structure, and Aromaticity of 1:2,13:14-Dibenzo[2]paracyclo[2](2,7)-pyrenophane-1,13-diene. <i>Organic Letters</i> , 2008, 10, 273-276.	4.6	48
49	Nonplanar aromatic compounds. Part 10: A strategy for the synthesis of aromatic belts-all wrapped up or down the tubes?. <i>Pure and Applied Chemistry</i> , 2008, 80, 533-546.	1.9	49
50	Reduction of Strained Polycycles: How Much Strain Can a Pyrene Anion Take?. <i>Journal of the American Chemical Society</i> , 2004, 126, 6765-6775.	13.7	28
51	Electrogenerated Chemiluminescence. 74. Photophysical, Electrochemical, and Electrogenerated Chemiluminescent Studies of Selected Nonplanar Pyrenophanes. <i>Journal of Physical Chemistry A</i> , 2004, 108, 376-383.	2.5	72
52	$\pi$ -Polyunsaturated Cyclophanes.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
53	Nonplanar Aromatic Compounds. Part 8. Synthesis, Crystal Structures, and Aromaticity Investigations of the 1,n-Dioxo[n](2,7)pyrenophanes. How Does Bending Affect the Cyclic $\pi$ -Electron Delocalization of the Pyrene System?. <i>ChemInform</i> , 2003, 34, no.	0.0	0
54	Reductive Dimerization of Tethered Pyrenes: Implications for the Reduction of Polycyclic Aromatic Hydrocarbons. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 2547-2550.	13.8	13

#	ARTICLE	IF	CITATIONS
55	“The Great Escape” from Antiaromaticity: A Reduction of Strained Pyrenes. <i>Journal of the American Chemical Society</i> , 2003, 125, 1720-1721.	13.7	25
56	Nonplanar Aromatic Compounds. 8.1 Synthesis, Crystal Structures, and Aromaticity Investigations of the 1,n-Dioxo[n](2,7)pyrenophanes. How Does Bending Affect the Cyclic $\pi$ -Electron Delocalization of the Pyrene System?. <i>Journal of Organic Chemistry</i> , 2003, 68, 2089-2098.	3.2	107
57	Concise Synthesis and Transannular Inverse Electron Demand Diels-Alder Reaction of [3](3,6)Pyridazino[3](1,3)indolophane. Rapid Access to a Pentacyclic Indoloid System. <i>Organic Letters</i> , 2002, 4, 127-130.	4.6	66
58	A Concise Formal Total Synthesis of (1 <i>S</i> ,2 <i>S</i> )-Strychnine by Using a Transannular Inverse-Electron-Demand Diels-Alder Reaction of a [3](1,3)Indolo[3](3,6)pyridazinophane. <i>Angewandte Chemie</i> , 2002, 114, 3395-3396.	2.0	23
59	“Mehrfach ungesättigte” Cyclophane. <i>Angewandte Chemie</i> , 2002, 114, 4175-4178.	2.0	15
60	A Concise Formal Total Synthesis of (1 <i>S</i> ,2 <i>S</i> )-Strychnine by Using a Transannular Inverse-Electron-Demand Diels-Alder Reaction of a [3](1,3)Indolo[3](3,6)pyridazinophane. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 3261-3262.	13.8	73
61	“Polyunsaturated” Cyclophanes. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 4003-4006.	13.8	28
62	A Concise Formal Total Synthesis of (1 <i>S</i> )-Strychnine by Using a Transannular Inverse-Electron-Demand Diels-Alder Reaction of a [3](1,3)Indolo[3](3,6)pyridazinophane. , 2002, 41, 3261.		1
63	Nonplanar Aromatic Compounds. 5.1A Strategy for the Synthesis of cis-10b,10c-Dimethyl-10b,10c-dihydropyrenes. First Crystal Structure of acis-10b,10c-Dimethyl-10b,10c-dihydropyrene. <i>Journal of the American Chemical Society</i> , 2001, 123, 4704-4708.	13.7	29
64	Nonplanar Aromatic Compounds. 6. [2]Paracyclo[2](2,7)pyrenophane. A Novel Strained Cyclophane and a First Step on the Road to a “Vielgliedrige” Belt. <i>Organic Letters</i> , 2001, 3, 2093-2096.	4.6	88
65	Non-planar aromatic compounds. Part 4: Fine tuning the degree of bend in the pyrene moiety of [7](2,7)pyrenophanes by modifying the nature of the bridge. <i>Tetrahedron</i> , 2001, 57, 3577-3585.	1.9	57
66	Nonplanar Aromatic Compounds. 3. A Proposed New Strategy for the Synthesis of Buckybowls. Synthesis, Structure and Reactions of [7]-, [8]- and [9](2,7)Pyrenophanes. <i>Journal of Organic Chemistry</i> , 2000, 65, 5360-5370.	3.2	72
67	Synthesis, structure and AM1 conformational study of [3]paracyclo[3](1,3)indolophane, a novel chiral cyclophane. <i>Tetrahedron</i> , 1999, 55, 12939-12956.	1.9	25
68	1,7-Dioxo[7](2,7)pyrenophane: The Pyrene Moiety Is More Bent than That of C70. <i>Chemistry - A European Journal</i> , 1999, 5, 1823-1827.	3.3	82
69	1,7-Dioxo[7](2,7)pyrenophane: The Pyrene Moiety Is More Bent than That of C70. , 1999, 5, 1823.		1
70	Synthesis, structure and AM1 conformational study of 1,12-dioxo-2,11-dioxo[3.3]orthocyclophane. <i>Tetrahedron Letters</i> , 1997, 38, 1469-1472.	1.4	12
71	Dioxo[8](2,7)pyrenophan, ein stark verzerrter, polycyclischer, aromatischer Kohlenwasserstoff. <i>Angewandte Chemie</i> , 1996, 108, 1418-1420.	2.0	39
72	Phanastatische Phane “ Strukturvielfalt ohne Ende. <i>Angewandte Chemie</i> , 1996, 108, 2221-2224.	2.0	28

#	ARTICLE	IF	CITATIONS
73	1,8-Dioxa[8](2,7)pyrenophane, a Severely Distorted Polycyclic Aromatic Hydrocarbon. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 1320-1321.	4.4	79
74	The New Inductees in the "Hall of Phane" No Phane, No Gain. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 2085-2088.	4.4	57
75	Sodium Sulfide Adsorbed on Alumina as a Reagent for the Facile Synthesis of 2,11-Dithia[3.3]metacyclophanes. <i>Synlett</i> , 1995, 1995, 751-752.	1.8	30
76	Cyclophanes, XXXVIII. [2]Metacyclo[2]indenophanes: Synthesis, Anions and Iron Complexes. <i>Chemische Berichte</i> , 1993, 126, 167-175.	0.2	10
77	<i>syn</i> - and <i>anti</i> -[2.2]Orthometacyclophan. <i>Angewandte Chemie</i> , 1989, 101, 509-510.	2.0	16
78	Cyclophane, XXIX. Gasphasenpyrolyse von 2,11-Dithia[3.3](1,2)(1,4)cyclophanen $\text{S}_2$ , $\text{S}_2$ , $\text{S}_2$ tetraoxid. <i>Chemische Berichte</i> , 1989, 122, 1013-1016.	0.1	10
79	<i>syn</i> - and <i>anti</i> -[2.2]Orthometacyclophane. <i>Angewandte Chemie International Edition in English</i> , 1989, 28, 455-456.	4.4	14
80	A fusion of metals, cyclophanes and dihydropyrenes. <i>Pure and Applied Chemistry</i> , 1986, 58, 15-24.	1.9	28
81	Synthesis of a "Extended Azacorannulenophane Enabled by Strain-Induced 1,3-Dipolar Cycloaddition. <i>Angewandte Chemie</i> , 0, , .	2.0	6