

Vaida Seiriene

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6930182/publications.pdf>

Version: 2024-02-01

23
papers

249
citations

1040056

9
h-index

996975

15
g-index

23
all docs

23
docs citations

23
times ranked

334
citing authors

#	ARTICLE	IF	CITATIONS
1	Reconstruction of the geological history of the Lithuanian Maritime Region from MIS 6 to MIS 3. <i>Quaternary International</i> , 2022, 617, 4-20.	1.5	4
2	The Lateglacial and Early Holocene vegetation dynamics: New multi-proxy data from the central Belarus. <i>Quaternary International</i> , 2022, 630, 121-136.	1.5	5
3	The Lateglacial and early Holocene climate variability and vegetation dynamics derived from chironomid and pollen records of Lieporiai palaeolake, North Lithuania. <i>Quaternary International</i> , 2021, 605-606, 55-64.	1.5	11
4	Response of freshwater diatoms to cold events in the Late Pleistocene and Early Holocene (SE Baltic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.5	5
5	Correlation of Eemian sections in Lithuania and Belarus based on palaeomagnetic, radioisotope and palaeobotanic data. <i>Geological Quarterly</i> , 2021, 65, .	0.2	1
6	Compositional turnover and variation in Eemian pollen sequences in Europe. <i>Vegetation History and Archaeobotany</i> , 2020, 29, 101-109.	2.1	20
7	Late Middle Pleistocene interglacial sediments from BuivydÅ¼iai site, eastern Lithuania: A problem of chronostratigraphic correlation. <i>Quaternary International</i> , 2019, 534, 18-29.	1.5	4
8	The Lateglacial-Early Holocene dynamics of the sedimentation environment based on the multi-proxy abiotic study of Lieporiai palaeolake, Northern Lithuania. <i>Baltica</i> , 2019, 32, 91-106.	0.3	2
9	Lateglacial and early Holocene environmental dynamics in northern Lithuania: A multi-proxy record from GinkÅ¼nai Lake. <i>Quaternary International</i> , 2015, 357, 44-57.	1.5	18
10	Vegetation pattern and sedimentation changes in the context of the Lateglacial climatic events: Case study of Staroje Lake (Eastern Belarus). <i>Quaternary International</i> , 2015, 386, 70-82.	1.5	16
11	The Pleistocene stratigraphy of the south-eastern sector of the Scandinavian glaciation (Belarus and) Tj ETQq1 1 0.784314 rgBT /Overlo	0.3	5
12	QUATERNARY INTERGLACIAL SEDIMENTS AS POSSIBLE NATURAL SOURCES OF ARSENIC AND MOLYBDENUM ANOMALIES IN STREAM SEDIMENTS IN LITHUANIA. <i>Journal of Environmental Engineering and Landscape Management</i> , 2014, 23, 60-70.	1.0	3
13	Quantitative reconstruction of climate variability during the Eemian (MerkinÅ¼) and Weichselian (Nemunas) in Lithuania. <i>Quaternary Research</i> , 2014, 82, 229-235.	1.7	18
14	Depositional environment and climate changes during the late Pleistocene as recorded by the Netiesos section in southern Lithuania. <i>Quaternary International</i> , 2013, 292, 136-149.	1.5	22
15	Holocene sediment record from Briaunis palaeolake, Eastern Lithuania: history of sedimentary environment and vegetation dynamics. <i>Baltica</i> , 2013, 26, 121-136.	0.3	14
16	Pleistocene interglacial record from BuivydÅ¼iai outcrop, Eastern Lithuania. <i>Quaternary International</i> , 2012, 279-280, 442.	1.5	0
17	Sedimentary environment changes during the Early-Middle Pleistocene transition as recorded by the Daumantai sections in Lithuania. <i>Geological Quarterly</i> , 2012, 56, .	0.2	3
18	Human activity and the environment during the Late Iron Age and Middle Ages at the Impiltis archaeological site, NW Lithuania. <i>Quaternary International</i> , 2009, 203, 74-90.	1.5	15

#	ARTICLE	IF	CITATIONS
19	Reconstruction of postglacial palaeoenvironmental changes in eastern Lithuania: Evidence from lacustrine sediment data. <i>Quaternary International</i> , 2009, 207, 58-68.	1.5	16
20	Patterns and chronology of the Lateglacial environmental development at Pamerkiai and KaÅuÅiai, Lithuania. <i>Quaternary Science Reviews</i> , 2008, 27, 127-147.	3.0	57
21	Environmental Changes in the Åala and Katra Upper Reaches during the Last 14,000 Years. <i>Acta Zoologica Lituanica</i> , 2005, 15, 173-178.	0.3	4
22	Relocated interglacial lacustrine sediments from an esker at Snickarekullen, S.W. Sweden. <i>Vegetation History and Archaeobotany</i> , 1998, 7, 203-218.	2.1	3
23	The earliest Pleistocene interglacials in Lithuania in the context of global environmental change. <i>Geological Quarterly</i> , 0, , .	0.2	3