

Yong Zhou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6931602/yong-zhou-publications-by-year.pdf>

Version: 2024-02-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

291
papers

18,444
citations

61
h-index

130
g-index

309
ext. papers

20,798
ext. citations

8.4
avg, IF

7.04
L-index

#	Paper	IF	Citations
291	Dimensional matched ultrathin BiVO ₄ /Ti ₃ C ₂ T _x heterosystem for efficient photocatalytic conversion of CO ₂ to methanol. <i>Materials Letters</i> , 2022 , 306, 130937	3.3	2
290	Controllable synthesis of Co-Al layered double hydroxides with different anionic intercalation layers for the efficient removal of methyl orange.. <i>Environmental Technology (United Kingdom)</i> , 2022 , 1-45	2.6	
289	Influence of charge transport layer on the crystallinity and charge extraction of pure tin-based halide perovskite film. <i>Journal of Energy Chemistry</i> , 2022 , 69, 612-615	12	0
288	Molybdenum Sulfide Quantum Dots Decorated on TiO ₂ for Photocatalytic Hydrogen Evolution. <i>ACS Applied Nano Materials</i> , 2022 , 5, 702-709	5.6	1
287	In Situ Determination of Polaron-Mediated Ultrafast Electron Trapping in Rutile TiO Nanorod Photoanodes. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 10815-10822	6.4	6
286	Host/Guest Nanostructured Photoanodes Integrated with Targeted Enhancement Strategies for Photoelectrochemical Water Splitting. <i>Advanced Science</i> , 2021 , e2103744	13.6	6
285	Bismuth Vacancy-Induced Efficient CO Photoreduction in BiOCl Directly from Natural Air: A Progressive Step toward Photosynthesis in Nature. <i>Nano Letters</i> , 2021 ,	11.5	7
284	Achieving Direct Z-Scheme Charge Transfer through Constructing 2D/2D Fe ₂ O ₃ /CdS Heterostructure for Efficient Photocatalytic CO ₂ Conversion. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 23142-23152	3.8	5
283	Pushing the Limits of Energy Performance in Micron-Sized Thermite: Core/Shell Assembled Liquid Metal-Modified 2O ₃ Thermites. <i>ACS Applied Energy Materials</i> , 2021 , 4, 11777-11786	6.1	1
282	Thermally Stable All-Perovskite Tandem Solar Cells Fully Using Metal Oxide Charge Transport Layers and Tunnel Junction. <i>Solar Rrl</i> , 2021 , 5, 2100814	7.1	9
281	Elegant Construction of ZnInS/BiVO Hierarchical Heterostructures as Direct Z-Scheme Photocatalysts for Efficient CO Photoreduction. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 15092-15100 ³³	9.5	33
280	3D Hydrangea-like InVO ₄ /Ti ₃ C ₂ T _x Hierarchical Heterosystem Collaborating with 2D/2D Interface Interaction for Enhanced Photocatalytic CO ₂ Reduction. <i>ChemNanoMat</i> , 2021 , 7, 815-823	3.5	4
279	Objective Findings on the K-Doped -CN Photocatalysts: The Presence and Influence of Organic Byproducts on K-Doped -CN Photocatalysis. <i>Langmuir</i> , 2021 , 37, 4859-4868	4	4
278	Orientalional Alignment of Oxygen Vacancies: Electric-Field-Inducing Conductive Channels in TiO Film to Boost Photocatalytic Conversion of CO into CO. <i>Nano Letters</i> , 2021 , 21, 5060-5067	11.5	3
277	WO ₃ homojunction photoanode: Integrating the advantages of WO ₃ different facets for efficient water oxidation. <i>Journal of Energy Chemistry</i> , 2021 , 56, 37-45	12	12
276	Compacted stainless steel mesh-supported Co ₃ O ₄ porous nanobelts for HCHO catalytic oxidation and Co ₃ O ₄ @Co ₃ S ₄ via in situ sulfurization as platinum-free counter electrode for flexible dye-sensitized solar cells. <i>Applied Surface Science</i> , 2021 , 536, 147815	6.7	15
275	Domino Effect: Gold Electrocatalyzing Lithium Reduction to Accelerate Nitrogen Fixation. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 5257-5261	16.4	19

274	3D hierarchical architecture collaborating with 2D/2D interface interaction in NiAl-LDH/Ti3C2 nanocomposite for efficient and selective photoconversion of CO2. <i>Journal of Energy Chemistry</i> , 2021 , 59, 9-18	12	19
273	Beyond CN E conjugated metal-free polymeric semiconductors for photocatalytic chemical transformations. <i>Chemical Society Reviews</i> , 2021 , 50, 2147-2172	58.5	41
272	Domino Effect: Gold Electrocatalyzing Lithium Reduction to Accelerate Nitrogen Fixation. <i>Angewandte Chemie</i> , 2021 , 133, 5317-5321	3.6	2
271	Accurate Understanding the Catalytic Role of MnO2 in the Oxidative-Coupling of 2-naphthols into 1,1'-bi-2-naphthols. <i>Catalysis Letters</i> , 2021 , 151, 901-908	2.8	1
270	State-of-the-Art Progress in Diverse Black Phosphorus-Based Structures: Basic Properties, Synthesis, Stability, Photo- and Electrocatalysis-Driven Energy Conversion. <i>Advanced Functional Materials</i> , 2021 , 31, 2005197	15.6	18
269	Bimetallic oxyhydroxide in situ derived from an Fe2Co-MOF for efficient electrocatalytic oxygen evolution. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 13271-13278	13	10
268	Simple fabrication of Z-scheme MgIn2S4/Bi2WO6 hierarchical heterostructures for enhancing photocatalytic reduction of Cr(VI). <i>Catalysis Science and Technology</i> , 2021 , 11, 6271-6280	5.5	3
267	Electrocatalytic fixation of N2 into NO3 ⁻ electron transfer between oxygen vacancies and loaded Au in Nb2O5 ^x nanobelts to promote ambient nitrogen oxidation. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 17442-17450	13	6
266	Magnetic Field-Assisted Photoelectrochemical Water Splitting: The Photoelectrodes Have Weaker Nonradiative Recombination of Carrier. <i>ACS Catalysis</i> , 2021 , 11, 1242-1247	13.1	15
265	Fe2O3/Ag/CdS ternary heterojunction photoanode for efficient solar water oxidation. <i>Catalysis Science and Technology</i> , 2021 , 11, 5859-5867	5.5	2
264	Refined Z-scheme charge transfer in facet-selective BiVO4/Au/CdS heterostructure for solar overall water splitting. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 8531-8538	6.7	13
263	Vacancy-defect modulated pathway of photoreduction of CO on single atomically thin AgInPS sheets into olefiant gas. <i>Nature Communications</i> , 2021 , 12, 4747	17.4	28
262	Hollow InVO Nanocuboid Assemblies toward Promoting Photocatalytic N Conversion Performance. <i>Advanced Materials</i> , 2021 , 33, e2006780	24	9
261	Engineering Self-Reconstruction via Flexible Components in Layered Double Hydroxides for Superior-Evolving Performance. <i>Small</i> , 2021 , 17, e2101671	11	2
260	Valence Regulation of Ultrathin Cerium Vanadate Nanosheets for Enhanced Photocatalytic CO2 Reduction to CO. <i>Catalysts</i> , 2021 , 11, 1115	4	1
259	Organic half-metal derived erythroid-like BiVO4/hm-C4N3 Z-Scheme photocatalyst: Reduction sites upgrading and rate-determining step modulation for overall CO2 and H2O conversion. <i>Applied Catalysis B: Environmental</i> , 2021 , 295, 120277	21.8	10
258	Dual-functional water splitting: Electro-fenton-like pollutants degradation from anode reaction and hydrogen fuel production from cathode reaction. <i>Electrochimica Acta</i> , 2021 , 394, 139122	6.7	1
257	In situ construction of a 2D/2D heterostructured ZnIn2S4/Bi2MoO6Z-scheme system for boosting the photoreduction activity of Cr(VI). <i>Catalysis Science and Technology</i> , 2021 , 11, 3885-3893	5.5	7

256	Non-isodiametric growth and confinement effect in the mineralisation of witherite. <i>Mineralogical Magazine</i> , 2020 , 84, 524-532	1.7	
255	Artificial Trees for Artificial Photosynthesis: Construction of Dendrite-Structured $\text{Fe}_2\text{O}_3/\text{g-C}_3\text{N}_4$ Z-Scheme System for Efficient CO_2 Reduction into Solar Fuels. <i>ACS Applied Energy Materials</i> , 2020 , 3, 6561-6572	6.1	32
254	Anchoring of black phosphorus quantum dots onto WO nanowires to boost photocatalytic CO conversion into solar fuels. <i>Chemical Communications</i> , 2020 , 56, 7777-7780	5.8	29
253	Nitrogen-Doped Carbon Nanolayer Coated Hematite Nanorods for Efficient Photoelectrocatalytic Water Oxidation. <i>Applied Catalysis B: Environmental</i> , 2020 , 275, 119113	21.8	8
252	Strained heterointerfaces in sandwich-like NiFe layered double hydroxides/ Co_{1-x}S for highly efficient and superior long-term durable oxygen evolution reaction. <i>Journal of Catalysis</i> , 2020 , 389, 132-139	7.3	14
251	Plasmonic Cocatalyst with Electric and Thermal Stimuli Boosts Solar Hydrogen Evolution. <i>Solar Rrl</i> , 2020 , 4, 2070062	7.1	3
250	Plasmonic Cocatalyst with Electric and Thermal Stimuli Boosts Solar Hydrogen Evolution. <i>Solar Rrl</i> , 2020 , 4, 2000094	7.1	6
249	Unpaired Electron-Induced Wide-Range Light Absorption within Zn (or Cu) MOFs Containing Electron-Withdrawing Ligands: A Theoretical and Experimental Study. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 5314-5322	2.8	2
248	Exquisite design of porous carbon microtubule-scaffolding hierarchical InO-ZnInS heterostructures toward efficient photocatalytic conversion of CO into CO . <i>Nanoscale</i> , 2020 , 12, 14676-14681	7.7	22
247	Thermodynamic and Kinetic Influence of Oxygen Vacancies on the Solar Water Oxidation Reaction of FeO Photoanodes. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 11625-11634	9.5	21
246	Polarized emission from single perovskite FAPbBr_3 nanocrystals. <i>Journal of Luminescence</i> , 2020 , 221, 117032	3.8	11
245	Room Temperature Surface Modification of Ultrathin FeOOH Cocatalysts on Fe_2O_3 Photoanodes for High Photoelectrochemical Water Splitting. <i>Journal of Nanomaterials</i> , 2020 , 2020, 1-7	3.2	6
244	Pyridine-Diketopyrrolopyrrole-Based Novel Metal-Free Visible-Light Organophotoredox Catalyst for Atom-Transfer Radical Polymerization. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 1068-1075	2.8	11
243	In situ preparation of Bi_2S_3 nanoribbon-anchored BiVO_4 nanoscroll heterostructures for the catalysis of Cr(VI) photoreduction. <i>Catalysis Science and Technology</i> , 2020 , 10, 3843-3847	5.5	6
242	Magnetic field improved photoelectrochemical synthesis of 5,5'-azotetrazolate energetic salts and hydrogen in a hematite photoanode-based cell. <i>Electrochimica Acta</i> , 2020 , 330, 135217	6.7	4
241	Stainless steel mesh-supported three-dimensional hierarchical $\text{SnO}_2/\text{Zn}_2\text{SnO}_4$ composite for the applications in solar cell, gas sensor, and photocatalysis. <i>Applied Surface Science</i> , 2020 , 502, 144113	6.7	21
240	Photocatalytic oxidative-coupling of 5-amino-1H-tetrazole for the synthesis of 5,5'-azotetrazolate energetic salts at mild conditions. <i>Catalysis Communications</i> , 2020 , 136, 105923	3.2	0
239	In situ no-slot joint integration of half-metallic $\text{C}(\text{CN})_3$ cocatalyst into g- C_3N_4 scaffold: An absolute metal-free in-plane heterosystem for efficient and selective photoconversion of CO_2 into CO . <i>Applied Catalysis B: Environmental</i> , 2020 , 264, 118470	21.8	26

238	Surface-state-mediated interfacial charge dynamics between carbon dots and ZnO toward highly promoting photocatalytic activity. <i>Journal of Chemical Physics</i> , 2020 , 153, 044708	3.9	5
237	Passivation Strategy of Reducing Both Electron and Hole Trap States for Achieving High-Efficiency PbS Quantum-Dot Solar Cells with Power Conversion Efficiency over 12%. <i>ACS Energy Letters</i> , 2020 , 5, 3224-3236	20.1	22
236	Cu ₃ Mo ₂ O ₉ /BiVO ₄ Heterojunction Films with Integrated Thermodynamic and Kinetic Advantages for Solar Water Oxidation. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 14082-14090	8.3	11
235	Typical strategies to facilitate charge transfer for enhanced oxygen evolution reaction: Case studies on hematite. <i>Journal of Semiconductors</i> , 2020 , 41, 091709	2.3	0
234	State-of-the-art advancements of crystal facet-exposed photocatalysts beyond TiO ₂ : Design and dependent performance for solar energy conversion and environment applications. <i>Materials Today</i> , 2020 , 33, 75-86	21.8	50
233	Convenient Synthesis of 5,5'-azotetrazolate Energetic Salts through Electrochemical Oxidative-Coupling of 5-amino-1H-tetrazole Under Mild Conditions. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 065503	3.9	1
232	Decorating CoSe ₂ hollow nanospheres on reduced graphene oxide as advanced sulfur host material for performance enhanced lithium-sulfur batteries. <i>Nano Research</i> , 2019 , 12, 2743-2748	10	27
231	Egg white-assisted preparation of inorganic functional materials: A sustainable, eco-friendly, low-cost and multifunctional method. <i>Ceramics International</i> , 2019 , 45, 23869-23889	5.1	2
230	Photoelectrochemical Driving and Simultaneous Synthesis of 3-pyridinecarboxylic Acid and Hydrogen in WO ₃ Photoanode-Based Cell. <i>Journal of the Electrochemical Society</i> , 2019 , 166, H662-H668	3.9	5
229	State-of-the-art progress in the use of ternary metal oxides as photoelectrode materials for water splitting and organic synthesis. <i>Nano Today</i> , 2019 , 28, 100763	17.9	40
228	Insight into the Kinetic Influence of Oxygen Vacancies on the WO Photoanodes for Solar Water Oxidation. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 6159-6165	6.4	12
227	Hollow BiVO ₄ /Bi ₂ S ₃ cruciate heterostructures with enhanced visible-light photoactivity. <i>Catalysis Science and Technology</i> , 2019 , 9, 182-187	5.5	10
226	The interparticle distance limit for multiple exciton dissociation in PbS quantum dot solid films. <i>Nanoscale Horizons</i> , 2019 , 4, 445-451	10.8	13
225	Star-shaped multi-arm polymeric ionic liquid based on tetraalkylammonium cation as high performance gel electrolyte for lithium metal batteries. <i>Electrochimica Acta</i> , 2019 , 301, 284-293	6.7	22
224	Boosting the hydrogen evolution performance of a ternary Mo _x Co _{1-x} P nanowire array by tuning the Mo/Co ratio. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 14842-14848	13	21
223	Urchin-like hierarchical CoZnAl-LDH/RGO/g-C ₃ N ₄ hybrid as a Z-scheme photocatalyst for efficient and selective CO ₂ reduction. <i>Applied Catalysis B: Environmental</i> , 2019 , 255, 117771	21.8	126
222	Electrodeposited amorphous cobalt phosphosulfide on Ni foams for highly efficient overall water splitting. <i>Journal of Power Sources</i> , 2019 , 431, 182-188	8.9	31
221	Influence of copper (II) on biomineralization of CaCO ₃ and preparation of micron pearl-like biomimetic CaCO ₃ . <i>Ceramics International</i> , 2019 , 45, 14354-14359	5.1	5

220	Prussian blue analogue-derived Ni and Co bimetallic oxide nanoplate arrays block-built from porous and hollow nanocubes for the efficient oxygen evolution reaction. <i>Nanoscale</i> , 2019 , 11, 11765-11773	7.7	38
219	Al-ZnO/CdS Photoanode Modified with a Triple Functions Conformal TiO ₂ Film for Enhanced Photoelectrochemical Efficiency and Stability. <i>Applied Catalysis B: Environmental</i> , 2019 , 255, 117738	21.8	28
218	Metallic molybdenum sulfide nanodots as platinum-alternative co-catalysts for photocatalytic hydrogen evolution. <i>Journal of Catalysis</i> , 2019 , 374, 237-245	7.3	24
217	Foam-like Co ₉ S ₈ /Ni ₃ S ₂ heterostructure nanowire arrays for efficient bifunctional overall water splitting. <i>Applied Catalysis B: Environmental</i> , 2019 , 253, 246-252	21.8	88
216	Selective doping of titanium into double layered hematite nanorod arrays for improved photoelectrochemical water splitting. <i>Applied Surface Science</i> , 2019 , 486, 312-322	6.7	10
215	Highly symmetrical, 24-faceted, concave BiVO polyhedron bounded by multiple high-index facets for prominent photocatalytic O evolution under visible light. <i>Chemical Communications</i> , 2019 , 55, 4777-4780	5.8	17
214	Recycled photocatalyst and available photodetector based on ternary Bi ₆ Mo ₂ O ₁₅ sub-microcrystals. <i>Results in Physics</i> , 2019 , 13, 102117	3.7	2
213	BiVO tubular structures: oxygen defect-rich and largely exposed reactive {010} facets synergistically boost photocatalytic water oxidation and the selective N[double bond, length as m-dash]N coupling reaction of 5-amino-1H-tetrazole. <i>Chemical Communications</i> , 2019 , 55, 5635-5638	5.8	12
212	Synthesis and Optimization of Ti/Li/Al Ternary Layered Double Hydroxides for Efficient Photocatalytic Reduction of CO to CH. <i>Scientific Reports</i> , 2019 , 9, 5659	4.9	8
211	Convincing Synthesis of Atomically Thin, Single-Crystalline InVO Sheets toward Promoting Highly Selective and Efficient Solar Conversion of CO into CO. <i>Journal of the American Chemical Society</i> , 2019 , 141, 4209-4213	16.4	124
210	Engineering Interfaces to Steer Hole Dynamics of BiVO ₄ Photoanodes for Solar Water Oxidation. <i>Solar Rrl</i> , 2019 , 3, 1900115	7.1	7
209	Insight into the Improvement Mechanism of Copper Oxide/BiVO ₄ Heterojunction Photoanodes for Solar Water Oxidation. <i>Journal of the Electrochemical Society</i> , 2019 , 166, H513-H520	3.9	13
208	Biomimetic assembly of multilevel hydroxyapatite using bacterial cellulose hydrogel as a reactor. <i>CrystEngComm</i> , 2019 , 21, 4859-4863	3.3	5
207	Two-photon excited photoluminescence of single perovskite nanocrystals. <i>Journal of Chemical Physics</i> , 2019 , 151, 154201	3.9	12
206	Four-armed branching and thermally integrated imidazolium-based polymerized ionic liquid as an all-solid-state polymer electrolyte for lithium metal battery. <i>Electrochimica Acta</i> , 2019 , 324, 134827	6.7	19
205	Dicationic tetraalkylammonium-based polymeric ionic liquid with star and four-arm topologies as advanced solid-state electrolyte for lithium metal battery. <i>Reactive and Functional Polymers</i> , 2019 , 145, 104375	4.6	8
204	Boosting solar water oxidation activity and stability of BiVO ₄ photoanode through the Co-catalytic effect of CuCoO ₂ . <i>Electrochimica Acta</i> , 2019 , 304, 301-311	6.7	16
203	Hole dynamic acceleration over CdSO nanoparticles for high-efficiency solar hydrogen production with urea photolysis. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 25650-25656	13	3

202	Ultrathin nanosheet-anchored hexahedral prismatic Bi ₂ MoO ₆ arrays: one-step constructed and crystal facet-based homojunctions boosting photocatalytic CO ₂ reduction and N ₂ fixation. <i>Catalysis Science and Technology</i> , 2019 , 9, 7045-7050	5.5	7
201	Few-Layer PbI Nanoparticle: A 2D Semiconductor with Lateral Quantum Confinement. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 7863-7869	6.4	3
200	Preparation of an FeNi MOF on nickel foam as an efficient and stable electrocatalyst for the oxygen evolution reaction.. <i>RSC Advances</i> , 2019 , 9, 33558-33562	3.7	20
199	MoO ₃ /BiVO ₄ heterojunction film with oxygen vacancies for efficient and stable photoelectrochemical water oxidation. <i>Journal of Materials Science</i> , 2019 , 54, 671-682	4.3	11
198	Reduced-graphene-oxide-loaded MoS ₂ /Ni ₃ S ₂ nanorod arrays on Ni foam as an efficient and stable electrocatalyst for the hydrogen evolution reaction. <i>Electrochemistry Communications</i> , 2019 , 99, 22-26	5.1	15
197	Three-dimensional Bi ₂ MoO ₆ /TiO ₂ array heterojunction photoanode modified with cobalt phosphate cocatalyst for high-efficient photoelectrochemical water oxidation. <i>Catalysis Today</i> , 2019 , 335, 262-268	5.3	19
196	Direct Z scheme-fashioned photoanode systems consisting of FeO nanorod arrays and underlying thin SbSe layers toward enhanced photoelectrochemical water splitting performance. <i>Nanoscale</i> , 2018 , 11, 109-114	7.7	11
195	Quasi-Topotactic Transformation of FeOOH Nanorods to Robust FeO Porous Nanopillars Triggered with a Facile Rapid Dehydration Strategy for Efficient Photoelectrochemical Water Splitting. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 10141-10146	9.5	30
194	Unique homo-heterojunction synergistic system consisting of stacked BiOCl nanoplate/Zn-Cr layered double hydroxide nanosheets promoting photocatalytic conversion of CO into solar fuels. <i>Chemical Communications</i> , 2018 , 54, 5126-5129	5.8	20
193	Self-templated preparation of hollow mesoporous TiN microspheres as sulfur host materials for advanced lithium-sulfur batteries. <i>Journal of Materials Science</i> , 2018 , 53, 10363-10371	4.3	10
192	Enhanced Photocatalytic Performance through Magnetic Field Boosting Carrier Transport. <i>ACS Nano</i> , 2018 , 12, 3351-3359	16.7	111
191	Pyridinic-nitrogen highly doped nanotubular carbon arrays grown on a carbon cloth for high-performance and flexible supercapacitors. <i>Nanoscale</i> , 2018 , 10, 3981-3989	7.7	22
190	Flux synthesis of regular BiTaOCl square nanoplates exhibiting dominant exposure surfaces of {001} crystal facets for photocatalytic reduction of CO to methane. <i>Nanoscale</i> , 2018 , 10, 1905-1911	7.7	20
189	Zn Cd S tunable band structure-directing photocatalytic activity and selectivity of visible-light reduction of CO into liquid solar fuels. <i>Nanotechnology</i> , 2018 , 29, 064003	3.4	21
188	In situ growth of zinc oxide nanoribbons within the interstices of a zinc stannate nanoplates network on compacted woven metal wires and their enhanced solar energy application. <i>Electrochimica Acta</i> , 2018 , 262, 124-134	6.7	1
187	Unconventional gas-based bottom-up, meter-area-scale fabrication of hydrogen-bond free g-CN nanorod arrays and coupling layers with TiO toward high-efficiency photoelectrochemical performance. <i>Nanoscale</i> , 2018 , 10, 3342-3349	7.7	23
186	In ³⁺ -doped BiVO ₄ photoanodes with passivated surface states for photoelectrochemical water oxidation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10456-10465	13	57
185	In situ construction of hierarchical WO ₃ /g-C ₃ N ₄ composite hollow microspheres as a Z-scheme photocatalyst for the degradation of antibiotics. <i>Applied Catalysis B: Environmental</i> , 2018 , 220, 417-428	21.8	284

184	Photoelectrochemical driving and clean synthesis of energetic salts of 5,5'-azotetrazolate at room temperature. <i>Green Chemistry</i> , 2018 , 20, 3722-3726	10	14
183	Mimetic biomineralization matrix using bacterial cellulose hydrogel and egg white to prepare various morphologies of CaCO ₃ . <i>CrystEngComm</i> , 2018 , 20, 4536-4540	3.3	11
182	Enhanced photoelectrochemical water oxidation on WO ₃ nanoflake films by coupling with amorphous TiO ₂ . <i>Electrochimica Acta</i> , 2018 , 283, 871-881	6.7	29
181	Lead Selenide Colloidal Quantum Dot Solar Cells Achieving High Open-Circuit Voltage with One-Step Deposition Strategy. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 3598-3603	6.4	31
180	Polyhedral 30-Faceted BiVO Microcrystals Predominantly Enclosed by High-Index Planes Promoting Photocatalytic Water-Splitting Activity. <i>Advanced Materials</i> , 2018 , 30, 1703119	24	117
179	Integration of FeS electrocatalysts and simultaneously generated interfacial oxygen vacancies to synergistically boost photoelectrochemical water splitting of FeO photoanodes. <i>Chemical Communications</i> , 2018 , 54, 13817-13820	5.8	17
178	Construction of Al-ZnO/CdS photoanodes modified with distinctive alumina passivation layer for improvement of photoelectrochemical efficiency and stability. <i>Nanoscale</i> , 2018 , 10, 19621-19627	7.7	10
177	A Compact and Smooth CH ₃ NH ₃ PbI ₃ Film: Investigation of Solvent Sorts and Concentrations of CH ₃ NH ₃ ⁺ towards Highly Efficient Perovskite Solar Cells. <i>Nanomaterials</i> , 2018 , 8,	5.4	4
176	Enhanced Photoelectrochemical Water Oxidation Performance on BiVO by Coupling of CoMoO as a Hole-Transfer and Conversion Cocatalyst. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 42207-42216	9.5	18
175	Boosted Water Oxidation Activity and Kinetics on BiVO Photoanodes with Multihigh-Index Crystal Facets. <i>Inorganic Chemistry</i> , 2018 , 57, 15280-15288	5.1	16
174	Two-Step Synthesis of Laminar Vanadate via a Facile Hydrothermal Route and Enhancing the Photocatalytic Reduction of CO ₂ into Solar Fuel through Tuning of the Oxygen Vacancies by in Situ Vacuum Illumination Treatment. <i>ACS Applied Energy Materials</i> , 2018 , 1, 6857-6864	6.1	3
173	Improving the photovoltaic effect by resistive switching. <i>Applied Physics Letters</i> , 2018 , 113, 133901	3.4	4
172	Room-Temperature Preparation of Cobalt-Based Electrocatalysts through Simple Solution Treatment for Selectively High-Efficiency Hydrogen Evolution Reaction in Alkaline or Acidic Medium. <i>Journal of Nanomaterials</i> , 2018 , 2018, 1-9	3.2	1
171	Enriching Hot Electrons via NIR-Photon-Excited Plasmon in WS ₂ @Cu Hybrids for Full-Spectrum Solar Hydrogen Evolution. <i>Advanced Functional Materials</i> , 2018 , 28, 1804055	15.6	62
170	Self-assembly optimization of cadmium/molybdenum sulfide hybrids by cation coordination competition toward extraordinarily efficient photocatalytic hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 18396-18402	13	21
169	Facile Face-Down Annealing Triggered Remarkable Texture Development in CH ₃ NH ₃ PbI ₃ Films for High-Performance Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 6104-6113	9.5	52
168	PbI ₂ heterogeneous-cap-induced crystallization for an efficient CH ₃ NH ₃ PbI ₃ layer in perovskite solar cells. <i>Chemical Communications</i> , 2017 , 53, 5032-5035	5.8	19
167	Series of ZnSn(OH) Polyhedra: Enhanced CO Dissociation Activation and Crystal Facet-Based Homojunction Boosting Solar Fuel Synthesis. <i>Inorganic Chemistry</i> , 2017 , 56, 5704-5709	5.1	23

166	Ferrous sulfide-assisted hollow carbon spheres as sulfur host for advanced lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2017 , 326, 1040-1047	14.7	19
165	Construction of an all-solid-state artificial Z-scheme system consisting of BiWO ₃ /Au/CdS nanostructure for photocatalytic CO reduction into renewable hydrocarbon fuel. <i>Nanotechnology</i> , 2017 , 28, 274002	3.4	42
164	Facile room-temperature surface modification of unprecedented FeB co-catalysts on Fe ₂ O ₃ nanorod photoanodes for high photoelectrochemical performance. <i>Journal of Catalysis</i> , 2017 , 352, 113-119	7.3	29
163	Construction of unique two-dimensional MoS ₂ -TiO ₂ hybrid nanojunctions: MoS ₂ as a promising cost-effective cocatalyst toward improved photocatalytic reduction of CO to methanol. <i>Nanoscale</i> , 2017 , 9, 9065-9070	7.7	95
162	Theoretical and experimental studies on three water-stable, isostructural, paddlewheel based semiconducting metal-organic frameworks. <i>Dalton Transactions</i> , 2017 , 46, 8204-8218	4.3	18
161	Robust, double-shelled ZnGaO hollow spheres for photocatalytic reduction of CO to methane. <i>Dalton Transactions</i> , 2017 , 46, 10564-10568	4.3	9
160	Improved Surface Charge Transfer in MoO ₃ /BiVO ₄ Heterojunction Film for Photoelectrochemical Water Oxidation. <i>Electrochimica Acta</i> , 2017 , 257, 181-191	6.7	42
159	Bi MoO Nanostrip Networks for Enhanced Visible-Light Photocatalytic Reduction of CO to CH ₄ . <i>ChemPhysChem</i> , 2017 , 18, 3240-3244	3.2	28
158	Investigating the Role of Tunable Nitrogen Vacancies in Graphitic Carbon Nitride Nanosheets for Efficient Visible-Light-Driven H ₂ Evolution and CO ₂ Reduction. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 7260-7268	8.3	224
157	Biomimetic interfacial assembly of CaCO ₃ microspheres using egg-white foam and their interaction with Sr ²⁺ . <i>Ceramics International</i> , 2017 , 43, 12870-12875	5.1	6
156	Ultrathin LiFePO ₄ nanosheets self-assembled with reduced graphene oxide applied in high rate lithium ion batteries for energy storage. <i>Applied Energy</i> , 2017 , 195, 1079-1085	10.7	24
155	Highly Flexible Self-Powered Organolead Trihalide Perovskite Photodetectors with Gold Nanowire Networks as Transparent Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 23868-75	9.5	77
154	TiO ₂ nanosheet-anchoring Au nanoplates: high-energy facet and wide spectra surface plasmon-promoting photocatalytic efficiency and selectivity for CO ₂ reduction. <i>RSC Advances</i> , 2016 , 6, 81510-81516	3.7	17
153	Synthesis of single-crystalline, porous TaON microspheres toward visible-light photocatalytic conversion of CO ₂ into liquid hydrocarbon fuels. <i>RSC Advances</i> , 2016 , 6, 90792-90796	3.7	23
152	Modulating memristive performance of hexagonal WO ₃ nanowire by water-oxidized hydrogen ion implantation. <i>Scientific Reports</i> , 2016 , 6, 32712	4.9	13
151	Synthesis of bionic-macro/microporous MgO-modified TiO ₂ for enhanced CO ₂ photoreduction into hydrocarbon fuels. <i>Chinese Journal of Catalysis</i> , 2016 , 37, 863-868	11.3	28
150	High-performance photodetectors based on bandgap engineered novel layer GaSe _{0.5} Te _{0.5} nanoflakes. <i>RSC Advances</i> , 2016 , 6, 60862-60868	3.7	9
149	Microstructure modulation of the CH ₃ NH ₃ PbI ₃ layer in perovskite solar cells by 2-propanol pre-wetting and annealing in a spray-assisted solution process. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 11372-11380	13	17

148	Porous nanosheet-based hierarchical zinc oxide aggregations grown on compacted stainless steel meshes: Enhanced flexible dye-sensitized solar cells and photocatalytic activity. <i>Materials Research Bulletin</i> , 2016 , 80, 191-199	5.1	11
147	One-step growth of 3D CoNi ₂ S ₄ nanorods and cross-linked NiCo ₂ S ₄ nanosheet arrays on carbon paper as anodes for high-performance lithium ion batteries. <i>Chemical Communications</i> , 2016 , 52, 5258-61	5.8	46
146	Self-assembled 3D-hierarchical structure Cu ₂ ZnSnS ₄ photocathodes by tuning anion ratios in precursor solution. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 105102	3	
145	Multi-channeled hierarchical porous carbon incorporated Co ₃ O ₄ nanopillar arrays as 3D binder-free electrode for high performance supercapacitors. <i>Nano Energy</i> , 2016 , 20, 94-107	17.1	104
144	In situ direct growth of single crystalline metal (Co, Ni) selenium nanosheets on metal fibers as counter electrodes toward low-cost, high-performance fiber-shaped dye-sensitized solar cells. <i>Nanoscale</i> , 2016 , 8, 2304-8	7.7	26
143	Fabrication of Oxygen-Doped Double-Shelled GaN Hollow Spheres toward Efficient Photoreduction of CO ₂ . <i>Particle and Particle Systems Characterization</i> , 2016 , 33, 583-588	3.1	8
142	Synthesis of hierarchical ordered porous functional materials using willow wickers as templates for recyclable photo-catalytic applications. <i>Journal of Porous Materials</i> , 2016 , 23, 225-230	2.4	4
141	Ultralong metaheewettite CaV ₆ O ₁₆ ·nH ₂ O nanoribbons as novel host materials for lithium storage: Towards high-rate and excellent long-term cyclability. <i>Nano Energy</i> , 2016 , 22, 38-47	17.1	31
140	Photocatalytic reduction of CO ₂ over Ag/TiO ₂ nanocomposites prepared with a simple and rapid silver mirror method. <i>Nanoscale</i> , 2016 , 8, 11870-4	7.7	101
139	Electrophoretic deposition of graphene-TiO ₂ hierarchical spheres onto Ti thread for flexible fiber-shaped dye-sensitized solar cells. <i>Materials and Design</i> , 2016 , 105, 352-358	8.1	26
138	Construction and Nanoscale Detection of Interfacial Charge Transfer of Elegant Z-Scheme WO ₃ /Au/In ₂ S ₃ Nanowire Arrays. <i>Nano Letters</i> , 2016 , 16, 5547-52	11.5	171
137	Z-Scheme Photocatalytic Systems for Promoting Photocatalytic Performance: Recent Progress and Future Challenges. <i>Advanced Science</i> , 2016 , 3, 1500389	13.6	446
136	Construction of Visible-Light-Responsive SrTiO ₃ with Enhanced CO ₂ Adsorption Ability: Highly Efficient Photocatalysts for Artificial Photosynthesis. <i>Catalysis Letters</i> , 2015 , 145, 640-646	2.8	25
135	Au@TiO ₂ yolk-shell hollow spheres for plasmon-induced photocatalytic reduction of CO ₂ to solar fuel via a local electromagnetic field. <i>Nanoscale</i> , 2015 , 7, 14232-6	7.7	127
134	Hexahedron Prism-Anchored Octahedral CeO ₂ : Crystal Facet-Based Homo Junction Promoting Efficient Solar Fuel Synthesis. <i>Journal of the American Chemical Society</i> , 2015 , 137, 9547-50	16.4	237
133	Hollow spheres consisting of Ti _{0.91} O ₂ /CdS nanohybrids for CO ₂ photofixation. <i>Chemical Communications</i> , 2015 , 51, 13354-7	5.8	55
132	Severe corrosion of copper in a highly alkaline egg white solution due to a biuret corrosion reaction. <i>Corrosion Science</i> , 2015 , 94, 270-274	6.8	6
131	Multi-layered MoS ₂ phototransistors as high performance photovoltaic cells and self-powered photodetectors. <i>RSC Advances</i> , 2015 , 5, 45239-45248	3.7	24

130	Double-shelled plasmonic Ag-TiO ₂ hollow spheres toward visible light-active photocatalytic conversion of CO ₂ into solar fuel. <i>APL Materials</i> , 2015 , 3, 104416	5.7	50
129	Rational construction of a CdS/reduced graphene oxide/TiO ₂ core-shell nanostructure as an all-solid-state Z-scheme system for CO ₂ photoreduction into solar fuels. <i>RSC Advances</i> , 2015 , 5, 88409-88413	3.7	61
128	Controllable electrophoresis deposition of TiO ₂ mesoporous spheres onto Ti threads as photoanodes for fiber-shaped dye-sensitized solar cells. <i>RSC Advances</i> , 2015 , 5, 65005-65009	3.7	7
127	Near-infrared reflectance and thermal performance of Na ₂ V ₆ O ₁₆ ·xH ₂ O nanoribbon as a novel cool brown pigment. <i>Dyes and Pigments</i> , 2015 , 123, 242-247	4.6	11
126	Nanoparticle-based hierarchical zinc oxide chains for enhanced efficiency of dye-sensitized solar cells. <i>RSC Advances</i> , 2015 , 5, 103030-103035	3.7	
125	One-step growth of CoNi ₂ S ₄ nanoribbons on carbon fibers as platinum-free counter electrodes for fiber-shaped dye-sensitized solar cells with high performance: Polymorph-dependent conversion efficiency. <i>Nano Energy</i> , 2015 , 11, 697-703	17.1	94
124	Nanosheet-assembling Hierarchical Zinc Stannate Microspheres for Enhanced Efficiency of Dye-Sensitized Solar Cells. <i>Electrochimica Acta</i> , 2015 , 152, 25-30	6.7	15
123	All-solid-state Z-scheme system arrays of Fe ₂ V ₄ O ₁₃ /RGO/CdS for visible light-driving photocatalytic CO ₂ reduction into renewable hydrocarbon fuel. <i>Chemical Communications</i> , 2015 , 51, 800-3	5.8	120
122	Nanowire-based hierarchical tin oxide/zinc stannate hollow microspheres: Enhanced solar energy utilization efficiency for dye-sensitized solar cells and photocatalytic degradation of dyes. <i>Journal of Power Sources</i> , 2015 , 274, 575-581	8.9	26
121	Monodispersed Particles: Monodispersed Nb ₂ O ₅ Microspheres: Facile Synthesis, Air/Water Interfacial Self-Assembly, Nb ₂ O ₅ -Based Composite Films, and Their Selective NO ₂ Sensing (Adv. Mater. Interfaces 11/2015). <i>Advanced Materials Interfaces</i> , 2015 , 2,	4.6	2
120	Monodispersed Nb ₂ O ₅ Microspheres: Facile Synthesis, Air/Water Interfacial Self-Assembly, Nb ₂ O ₅ -Based Composite Films, and Their Selective NO ₂ Sensing. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1500167	4.6	49
119	Gram-Scale Synthesis of Graphene Quantum Dots from Single Carbon Atoms Growth via Energetic Material Deflagration. <i>Chemistry of Materials</i> , 2015 , 27, 4319-4327	9.6	46
118	State-of-the-Art Progress in Diverse Heterostructured Photocatalysts toward Promoting Photocatalytic Performance. <i>Advanced Functional Materials</i> , 2015 , 25, 998-1013	15.6	582
117	Nitrated graphene oxide and its catalytic activity in thermal decomposition of ammonium perchlorate. <i>Materials Research Bulletin</i> , 2014 , 50, 73-78	5.1	57
116	Photoconversion: Photocatalytic Conversion of CO ₂ into Renewable Hydrocarbon Fuels: State-of-the-Art Accomplishment, Challenges, and Prospects (Adv. Mater. 27/2014). <i>Advanced Materials</i> , 2014 , 26, 4598-4598	24	6
115	Formation of 3D interconnectively macro/mesoporous TiO ₂ sponges through gelation of lotus root starch toward CO ₂ photoreduction into hydrocarbon fuels. <i>RSC Advances</i> , 2014 , 4, 43172-43177	3.7	12
114	NaVO ₂ ·xH ₂ O nanoribbons: large-scale synthesis and visible-light photocatalytic activity of CO ₂ into solar fuels. <i>Nanoscale</i> , 2014 , 6, 1896-900	7.7	44
113	One step fabrication of Mn ₃ O ₄ /carbonated bacterial cellulose with excellent catalytic performance upon ammonium perchlorate decomposition. <i>Materials Research Bulletin</i> , 2014 , 60, 802-807	5.1	25

112	Porous, single crystalline titanium nitride nanoplates grown on carbon fibers: excellent counter electrodes for low-cost, high performance, fiber-shaped dye-sensitized solar cells. <i>Chemical Communications</i> , 2014 , 50, 14321-4	5.8	39
111	Single-crystalline, ultrathin ZnGa(2)O(4) nanosheet scaffolds to promote photocatalytic activity in CO(2) reduction into methane. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2356-61	9.5	131
110	Nanostructured SnO ₂ photoanode-based dye-sensitized solar cells. <i>Science Bulletin</i> , 2014 , 59, 2122-2134		19
109	Photocatalytic conversion of CO(2) into renewable hydrocarbon fuels: state-of-the-art accomplishment, challenges, and prospects. <i>Advanced Materials</i> , 2014 , 26, 4607-26	24	1043
108	Solution-chemical route to generalized synthesis of metal germanate nanowires with room-temperature, light-driven hydrogenation activity of CO ₂ into renewable hydrocarbon fuels. <i>Inorganic Chemistry</i> , 2014 , 53, 359-64	5.1	19
107	Controlled crystallization of lamellar calcium carbonate crystals induced by solution of sticky rice polysaccharide (From <i>Oryza sativa</i>). <i>CrystEngComm</i> , 2014 , 16, 11042-11049	3.3	8
106	Electrical characterization of H ₂ S adsorption on hexagonal WO ₃ nanowire at room temperature. <i>Journal of Applied Physics</i> , 2014 , 116, 164310	2.5	8
105	Broad spectral response photodetector based on individual tin-doped CdS nanowire. <i>AIP Advances</i> , 2014 , 4, 123005	1.5	44
104	Facile fabrication of three-dimensional mesoporous Si/SiC composites via one-step magnesiothermic reduction at relative low temperature. <i>Materials Research Bulletin</i> , 2013 , 48, 4139-4145	5.1	10
103	Rational and scalable fabrication of high-quality WO ₃ /CdS core/shell nanowire arrays for photoanodes toward enhanced charge separation and transport under visible light. <i>Nanoscale</i> , 2013 , 5, 11933-9	7.7	63
102	The maximum limiting performance improved counter electrode based on a porous fluorine doped tin oxide conductive framework for dye-sensitized solar cells. <i>Nanoscale</i> , 2013 , 5, 4951-7	7.7	12
101	Fiber dye-sensitized solar cells consisting of TiO ₂ nanowires arrays on Ti thread as photoanodes through a low-cost, scalable route. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11790	13	34
100	Synthesis of Bi ₆ Mo ₂ O ₁₅ sub-microwires via a molten salt method and enhancing the photocatalytic reduction of CO ₂ into solar fuel through tuning the surface oxide vacancies by simple post-heating treatment. <i>CrystEngComm</i> , 2013 , 15, 9855	3.3	26
99	Zinc Gallogermanate Solid Solution: A Novel Photocatalyst for Efficiently Converting CO ₂ into Solar Fuels. <i>Advanced Functional Materials</i> , 2013 , 23, 1839-1845	15.6	79
98	Simple method for the fluorinated functionalization of graphene oxide. <i>RSC Advances</i> , 2013 , 3, 3881	3.7	36
97	Enhanced hot-carrier luminescence in multilayer reduced graphene oxide nanospheres. <i>Scientific Reports</i> , 2013 , 3, 2315	4.9	14
96	A promising hybrid scaffold material: Bacterial cellulose in-situ assembling biomimetic lamellar CaCO ₃ . <i>Materials Letters</i> , 2013 , 102-103, 91-93	3.3	17
95	An In Situ Simultaneous Reduction-Hydrolysis Technique for Fabrication of TiO ₂ -Graphene 2D Sandwich-Like Hybrid Nanosheets: Graphene-Promoted Selectivity of Photocatalytic-Driven Hydrogenation and Coupling of CO ₂ into Methane and Ethane. <i>Advanced Functional Materials</i> , 2013 , 23, 1713-1719	15.6	318

94	Generalized synthesis of a family of multishelled metal oxide hollow microspheres. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3575	13	30
93	Versatile nanobead-scaffolded N-SnO ₂ mesoporous microspheres: one-step synthesis and superb performance in dye-sensitized solar cell, gas sensor, and photocatalytic degradation of dye. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 524-531	13	22
92	Enhanced photovoltaic performance of a dye-sensitized solar cell using graphene-TiO ₂ photoanode prepared by a novel in situ simultaneous reduction-hydrolysis technique. <i>Nanoscale</i> , 2013 , 5, 3481-5	7.7	78
91	Versatile Graphene-Promoting Photocatalytic Performance of Semiconductors: Basic Principles, Synthesis, Solar Energy Conversion, and Environmental Applications. <i>Advanced Functional Materials</i> , 2013 , 23, 4996-5008	15.6	309
90	Direct Growth of Fe ₂ V ₄ O ₁₃ Nanoribbons on a Stainless-Steel Mesh for Visible-Light Photoreduction of CO ₂ into Renewable Hydrocarbon Fuel and Degradation of Gaseous Isopropyl Alcohol. <i>ChemPlusChem</i> , 2013 , 78, 274-278	2.8	38
89	Porous ZnO nanosheet arrays constructed on weaved metal wire for flexible dye-sensitized solar cells. <i>Nanoscale</i> , 2013 , 5, 5102-8	7.7	34
88	Preparation and dielectric properties of SiC nanowires self-sacrificially templated by carbonated bacterial cellulose. <i>Materials Research Bulletin</i> , 2013 , 48, 687-690	5.1	15
87	An Ion-Exchange Phase Transformation to ZnGa ₂ O ₄ Nanocube Towards Efficient Solar Fuel Synthesis. <i>Advanced Functional Materials</i> , 2013 , 23, 758-763	15.6	63
86	High-yield synthesis of millimetre-long, semiconducting carbon nitride nanotubes with intense photoluminescence emission and reproducible photoconductivity. <i>Nanoscale</i> , 2012 , 4, 3687-92	7.7	138
85	Vertically building Zn ₂ SnO ₄ nanowire arrays on stainless steel mesh toward fabrication of large-area, flexible dye-sensitized solar cells. <i>Nanoscale</i> , 2012 , 4, 3490-4	7.7	50
84	Ultrathin, single-crystal WO ₃ nanosheets by two-dimensional oriented attachment toward enhanced photocatalytic reduction of CO ₂ into hydrocarbon fuels under visible light. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 3372-7	9.5	290
83	Dendrite growth of energetic material RDX. <i>Journal of Crystal Growth</i> , 2012 , 351, 56-61	1.6	3
82	Synthesis of one-molecule-thick single-crystalline nanosheets of energetic material for high-sensitive force sensor. <i>Scientific Reports</i> , 2012 , 2, 698	4.9	37
81	Hexagonal Nanoplate-Textured Micro-Octahedron Zn ₂ SnO ₄ : Combined Effects toward Enhanced Efficiencies of Dye-Sensitized Solar Cell and Photoreduction of CO ₂ into Hydrocarbon Fuels. <i>Crystal Growth and Design</i> , 2012 , 12, 1476-1481	3.5	86
80	Egg-white-mediated crystallization of calcium carbonate. <i>Journal of Crystal Growth</i> , 2012 , 361, 217-224	1.6	22
79	Controllable growth of dendritic ZnO nanowire arrays on a stainless steel mesh towards the fabrication of large area, flexible dye-sensitized solar cells. <i>Nanoscale</i> , 2012 , 4, 5454-60	7.7	38
78	Synthesis of highly crystalline In ₂ Ge ₂ O ₇ (En) hybrid sub-nanowires with ultraviolet photoluminescence emissions and their selective photocatalytic reduction of CO ₂ into renewable fuel. <i>RSC Advances</i> , 2012 , 2, 3247	3.7	33
77	Zn ₂ GeO ₄ crystal splitting toward sheaf-like, hyperbranched nanostructures and photocatalytic reduction of CO ₂ into CH ₄ under visible light after nitridation. <i>Journal of Materials Chemistry</i> , 2012 , 22, 2033-2038		139

76	Unique Zn-doped SnO ₂ nano-echinus with excellent electron transport and light harvesting properties as photoanode materials for high performance dye-sensitized solar cell. <i>CrystEngComm</i> , 2012 , 14, 6462	3.3	59
75	Robust Hollow Spheres Consisting of Alternating Titania Nanosheets and Graphene Nanosheets with High Photocatalytic Activity for CO ₂ Conversion into Renewable Fuels. <i>Advanced Functional Materials</i> , 2012 , 22, 1215-1221	15.6	339
74	Fabrication of hierarchically assembled microspheres consisting of nanoporous ZnO nanosheets for high-efficiency dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14341		54
73	Indirect optical transitions in hybrid spheres with alternating layers of titania and graphene oxide nanosheets. <i>Optics Express</i> , 2012 , 20, 28801-7	3.3	11
72	Instant, template-free and fluorine-free synthesis of TiO ₂ nanotube arrays with a room-temperature solid-liquid arc discharge technique. <i>CrystEngComm</i> , 2012 , 14, 7583	3.3	5
71	High-yield synthesis of ultrathin and uniform Bi ₂ WO ₆ square nanoplates benefitting from photocatalytic reduction of CO ₂ into renewable hydrocarbon fuel under visible light. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 3594-601	9.5	324
70	Non-basic solution eco-routes to nano-scale NiO with different shapes: Synthesis and application. <i>Materials Chemistry and Physics</i> , 2011 , 126, 494-499	4.4	12
69	Preparation and Characterization of a Novel Cocrystal Explosive. <i>Crystal Growth and Design</i> , 2011 , 11, 1759-1765	3.5	89
68	Preparation and characterization of Pt supported on graphene with enhanced electrocatalytic activity in fuel cell. <i>Journal of Power Sources</i> , 2011 , 196, 1012-1018	8.9	240
67	Egg-white Templating of Hierarchically Macroporous Architectures of SiO ₂ , TiO ₂ and C/SiCN Nanocables, and Photocatalytic Properties. <i>Current Nanoscience</i> , 2011 , 7, 1004-1008	1.4	4
66	Synthesis of a mesoporous single crystal Ga ₂ O ₃ nanoplate with improved photoluminescence and high sensitivity in detecting CO. <i>Chemical Communications</i> , 2010 , 46, 6388-90	5.8	44
65	High-yield synthesis of ultralong and ultrathin Zn ₂ GeO ₄ nanoribbons toward improved photocatalytic reduction of CO ₂ into renewable hydrocarbon fuel. <i>Journal of the American Chemical Society</i> , 2010 , 132, 14385-7	16.4	553
64	Microstructuring of graphene oxide nanosheets using direct laser writing. <i>Advanced Materials</i> , 2010 , 22, 67-71	24	278
63	Making patterns on graphene. <i>Advanced Materials</i> , 2010 , 22, 3615-20	24	91
62	A Room-Temperature Reactive-Template Route to Mesoporous ZnGa ₂ O ₄ with Improved Photocatalytic Activity in Reduction of CO ₂ . <i>Angewandte Chemie</i> , 2010 , 122, 6544-6548	3.6	97
61	A room-temperature reactive-template route to mesoporous ZnGa ₂ O ₄ with improved photocatalytic activity in reduction of CO ₂ . <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 6400-4	16.4	286
60	Hen eggwhite-mediated stack crystallization of calcium carbonate. <i>Journal of Crystal Growth</i> , 2010 , 312, 831-836	1.6	19
59	Morphology control and optical properties of organic nanostructures based on thermotropic liquid crystalline benzoylated bacterial cellulose. <i>Carbohydrate Polymers</i> , 2010 , 80, 551-554	10.3	3

58	Lipid Nanotubes as Scaffold Toward Construction of One-Dimensional Nanostructures. <i>Science of Advanced Materials</i> , 2010 , 2, 359-364	2.3	8
57	Multilayer Hybrid Films Consisting of Alternating Graphene and Titania Nanosheets with Ultrafast Electron Transfer and Photoconversion Properties. <i>Advanced Functional Materials</i> , 2009 , 19, 3638-3643	15.6	276
56	Antimicrobial Nanotubes Consisting of Ag-Embedded Peptidic Lipid-Bilayer Membranes as Delivery Vehicles. <i>Advanced Materials</i> , 2009 , 21, 1742-1745	24	37
55	Necklace-like chains of hybrid nanospheres consisting of Pd nanocrystals and peptidic lipids. <i>Journal of the American Chemical Society</i> , 2009 , 131, 2456-7	16.4	37
54	Hydrothermal Dehydration for the Green Reduction of Exfoliated Graphene Oxide to Graphene and Demonstration of Tunable Optical Limiting Properties. <i>Chemistry of Materials</i> , 2009 , 21, 2950-2956	9.6	1285
53	Lipid Nanotubes: Formation, Templating Nanostructures and Drug Nanocarriers. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2008 , 33, 183-196	10.1	32
52	One-Dimensional Confinement of CdS Nanodots and Subsequent Formation of CdS Nanowires by Using a Glycolipid Nanotube as a Ship-in-Bottle Scaffold. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 18412-18416	3.8	12
51	Lipid Nanotubes: A Unique Template To Create Diverse One-Dimensional Nanostructures. <i>Chemistry of Materials</i> , 2008 , 20, 625-633	9.6	119
50	Surfactant-Assisted Preparation of Novel Layered Silver Bromide-Based Inorganic/Organic Nanosheets by Pulsed Laser Ablation in Aqueous Media. <i>Advanced Functional Materials</i> , 2007 , 17, 3554-3561	15.6	41
49	Instant Preparation of Self-Assembled Metal-Complexed Lipid Nanotubes That Act as Templates to Produce Metal-Oxide Nanotubes. <i>Advanced Materials</i> , 2007 , 19, 242-246	24	65
48	Fluorescent Nanotubes Consisting of CdS-Embedded Bilayer Membranes of a Peptide Lipid. <i>Advanced Materials</i> , 2007 , 19, 1055-1058	24	36
47	Aligned Nanocables: Controlled Sheathing of CuO Nanowires by a Self-Assembled Tubular Glycolipid. <i>Advanced Materials</i> , 2007 , 19, 4194-4197	24	23
46	Preparation and rate capability of Li ₄ Ti ₅ O ₁₂ hollow-sphere anode material. <i>Journal of Power Sources</i> , 2007 , 166, 514-518	8.9	119
45	Patenting activity in synthesis of lipid nanotubes and peptide nanotubes. <i>Recent Patents on Nanotechnology</i> , 2007 , 1, 21-8	1.2	8
44	Fabrication and Electrochemical Characterization of Molecularly Alternating Self-Assembled Films and Capsules of Titania Nanosheets and Gold Nanoparticles. <i>Current Nanoscience</i> , 2007 , 3, 155-160	1.4	7
43	Multilayer Hybrid Films of Titania Semiconductor Nanosheet and Silver Metal Fabricated via Layer-by-Layer Self-Assembly and Subsequent UV Irradiation. <i>Chemistry of Materials</i> , 2006 , 18, 1235-1239	8.6	79
42	Helical Arrays of CdS Nanoparticles Tracing on a Functionalized Chiral Template of Glycolipid Nanotubes. <i>Chemistry of Materials</i> , 2006 , 18, 403-406	9.6	62
41	Recent Progress in Biomolecule-Templated Nanomaterials. <i>Current Nanoscience</i> , 2006 , 2, 123-134	1.4	24

40	Formation of uniform CuO nanorods by spontaneous aggregation: Selective synthesis of CuO, Cu ₂ O, and Cu nanoparticles by a solid-liquid phase arc discharge process. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 14011-6	3.4	248
39	Recent Advances in Ionic Liquids for Synthesis of Inorganic Nanomaterials. <i>Current Nanoscience</i> , 2005 , 1, 35-42	1.4	145
38	Ionic liquids for the convenient synthesis of functional nanoparticles and other inorganic nanostructures. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 4988-92	16.4	1054
37	Ionic Liquids for the Convenient Synthesis of Functional Nanoparticles and Other Inorganic Nanostructures. <i>ChemInform</i> , 2004 , 35, no		1
36	Room-Temperature Ionic Liquids as Template to Monolithic Mesoporous Silica with Wormlike Pores via a Sol-Gel Nanocasting Technique. <i>Nano Letters</i> , 2004 , 4, 477-481	11.5	458
35	A Series of Highly Ordered, Super-Microporous, Lamellar Silicas Prepared by Nanocasting with Ionic Liquids. <i>Chemistry of Materials</i> , 2004 , 16, 544-550	9.6	196
34	Fabrication and characterization of ordered macroporous semiconductors CdS by colloidal crystal template. <i>Materials Research Bulletin</i> , 2003 , 38, 723-729	5.1	11
33	Preparation of Highly Ordered Monolithic Super-Microporous Lamellar Silica with a Room-Temperature Ionic Liquid as Template via the Nanocasting Technique. <i>Advanced Materials</i> , 2003 , 15, 1452-1455	24	197
32	A novel tailored bimodal porous silica with well-defined inverse opal microstructure and super-microporous lamellar nanostructure. <i>Chemical Communications</i> , 2003 , 2564-5	5.8	105
31	In situ cyclodextrin-based homogeneous incorporation of metal (M = Pd, Pt, Ru) nanoparticles into silica with bimodal pore structure. <i>Chemical Communications</i> , 2003 , 262-3	5.8	13
30	Synthesis of very small TiO ₂ nanocrystals in a room-temperature ionic liquid and their self-assembly toward mesoporous spherical aggregates. <i>Journal of the American Chemical Society</i> , 2003 , 125, 14960-1	16.4	533
29	Synthesis of Novel Stable Nanometer-Sized Metal (M = Pd, Au, Pt) Colloids Protected by a EConjugated Polymer. <i>Langmuir</i> , 2002 , 18, 277-283	4	113
28	A Simple In Situ Hydrogen Bond Interaction to Homogeneous Dispersion of Gold Nanoparticles in SiO ₂ Matrix Using Dendrimer as Template. <i>Chemistry Letters</i> , 2002 , 31, 1170-1171	1.7	3
27	Preparation, Optical Spectroscopy, and Electrochemical Studies of Novel EConjugated Polymer-Protected Stable PbS Colloidal Nanoparticles in a Nonaqueous Solution. <i>Langmuir</i> , 2002 , 18, 5287-5292	4	57
26	Synthesis of Nanowires and Coral-Shaped Nanostructures of Ag by an Ultraviolet Photo-Reduction Technique at Room Temperature. <i>Chemistry Letters</i> , 2001 , 30, 1192-1193	1.7	8
25	The Fabrication of CuInSe ₂ /Polyacrylamide Nanocomposites by a Convenient Simultaneous Polymerization/Decomposition Technique. <i>Chemistry Letters</i> , 2001 , 30, 136-137	1.7	2
24	Preparation of a novel core-shell nanostructured gold colloid-silk fibroin bioconjugate by the protein in situ redox technique at room temperature. <i>Chemical Communications</i> , 2001 , 2518-9	5.8	103
23	Preparation of EConjugated polymer-protected gold nanoparticles in stable colloidal form. <i>Chemical Communications</i> , 2001 , 613-614	5.8	49

22	A Novel in situ Ultraviolet Irradiation Photolysis Technique for Fabrication of Polyacrylamide-MS (M = Cd, Pb, Zn) Nanocomposites at Room Temperature. <i>Chemistry Letters</i> , 2000 , 29, 1308-1309	1.7	7
21	Synthesis and characterization of NiPtTiO ₂ ultrafine composite particles. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2000 , 77, 135-137	3.1	14
20	Synthesis of Fe ultrafine particles in a saturated salt solution/isopropanol/PVP microemulsion and their structural characterization. <i>Materials Research Bulletin</i> , 2000 , 35, 53-58	5.1	20
19	Synthesis of Fe ₃ O ₄ powder by a novel arc discharge method. <i>Materials Research Bulletin</i> , 2000 , 35, 755-759	5.1	8
18	Preparation of metal or alloy sulfide nanoparticles by electrochemical deposition. <i>Materials Research Bulletin</i> , 2000 , 35, 1463-1468	5.1	7
17	A convenient ultraviolet irradiation technique for in situ synthesis of CdS nanocrystallites at room temperature. <i>Journal of Materials Chemistry</i> , 2000 , 10, 607-608		44
16	Preparation and studies of AgTiO ₂ hybrid nanoparticles of core-shell structure. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1999 , 67, 95-98	3.1	26
15	PVA-templated Assembly of Pd Nanorod and Pd Fractal Pattern. <i>Journal of Nanoparticle Research</i> , 1999 , 1, 479-483	2.3	9
14	Preparation of nanocrystalline silver by the method of liquid-solid arc discharge combined with hydrothermal treatment. <i>Materials Research Bulletin</i> , 1999 , 34, 1683-1688	5.1	8
13	Preparation of Shell-Core Cu(2)O-Cu Nanocomposite Particles and Cu Nanoparticles in a New Microemulsion System. <i>Journal of Colloid and Interface Science</i> , 1999 , 220, 468-470	9.3	17
12	A Novel Ultraviolet Irradiation Photoreduction Technique for the Preparation of Single-Crystal Ag Nanorods and Ag Dendrites. <i>Advanced Materials</i> , 1999 , 11, 850-852	24	366
11	A Novel Ultraviolet Irradiation Technique for Shape-Controlled Synthesis of Gold Nanoparticles at Room Temperature. <i>Chemistry of Materials</i> , 1999 , 11, 2310-2312	9.6	230
10	A novel in situ simultaneous polymerization/hydrolysis technique for fabrication of polyacrylamide/Semiconductor MS(M = Cd, Zn, Pb) nanocomposites. <i>Chemical Communications</i> , 1999 , 1229-1230	5.8	21
9	A Novel in Situ Simultaneous Copolymerization/Decomposition Technique for Fabrication of Poly(acrylamide-co-styrene)-Semiconductor CdE (E = S, Se) Nanorod Nanocomposites. <i>Chemistry of Materials</i> , 1999 , 11, 3411-3413	9.6	16
8	Controllable synthesis of nanocrystalline CdS with different morphologies and particle sizes by a novel solvothermal process. <i>Journal of Materials Chemistry</i> , 1999 , 9, 1283-1287		138
7	Formation of Silver Nanowires by a Novel Solid-Liquid Phase Arc Discharge Method. <i>Chemistry of Materials</i> , 1999 , 11, 545-546	9.6	163
6	A Convenient Ultraviolet Irradiation Technique for Fabrication of Silver-polymer Nanocomposites. <i>Chemistry Letters</i> , 1999 , 28, 677-678	1.7	11
5	A Novel Ultraviolet Irradiation Photoreduction Technique for the Preparation of Single-Crystal Ag Nanorods and Ag Dendrites 1999 , 11, 850		6

4	Single Pd _β Sites In Situ Coordinated on CdS Surface as Efficient Hydrogen Autotransfer Shuttles for Highly Selective Visible-Light-Driven C ₃ N ₄ Coupling. <i>ACS Catalysis</i> ,4481-4490	13.1	3
3	State-of-the-art advancements of transition metal oxides as photoelectrode materials for solar water splitting. <i>Rare Metals</i> ,1	5.5	1
2	Boosting O ₂ Reduction and H ₂ O Dehydrogenation Kinetics: Surface N-Hydroxymethylation of g-C ₃ N ₄ Photocatalysts for the Efficient Production of H ₂ O ₂ . <i>Advanced Functional Materials</i> ,2111125	15.6	2
1	Development of an alkaline Electro-Fenton process based on the synthesis of H ₂ O ₂ in bicarbonate electrolyte. <i>Catalysis Science and Technology</i> ,	5.5	