## Ayhan Erkol

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6931999/publications.pdf

Version: 2024-02-01

| 39<br>papers   | 584<br>citations     | 686830<br>13<br>h-index | 642321<br>23<br>g-index |
|----------------|----------------------|-------------------------|-------------------------|
|                |                      |                         |                         |
| 39<br>all docs | 39<br>docs citations | 39<br>times ranked      | 1007 citing authors     |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The prognostic value of serum albumin levels on admission in patients with acute ST-segment elevation myocardial infarction undergoing a primary percutaneous coronary intervention. Coronary Artery Disease, 2013, 24, 88-94.  | 0.3 | 119       |
| 2  | The value of plasma D-dimer level on admission in predicting no-reflow after primary percutaneous coronary intervention and long-term prognosis in patients with acute ST segment elevation myocardial infarction. Journal of Thrombosis and Thrombolysis, 2014, 38, 339-347.           | 1.0 | 41        |
| 3  | Left Atrial Deformation Parameters Predict Left Atrial Appendage Function and Thrombus in Patients in Sinus Rhythm with Suspected Cardioembolic Stroke: A Speckle Tracking and Transesophageal Echocardiography Study. Echocardiography, 2013, 30, 572-581.                             | 0.3 | 39        |
| 4  | In-hospital prognostic value of hemoglobin levels on admission in patients with acute ST segment elevation myocardial infarction undergoing primary angioplasty. Clinical Research in Cardiology, 2012, 101, 37-44.   | 1.5 | 31        |
| 5  | Impact of Chronic Pre-Treatment of Statins on the Level of Systemic Inflammation and Myocardial<br>Perfusion in Patients Undergoing Primary Angioplasty. American Journal of Cardiology, 2011, 107,<br>179-185.   | 0.7 | 30        |
| 6  | Intracoronary bolusâ€only compared with intravenous bolus plus infusion of tirofiban application in patients with STâ€elevation myocardial infarction undergoing primary percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2012, 79, 59-67.         | 0.7 | 29        |
| 7  | Relation of the severity of contrast induced nephropathy to SYNTAX score and long term prognosis in patients treated with primary percutaneous coronary intervention. International Journal of Cardiology, 2013, 168, 3480-3485.  | 0.8 | 24        |
| 8  | Neutrophil to Lymphocyte Ratio in Acute ST-Segment Elevation Myocardial Infarction. American Journal of the Medical Sciences, 2014, 348, 37-42.   | 0.4 | 23        |
| 9  | Baseline SYNTAX Score and Long-Term Outcome in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. Clinical and Applied Thrombosis/Hemostasis, 2015, 21, 712-719.   | 0.7 | 22        |
| 10 | The Prevalence of Echocardiographic Accretions on the Leads of Patients with Permanent Pacemakers. Journal of the American Society of Echocardiography, 2011, 24, 803-807.  | 1.2 | 21        |
| 11 | The prognostic value of very low admission LDL-cholesterol levels in ST-segment elevation myocardial infarction compared in statin-pretreated and statin-naive patients undergoing primary percutaneous coronary intervention. International Journal of Cardiology, 2013, 167, 458-463. | 0.8 | 20        |
| 12 | Effect of Contrast-Induced Nephropathy on the Long-Term Outcome of Patients with Non-ST Segment Elevation Myocardial Infarction. CardioRenal Medicine, 2015, 5, 116-124.  | 0.7 | 19        |
| 13 | Early Effects of Percutaneous Mitral Valvuloplasty on Left Atrial Mechanical Functions. Tohoku<br>Journal of Experimental Medicine, 2006, 209, 285-289.   | 0.5 | 17        |
| 14 | Plasma osteoprotegerin level on admission is associated with no-reflow phenomenon after primary angioplasty and subsequent left ventricular remodeling in patients with acute ST-segment elevation myocardial infarction. Atherosclerosis, 2012, 221, 254-259.                          | 0.4 | 15        |
| 15 | Biventricular noncompaction presenting with stroke. European Journal of Cardio-thoracic Surgery, 2008, 33, 737-737.   | 0.6 | 12        |
| 16 | Relation of Epicardial Fat Thickness to Subclinical Right Ventricular Dysfunction Assessed by Strain and Strain Rate Imaging in Subjects with Metabolic Syndrome: A Twoâ€Dimensional Speckle Tracking Echocardiography Study. Echocardiography, 2015, 32, 248-256.                      | 0.3 | 12        |
| 17 | Effectiveness of Left Judkins Catheter as a Single Multipurpose Catheter in Transradial Coronary<br>Angiography From Right Radial Artery: A Randomized Comparison With Conventional Twoâ€Catheter<br>Strategy. Journal of Interventional Cardiology, 2016, 29, 257-264.                 | 0.5 | 10        |
| 18 | Dilated Cardiomyopathy in a Patient with Marfan Syndrome Accompanied by Chronic Type A Aortic Dissection and Right Atrial Thrombus. Internal Medicine, 2010, 49, 2583-2586.   | 0.3 | 9         |

| #  | Article  | IF                                | CITATIONS |
|----|--|-----------------------------------|-----------|
| 19 | Relation of Circulating Osteoprotegerin Levels on Admission to Microvascular Obstruction After Primary Percutaneous Coronary Intervention. American Journal of Cardiology, 2011, 107, 857-862.   | 0.7                               | 9         |
| 20 | Left atrial appendage functions in patients with severe rheumatic mitral regurgitation. International Journal of Cardiovascular Imaging, 2007, 23, 693-700.  | 0.7                               | 8         |
| 21 | Soluble endothelial protein C receptor levels and protein C activity in patients with acute ST-segment elevation myocardial infarction. Coronary Artery Disease, 2013, 24, 209-216.  | 0.3                               | 8         |
| 22 | Incidence and predictors of radial artery injury following transradial procedures: Yet another benefit of renin–angiotensin system blockade?. Cardiology Journal, 2016, 23, 64-70.   | 0.5                               | 8         |
| 23 | Double-orifice mitral valve associated with bicuspid aortic valve: a rare case of incomplete form of Shone's complex. European Heart Journal Cardiovascular Imaging, 2009, 10, 801-803.  | 0.5                               | 7         |
| 24 | Inappropriate combination of warfarin and aspirin. Anatolian Journal of Cardiology, 2015, 16, 189-96.  | 0.5                               | 6         |
| 25 | Diastolic Dyssynchrony in Acute ST Segment Elevation Myocardial Infarction and Relationship with Functional Recovery of Left Ventricle. Journal of Cardiovascular Imaging, 2016, 24, 208.  | 0.8                               | 6         |
| 26 | Primary angioplasty in a high-volume tertiary center in Turkey: in-hospital clinical outcomes of 1625 patients. Turk Kardiyoloji Dernegi Arsivi, 2011, 39, 300-307.  | 0.6                               | 6         |
| 27 | Comparison of uninterrupted warfarin and bridging therapy using low-molecular weight heparin with respect to the severity of bleeding after dental extractions in patients with prosthetic valves.  Anatolian Journal of Cardiology, 2015, 16, 467-473.    | 0.5                               | 5         |
| 28 | Effectiveness of sublingual nitroglycerin before puncture compared with conventional intra-arterial nitroglycerin in transradial procedures: a randomized trial. Cardiovascular Revascularization Medicine, 2015, 16, 391-396.                             | 0.3                               | 4         |
| 29 | Relation of plasma matrix metalloproteinase-8 levels late after myocardial infarction with left ventricular volumes and ejection fraction. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 617-624.   | 0.6                               | 4         |
| 30 | Seksen yaş altı ve üstü hastalarda ST yükselmeli miyokart enfarktüsü için başarılı birincil an<br>sonrası erken ve geç dönem klinik sonuçların karşılaÅŸtırılması. Turk Kardiyoloji Dernegi Arsivi, Ž<br>319-328.  | jiyoplasti<br>20 <b>1.8</b> , 41, | 4         |
| 31 | In-hospital prognostic value of admission plasma B-type natriuretic peptide levels in patients undergoing primary angioplasty for acute ST-elevation myocardial infarction. Turk Kardiyoloji Dernegi Arsivi, 2011, 39, 540-548.                            | 0.6                               | 3         |
| 32 | Influence of Diurnial Blood Pressure rhythm on Aortic Elastic Properties in Hypertensive Subjects. Acta Cardiologica, 2006, 61, 417-420.   | 0.3                               | 2         |
| 33 | No Harmful Effect of Dialysis-Induced Hypotension on the Myocardium in Patients Who Have Normal Ejection Fraction and a Negative Exercise Test. Kidney and Blood Pressure Research, 2012, 35, 671-677.   | 0.9                               | 2         |
| 34 | Predictors of coronary artery aneurysm after stent implantation in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. International Journal of Cardiovascular Imaging, 2014, 30, 1435-1444. | 0.7                               | 2         |
| 35 | Predictors and long-term prognostic significance of angiographically visible distal embolization during primary percutaneous coronary intervention. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 486-494.  | 0.6                               | 2         |
| 36 | Soluble CD40 ligand release in patients with stable coronary artery disease during elective stent implantation: effect of drug-eluting stent over bare metal stent. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 675-682.                                    | 0.6                               | 2         |

## AYHAN ERKOL

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Atherosclerosis in Type IV Dual Left Anterior Descending Artery and Anomalous Aortic Origin of the Left Circumflex Artery in Association with Rheumatic Valve Disease: A Case Report. Heart Surgery Forum, 2007, 10, E276-E278. | 0.2 | 2         |
| 38 | Eventâ€Free 6 Months of an Octogenarian with an Undeployed Stent in the Left Main Coronary Trunk: Efficacy of Dual Antiplatelet Therapy. Journal of the American Geriatrics Society, 2009, 57, 1935-1937.                       | 1.3 | 1         |
| 39 | Type IV Dual Left Anterior Descending Artery in a Septagenarian. Journal of the American Geriatrics<br>Society, 2009, 57, 1952-1953.  | 1.3 | 0         |