

Seifollah Bahramikia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6932763/seifollah-bahramikia-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21
papers

452
citations

10
h-index

21
g-index

25
ext. papers

538
ext. citations

3.8
avg, IF

4.14
L-index

#	Paper	IF	Citations
21	Evaluation of antioxidant and anti-ulcerogenic effects of <i>Eremurus persicus</i> (Jaub & Spach) Boiss leaf hydroalcoholic extract on ethanol-induced gastric ulcer in rats. <i>Inflammopharmacology</i> , 2021 , 29, 1503-1518	5.1	5
20	The effects of <i>Quercus brantii</i> acorn extract on hen egg-white lysozyme amyloid formation and disassemble amyloid aggregates. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14499	2.1	
19	In vitro investigation of the effect of mesalazine on amyloid fibril formation of hen egg-white lysozyme and defibrillation lysozyme fibrils. <i>European Journal of Pharmacology</i> , 2020 , 874, 173011	5.3	4
18	Ameliorating and protective effects mesalazine on ethanol-induced gastric ulcers in experimental rats. <i>European Journal of Pharmacology</i> , 2020 , 888, 173573	5.3	16
17	Protective effects of organic fractions of <i>Trachyspermum copticum</i> against advance glycation end products in vitro. <i>Advances in Traditional Medicine</i> , 2020 , 20, 143-151	1.4	1
16	Modulation of the antioxidant defense system in liver, kidney, and pancreas tissues of alloxan-induced diabetic rats by camphor. <i>Journal of Food Biochemistry</i> , 2020 , 44, e13527	3.3	6
15	Molecular identification and genetic variation of species isolated from tomatoes using ITS1 sequencing and inter simple sequence repeat methods. <i>Current Medical Mycology</i> , 2019 , 5, 1-8	1.1	8
14	Inhibitory effect of effective fraction of <i>Salvia officinalis</i> on aldose reductase activity: strategy to reduce complications of type 2 diabetes. <i>Oriental Pharmacy and Experimental Medicine</i> , 2019 , 19, 211-216		3
13	Inhibitory effect of safranal and crocin, two principle compounds of <i>Crocus sativus</i> , on fibrillation of lysozyme. <i>Journal of the Iranian Chemical Society</i> , 2017 , 14, 2407-2416	2	5
12	Inhibition of human islet amyloid polypeptide or amylin aggregation by two manganese-salen derivatives. <i>European Journal of Pharmacology</i> , 2013 , 707, 17-25	5.3	18
11	Syntheses and structure-activity relationships of seven manganese-salen derivatives as anti-amyloidogenic and fibril-destabilizing agents against hen egg-white lysozyme aggregation. <i>Chemical Biology and Drug Design</i> , 2012 , 80, 227-36	2.9	11
10	EUK-8 and EUK-134 reduce serum glucose and lipids and ameliorate streptozotocin-induced oxidative damage in the pancreas, liver, kidneys, and brain tissues of diabetic rats. <i>Medicinal Chemistry Research</i> , 2012 , 21, 3224-3232	2.2	9
9	Anti-amyloidogenic and fibril-destabilizing effects of two manganese-salen derivatives against hen egg-white lysozyme aggregation. <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 187-97	7.9	20
8	Phytochemistry and medicinal properties of <i>Teucrium polium</i> L. (Lamiaceae). <i>Phytotherapy Research</i> , 2012 , 26, 1581-93	6.7	78
7	Salen-Manganese Complexes, EUK-8 and EUK-134, Protect Against Protein and Lipid Oxidative in Neuroblastoma Cells and Rat Liver Homogenates in vitro. <i>Research Journal of Biological Sciences</i> , 2011 , 6, 670-677	0	
6	Antioxidant efficacy of <i>Nasturtium officinale</i> extracts using various in vitro assay systems. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2010 , 3, 283-90	1.2	35
5	Protective effects of four Iranian medicinal plants against free radical-mediated protein oxidation. <i>Food Chemistry</i> , 2009 , 115, 37-42	8.5	50

4	Efficacy of different fractions of <i>Anethum graveolens</i> leaves on serum lipoproteins and serum and liver oxidative status in experimentally induced hypercholesterolaemic rat models. <i>The American Journal of Chinese Medicine</i> , 2009 , 37, 685-99	6	27
3	<i>Nasturtium officinale</i> reduces oxidative stress and enhances antioxidant capacity in hypercholesterolaemic rats. <i>Chemico-Biological Interactions</i> , 2008 , 172, 176-84	5	107
2	Effect of hydroalcoholic extracts of <i>Nasturtium officinale</i> leaves on lipid profile in high-fat diet rats. <i>Journal of Ethnopharmacology</i> , 2008 , 115, 116-21	5	49
1	Geraniol ameliorated serum lipid profile and improved antioxidant defense system in pancreas, liver and heart tissues of alloxan-induced diabetic rats. <i>Biologia (Poland)</i> , 1	1.5	