## Yohei Kirino

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6935663/publications.pdf

Version: 2024-02-01

172207 149479 3,519 101 29 56 citations h-index g-index papers 106 106 106 4154 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Benefits and risks of haematopoietic stem cell transplantation for systemic sclerosis: A systematic review and meta-analysis. Modern Rheumatology, 2023, 33, 330-337.	0.9	O
2	Behçet's disease and activities of daily living. Rheumatology, 2022, 61, 1133-1140.	0.9	1
3	Clinical features of Behçet's disease patients with joint symptoms in Japan: A national multicenter study. Modern Rheumatology, 2022, 32, 1146-1152.	0.9	1
4	Beneficial effects of apremilast on genital ulcers, skin lesions, and arthritis in patients with Behçet's disease: A systematic review and meta-analysis. Modern Rheumatology, 2022, 32, 1153-1162.	0.9	5
5	Anti-interferon- $\hat{I}^3$ Antibody-seropositive Disseminated Nontuberculous Mycobacterial Infection Mimicking POEMS and TAFRO Syndromes. Internal Medicine, 2022, 61, 2377-2385.	0.3	2
6	A case of <scp>VEXAS</scp> syndrome with Sweet's disease and pulmonary involvement. Journal of Dermatology, 2022, 49, .	0.6	4
7	The Roles of Monocytes and Macrophages in Behçet's Disease With Focus on M1 and M2 Polarization. Frontiers in Immunology, 2022, 13, 852297.	2.2	12
8	Behçet's disease with a somatic UBA1 variant:Expanding spectrum of autoinflammatory phenotypes of VEXAS syndrome. Clinical Immunology, 2022, 238, 108996.	1.4	20
9	Clinical images: VEXAS syndrome presenting as treatmentâ€refractory polyarteritis nodosa. Arthritis and Rheumatology, 2022, 74, 1863-1864.	2.9	9
10	Clinical features of elderly-onset Adult-onset Still's disease. Modern Rheumatology, 2021, 31, 862-868.	0.9	15
11	Efficacy and safety of apremilast for 3 months in Behçet's disease: A prospective observational study. Modern Rheumatology, 2021, 31, 856-861.	0.9	10
12	Risk Prediction Modeling Based on a Combination of Initial Serum Biomarker Levels in Polymyositis/Dermatomyositis–Associated Interstitial Lung Disease. Arthritis and Rheumatology, 2021, 73, 677-686.	2.9	60
13	HLA-A26 is a risk factor for Behçet's disease ocular lesions. Modern Rheumatology, 2021, 31, 214-218.	0.9	11
14	Initial hydroxychloroquine monotherapy in systemic lupus erythematosus: report of three cases. Modern Rheumatology Case Reports, 2021, 5, 259-264.	0.3	0
15	Elevated serum gasdermin D N-terminal implicates monocyte and macrophage pyroptosis in adult-onset Still's disease. Rheumatology, 2021, 60, 3888-3895.	0.9	14
16	Changes in the proportion of clinical clusters contribute to the phenotypic evolution of Behçet's disease in Japan. Arthritis Research and Therapy, 2021, 23, 49.	1.6	35
17	Pathogenic <i>UBA1</i> variants associated with VEXAS syndrome in Japanese patients with relapsing polychondritis. Annals of the Rheumatic Diseases, 2021, 80, 1057-1061.	0.5	88
18	Adamantiadesâ€Behçet's disease (Behçet's disease) and COVIDâ€19. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e541-e543.	1.3	12

#	Article	IF	CITATIONS
19	Tocilizumab in VEXAS relapsing polychondritis: a single-center pilot study in Japan. Annals of the Rheumatic Diseases, 2021, 80, 1501-1502.	0.5	55
20	Genetic and chemical inhibition of IRF5 suppresses pre-existing mouse lupus-like disease. Nature Communications, 2021, 12, 4379.	5.8	24
21	Anti-TRIM21 antibody is associated with aberrant B-cell function and type I interferon production in systemic lupus erythematosus. Lupus, 2021, 30, 2054-2065.	0.8	3
22	Exploratory investigation on antibodies to GluN1 and cognitive dysfunction in patients with chronic autoimmune psychosis. Neuroscience Letters, 2021, 743, 135588.	1.0	1
23	Usefulness of the severity classification for predicting drug-free remission in Japanese patients with adult-onset Still's disease. Modern Rheumatology, 2021, , .	0.9	0
24	The PRY/SPRY domain of pyrin/TRIM20 interacts with $\hat{l}^2$ 2-microglobulin to promote inflammasome formation. Scientific Reports, 2021, 11, 23613.	1.6	10
25	Incidence and Distinct Features of Immune Checkpoint Inhibitor-Related Myositis From Idiopathic Inflammatory Myositis: A Single-Center Experience With Systematic Literature Review and Meta-Analysis. Frontiers in Immunology, 2021, 12, 803410.	2.2	25
26	Clinical characteristics of cancer-associated myositis complicated by interstitial lung disease: a large-scale multicentre cohort study. Rheumatology, 2020, 59, 112-119.	0.9	9
27	Refractory optic perineuritis related to granulomatosis with polyangiitis treated with intensive immunosuppressive therapy combined with plasma exchange. Modern Rheumatology Case Reports, 2020, 4, 84-89.	0.3	3
28	The influence of HLA-B51 on clinical manifestations among Japanese patients with Behçet's disease: A nationwide survey. Modern Rheumatology, 2020, 30, 708-714.	0.9	15
29	miR-1 is a novel biomarker for polymyositis/dermatomyositis-associated interstitial lung disease. Modern Rheumatology, 2020, 30, 878-883.	0.9	6
30	Evaluation of usefulness in surfactant protein D as a predictor of mortality in myositis-associated interstitial lung disease. PLoS ONE, 2020, 15, e0234523.	1.1	5
31	TRIM21 Dysfunction Enhances Aberrant B-Cell Differentiation in Autoimmune Pathogenesis. Frontiers in Immunology, 2020, 11, 98.	2.2	27
32	Clinical features of early-stage possible Behçet's disease patients with a variant-type major organ involvement in Japan. Modern Rheumatology, 2019, 29, 640-646.	0.9	9
33	Dose downâ€titration of biological diseaseâ€modifying antirheumatic drugs in daily clinical practice: Shared decisionâ€making and patient treatment preferences in Japanese patients with rheumatoid arthritis. International Journal of Rheumatic Diseases, 2019, 22, 2009-2016.	0.9	2
34	Clinical and Genetic Aspects of Behçet's Disease in Japan. Internal Medicine, 2019, 58, 1199-1207.	0.3	27
35	Haploinsufficiency of A20 caused by a novel nonsense variant or entire deletion of TNFAIP3 is clinically distinct from Behçet's disease. Arthritis Research and Therapy, 2019, 21, 137.	1.6	39
36	The ocular involvement did not accompany with the genital ulcer or the gastrointestinal symptoms at the early stage of Behçet's disease. Modern Rheumatology, 2019, 29, 357-362.	0.9	14

#	Article	IF	Citations
37	Dysfunction of TRIM21 in interferon signature of systemic lupus erythematosus. Modern Rheumatology, 2018, 28, 993-1003.	0.9	15
38	Beneficial use of serum ferritin and heme oxygenase-1 as biomarkers in adult-onset Still's disease: A multicenter retrospective study. Modern Rheumatology, 2018, 28, 858-864.	0.9	21
39	Successful treatment of extensive venous thrombosis with combination of immunosuppressants and a direct Xa inhibitor in Behçet's disease. Modern Rheumatology Case Reports, 2018, 2, 204-208.	0.3	0
40	Diagnostic test accuracy of ultrasound for synovitis in rheumatoid arthritis: systematic review and meta-analysis. Rheumatology, 2018, 57, 49-58.	0.9	55
41	Genetic determinants and an epistasis of <i>LILRA3</i> and HLA-B*52 in Takayasu arteritis. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 13045-13050.	3.3	51
42	GWAS-identified CCR1 and IL10 loci contribute to M1 macrophage-predominant inflammation in Behçet's disease. Arthritis Research and Therapy, 2018, 20, 124.	1.6	30
43	Dysregulated heme oxygenase-1low M2-like macrophages augment lupus nephritis via Bach1 induced by type I interferons. Arthritis Research and Therapy, 2018, 20, 64.	1.6	42
44	The predictive prognostic factors for polymyositis/dermatomyositis-associated interstitial lung disease. Arthritis Research and Therapy, 2018, 20, 7.	1.6	54
45	Dense genotyping of immune-related loci implicates host responses to microbial exposure in Behçet's disease susceptibility. Nature Genetics, 2017, 49, 438-443.	9.4	129
46	Successful treatment of a patient with refractory haemophagocytic syndrome in systemic lupus erythematosus with mycophenolate mofetil. Modern Rheumatology Case Reports, 2017, 1, 79-83.	0.3	2
47	Distinct clinical features between acute and chronic progressive parenchymal neuro-Behçet disease: meta-analysis. Scientific Reports, 2017, 7, 10196.	1.6	26
48	Clinical manifestations of Behçet's disease depending on sex and age: results from Japanese nationwide registration. Rheumatology, 2017, 56, 1918-1927.	0.9	60
49	On-demand ultrasonography assessment in the most symptomatic joint supports the 8-joint score system for management of rheumatoid arthritis patients. Modern Rheumatology, 2017, 27, 257-265.	0.9	2
50	Musculoskeletal ultrasonography delineates ankle symptoms in rheumatoid arthritis. Modern Rheumatology, 2017, 27, 425-429.	0.9	5
51	FRIO305â€Relative fdg accumulation of the aortic wall lesions to aortic blood pool in 18F-FDG-PET and PET/CT could be a useful parameter for the prediction of disease relapse after successful treatmen in takayasu arteritis. , 2017, , .		0
52	Influences of timing of introduction of infliximab on the outcome of patients with chronic progressive neuro-Behcet's disease. Journal of the Neurological Sciences, 2017, 381, 76-77.	0.3	0
53	FRIO419â€The predictive prognostic factors for clinical course of polymyositis/dermatomyositis-associated interstitial lung disease. , 2017, , .		0
54	ABO416â€Which factors predict the responsiveness to tocilizumab in rheumatoid arthritis? the difference between the usage as the first biologic and as the second biologic., 2017, , .		0

#	Article	IF	Citations
55	Regional cerebral glucose metabolism in systemic lupus erythematosus patients with major depressive disorder. Journal of the Neurological Sciences, 2017, 379, 127-130.	0.3	15
56	Non-IgG4-related Multifocal Fibrosclerosis. Internal Medicine, 2016, 55, 2497-2502.	0.3	3
57	A single endoplasmic reticulum aminopeptidase-1 protein allotype is a strong risk factor for Behçet's disease in HLA-B*51 carriers. Annals of the Rheumatic Diseases, 2016, 75, 2208-2211.	0.5	59
58	Continuous evolution of clinical phenotype in 578 Japanese patients with Behçet's disease: a retrospective observational study. Arthritis Research and Therapy, 2016, 18, 217.	1.6	51
59	AB0973â€The 8-Joint Ultrasound Score Is Useful for Monitoring Response To Treatment for Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2016, 75, 1234.1-1234.	0.5	1
60	<sup>18</sup> F-FDG and <sup>18</sup> F-NaF PET/CT demonstrate coupling of inflammation and accelerated bone turnover in rheumatoid arthritis. Modern Rheumatology, 2016, 26, 180-187.	0.9	31
61	AB0278â€Early Termination of the First Biological Disease-Modifying Antirheumatic Drugs Therapy Leads to Radiological Progression in Patients with Rheumatoid Arthritis, Irrespective of Subsequent Therapies. Annals of the Rheumatic Diseases, 2015, 74, 985.2-985.	0.5	0
62	FRIO610â€Ultrasonograpic Assessment Covers a Pitfal of Physycal Examination in the Ankle Joints in Patients with Rheumatoid Arthritis: Table1 Annals of the Rheumatic Diseases, 2015, 74, 649.2-649.	0.5	0
63	SAT0214â€Comparison of Response to Tocilizumab Between Biologic-NaÃ⁻ve Patients and Non-Responder to TNF Inhibitor Failure in Rheumatoid Arthritis: A Retrospective Study Using the Y-Curd Registry. Annals of the Rheumatic Diseases, 2015, 74, 734.3-735.	0.5	0
64	SAT0620â€Wrist PD Signal Detected by Ultrasonography Relates to Joint Destruction in Rheumatoid Arthritis Under Biologics Therapy in Real World: Table 1 Annals of the Rheumatic Diseases, 2015, 74, 885.3-886.	0.5	1
65	FRIO561â€The Availability of On-Demand Ultrasonography Assessment in the Most Affected Joint for Management of RA Patients in Daily Practice. Annals of the Rheumatic Diseases, 2015, 74, 630.2-631.	0.5	0
66	Identification of ERAP1 protein allotypes in the Turkish population and evaluation of their contributions to BehÃ $\$$ et's disease risk. Pediatric Rheumatology, 2015, 13, .	0.9	0
67	Development of anti-infliximab antibody is associated with reduced efficacy and infusion reaction in Beh $ ilde{A}$ Set's disease with uveitis. Pediatric Rheumatology, 2015, 13, .	0.9	2
68	A novel 8-joint ultrasound score is useful in daily practice for rheumatoid arthritis. Modern Rheumatology, 2015, 25, 379-385.	0.9	20
69	Brief Report: Takayasu Arteritis and Ulcerative Colitis: High Rate of Coâ€Occurrence and Genetic Overlap. Arthritis and Rheumatology, 2015, 67, 2226-2232.	2.9	102
70	Genetic architectures of seropositive and seronegative rheumatic diseases. Nature Reviews Rheumatology, 2015, 11, 401-414.	3.5	39
71	Predicting joint destruction in rheumatoid arthritis with power Doppler, anti-citrullinated peptide antibody, and joint swelling. Modern Rheumatology, 2015, 25, 842-848.	0.9	7
72	A polymorphism in CCR1/CCR3 is associated with narcolepsy. Brain, Behavior, and Immunity, 2015, 49, 148-155.	2.0	38

#	Article	IF	Citations
73	Behçet disease-associated MHC class I residues implicate antigen binding and regulation of cell-mediated cytotoxicity. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 8867-8872.	3.3	123
74	Ultrasonography predicts achievement of Boolean remission after DAS28-based clinical remission of rheumatoid arthritis. Modern Rheumatology, 2014, 24, 590-598.	0.9	8
75	OP0052â€Prospective Evaluation of 18F-FDG and 18F-Naf Pet/Ct: Imaging Analysis of Inflammation and Bone Metabolism in Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2014, 73, 80.2-80.	0.5	О
76	SAT0263â€Comparison between TOCILIZUMAB and Alternatve TNF Inhibitor as A Second Line following TNF Inhibitor Failure in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2014, 73, 688.2-689.	0.5	0
77	AB0510â€Predicting Factors of Unfavorable Clinical Outcome in Lupus Nephritis. Annals of the Rheumatic Diseases, 2014, 73, 975.2-975.	0.5	0
78	Genome-wide association analysis identifies new susceptibility loci for Behçet's disease and epistasis between HLA-B*51 and ERAP1. Nature Genetics, 2013, 45, 202-207.	9.4	483
79	Targeted resequencing implicates the familial Mediterranean fever gene <i>MEFV</i> and the toll-like receptor 4 gene <i>TLR4</i> in Behçet disease. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 8134-8139.	3.3	140
80	Bach1 regulates osteoclastogenesis in a mouse model via both heme oxygenase 1–dependent and heme oxygenase 1–independent pathways. Arthritis and Rheumatism, 2012, 64, 1518-1528.	6.7	25
81	Neurological manifestations of Behçet's disease in Japan: a study of 54 patients. Journal of Neurology, 2010, 257, 1012-1020.	1.8	67
82	Serum HO-1 is useful to make differential diagnosis of secondary hemophagocytic syndrome from other similar hematological conditions. International Journal of Hematology, 2010, 91, 229-237.	0.7	14
83	Expression of heme oxygenaseâ€1 in human leukemic cells and its regulation by transcriptional repressor Bach1. Cancer Science, 2010, 101, 1409-1416.	1.7	72
84	Genome-wide association study identifies variants in the MHC class I, IL10, and IL23R-IL12RB2 regions associated with Behçet's disease. Nature Genetics, 2010, 42, 698-702.	9.4	595
85	Therapeutic angiogenesis in patients with systemic sclerosis by autologous transplantation of bone-marrow-derived cells. Modern Rheumatology, 2010, 20, 263-272.	0.9	25
86	Therapeutic angiogenesis in patients with systemic sclerosis by autologous transplantation of bone-marrow-derived cells. Modern Rheumatology, 2010, 20, 263-272.	0.9	15
87	Multiple extra-articular synovial cysts complicated with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 563-566.	0.9	6
88	Screening of tuberculosis by interferon- $\hat{l}^3$ assay before biologic therapy for rheumatoid arthritis. Tuberculosis, 2009, 89, 136-141.	0.8	26
89	Multiple extra-articular synovial cysts complicated with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 563-566.	0.9	4
90	Association of reduced heme oxygenase-1 with excessive Toll-like receptor 4 expression in peripheral blood mononuclear cells in BehA§et's disease. Arthritis Research and Therapy, 2008, 10, R16.	1.6	38

## Yohei Kirino

#	Article	IF	CITATION
91	Heme oxygenase 1 attenuates the development of atopic dermatitis–like lesions in mice: Implications for human disease. Journal of Allergy and Clinical Immunology, 2008, 122, 290-297.e8.	1.5	51
92	Circulating Carbon Monoxide Level Is Elevated After Sleep in Patients With Obstructive Sleep Apnea. Chest, 2008, 134, 904-910.	0.4	20
93	Successful treatment of refractory lupus-associated haemophagocytic lymphohistiocytosis with infliximab. Rheumatology, 2007, 46, 1621-1622.	0.9	47
94	Tumor necrosis factor $\hat{l}_{\pm}$ acceleration of inflammatory responses by down-regulating heme oxygenase 1 in human peripheral monocytes. Arthritis and Rheumatism, 2007, 56, 464-475.	6.7	46
95	Regulatory role of heme oxygenase 1 in inflammation of rheumatoid arthritis. Arthritis and Rheumatism, 2006, 54, 1132-1142.	6.7	120
96	Systemic sclerosis and pseudomesotheliomatous adenocarcinoma of the lung. Modern Rheumatology, 2006, 16, 165-168.	0.9	2
97	Increased serum HO-1 in hemophagocytic syndrome and adult-onset Still's disease: use in the differential diagnosis of hyperferritinemia. Arthritis Research, 2005, 7, R616.	2.0	56
98	The roles of heme oxygenase (HO)-1 in human inflammations. Ensho Saisei, 2005, 25, 431-435.	0.2	1
99	Chemical induction of HO-1 suppresses lupus nephritis by reducing local iNOS expression and synthesis of anti-dsDNA antibody. Clinical and Experimental Immunology, 2004, 138, 237-244.	1.1	64
100	Case Report: Tocilizumab Treatment for VEXAS Syndrome With Relapsing Polychondritis: A Single-Center, 1-Year Longitudinal Observational Study In Japan. Frontiers in Immunology, 0, 13, .	2.2	24
101	Case Report: Coexistence of Multiple Myeloma and Auricular Chondritis in VEXAS Syndrome. Frontiers in Immunology, 0, 13, .	2.2	7