

Robert Holaj

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6935819/publications.pdf>

Version: 2024-02-01

56
papers

5,368
citations

236612

25
h-index

205818

48
g-index

57
all docs

57
docs citations

57
times ranked

5802
citing authors

#	ARTICLE	IF	CITATIONS
1	Gene Profile of Adipose Tissue of Patients with Pheochromocytoma/Paraganglioma. <i>Biomedicines</i> , 2022, 10, 586.	1.4	3
2	Adherence and blood pressure control in patients with primary aldosteronism. <i>Blood Pressure</i> , 2022, 31, 58-63.	0.7	1
3	Epithelioid sarcoma with retained INI1 expression as a cause of a chronic leg ulcer. <i>SAGE Open Medical Case Reports</i> , 2022, 10, 2050313X2211062.	0.2	1
4	Adrenal Venous Sampling Could Be Omitted before Surgery in Patients with Conn's Adenoma Confirmed by Computed Tomography and Higher Normal Aldosterone Concentration after Saline Infusion Test. <i>Diagnostics</i> , 2022, 12, 1718.	1.3	6
5	Postoperative adrenal insufficiency in Conn's syndrome" does it occur frequently?. <i>Journal of Human Hypertension</i> , 2021, , .	1.0	2
6	Effect of adrenalectomy on remission of subclinical left ventricular dysfunction in patients with pheochromocytoma: a speckle-tracking echocardiography study. <i>Endocrine Connections</i> , 2021, 10, 1538-1549.	0.8	5
7	Cancer Development and Damped Electromagnetic Activity. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1826.	1.3	2
8	Primary Aldosteronism and Pregnancy. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 275-285.	0.9	16
9	Pheochromocytoma With Adrenergic Biochemical Phenotype Shows Decreased GLP-1 Secretion and Impaired Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1878-1887.	1.8	13
10	Blood Pressure Profile, Catecholamine Phenotype, and Target Organ Damage in Pheochromocytoma/Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5170-5180.	1.8	28
11	Catecholamines Induce Left Ventricular Subclinical Systolic Dysfunction: A Speckle-Tracking Echocardiography Study. <i>Cancers</i> , 2019, 11, 318.	1.7	13
12	FGF21 Levels in Pheochromocytoma/Functional Paraganglioma. <i>Cancers</i> , 2019, 11, 485.	1.7	2
13	(Prediction of long-term renal denervation efficacy). <i>Cor Et Vasa</i> , 2019, 61, e378-e384.	0.1	0
14	LONG-TERM EFFECT OF ADRENALECTOMY ON CARDIOVASCULAR REMODELING IN PATIENTS WITH PHEOCHROMOCYTOMA. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2422.	1.8	14
15	Renal denervation in comparison with intensified pharmacotherapy in true resistant hypertension. <i>Journal of Hypertension</i> , 2017, 35, 1093-1099.	0.3	25
16	Risk Factors for Nonadherence to Antihypertensive Treatment. <i>Hypertension</i> , 2017, 69, 1113-1120.	1.3	150
17	Extended Thromboprophylaxis with Betrixaban in Acutely Ill Medical Patients. <i>New England Journal of Medicine</i> , 2016, 375, 534-544.	13.9	379
18	Should All Patients with Resistant Hypertension Receive Spironolactone?. <i>Current Hypertension Reports</i> , 2016, 18, 81.	1.5	6

#	ARTICLE	IF	CITATIONS
19	Combination antihypertensive therapy in clinical practice. The analysis of 1254 consecutive patients with uncontrolled hypertension. <i>Journal of Human Hypertension</i> , 2016, 30, 35-39.	1.0	19
20	Laparoscopic adrenalectomy: institutional Czech experience after almost 300 operations. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2016, 48, 121-124.	0.3	0
21	Role of Adding Spironolactone and Renal Denervation in True Resistant Hypertension. <i>Hypertension</i> , 2016, 67, 397-403.	1.3	73
22	Current approaches to combination therapy of hypertension. <i>Interni Medicina Pro Praxi</i> , 2016, 18, 168-175.	0.0	0
23	Long-term effect of specific treatment of primary aldosteronism on carotid intima-media thickness. <i>Journal of Hypertension</i> , 2015, 33, 874-882.	0.3	35
24	Long-term effects of adrenalectomy or spironolactone on blood pressure control and regression of left ventricle hypertrophy in patients with primary aldosteronism. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 1109-1117.	1.0	29
25	Biochemical Testing After Pheochromocytoma Removal: How Early?. <i>Hormone and Metabolic Research</i> , 2015, 47, 633-636.	0.7	1
26	Randomized Comparison of Renal Denervation Versus Intensified Pharmacotherapy Including Spironolactone in True-Resistant Hypertension. <i>Hypertension</i> , 2015, 65, 407-413.	1.3	178
27	Importance of thorough investigation of resistant hypertension before renal denervation: should compliance to treatment be evaluated systematically?. <i>Journal of Human Hypertension</i> , 2014, 28, 684-688.	1.0	23
28	Diet and Kidney Disease in High-Risk Individuals With Type 2 Diabetes Mellitus. <i>JAMA Internal Medicine</i> , 2013, 173, 1682-92.	2.6	100
29	Apixaban for Extended Treatment of Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2013, 368, 699-708.	13.9	1,116
30	Oral Apixaban for the Treatment of Acute Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2013, 369, 799-808.	13.9	1,915
31	Changes in Energy Metabolism in Pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 1651-1658.	1.8	49
32	Precise assessment of noncompliance with the antihypertensive therapy in patients with resistant hypertension using toxicological serum analysis. <i>Journal of Hypertension</i> , 2013, 31, 2455-2461.	0.3	136
33	Vascular Disturbances in Primary Aldosteronism: Clinical Evidence. <i>Kidney and Blood Pressure Research</i> , 2012, 35, 529-533.	0.9	30
34	High Incidence of Cardiovascular Complications in Pheochromocytoma. <i>Hormone and Metabolic Research</i> , 2012, 44, 379-384.	0.7	138
35	Left ventricle remodeling in men with moderate to severe volume-dependent hypertension. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2012, 13, 426-434.	1.0	8
36	Discrepant Results of Adrenal Venous Sampling in Seven Patients with Primary Aldosteronism. <i>Kidney and Blood Pressure Research</i> , 2012, 35, 205-210.	0.9	14

#	ARTICLE	IF	CITATIONS
37	Pulse wave velocity in primary hyperparathyroidism and effect of surgical therapy. <i>Hypertension Research</i> , 2011, 34, 296-300.	1.5	42
38	How to assess non-compliance with the pharmacotherapy in severe resistant hypertension?. <i>Cor Et Vasa</i> , 2011, 53, 429-432.	0.1	1
39	Is target organ damage more frequent in primary aldosteronism than in essential hypertension?. <i>Cor Et Vasa</i> , 2011, 53, 449-453.	0.1	0
40	Determination of doxazosin and verapamil in human serum by fast LC-MS/MS: Application to document non-compliance of patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 3167-3173.	1.2	26
41	The prevalence of metabolic syndrome and its components in two main types of primary aldosteronism. <i>Journal of Human Hypertension</i> , 2010, 24, 625-630.	1.0	57
42	Factors influencing arterial stiffness in pheochromocytoma and effect of adrenalectomy. <i>Hypertension Research</i> , 2010, 33, 454-459.	1.5	34
43	Erectile Dysfunction Predicts Cardiovascular Events in High-Risk Patients Receiving Telmisartan, Ramipril, or Both. <i>Circulation</i> , 2010, 121, 1439-1446.	1.6	172
44	Increased carotid intima-media thickness in patients with pheochromocytoma in comparison to essential hypertension. <i>Journal of Human Hypertension</i> , 2009, 23, 350-358.	1.0	15
45	Creation of dialysis vascular access with normal flow increases brain natriuretic peptide levels. <i>International Urology and Nephrology</i> , 2009, 41, 997-1002.	0.6	6
46	INCREASED CAROTID INTIMA MEDIA THICKNESS IN PATIENTS WITH PHEOCHROMOCYTOMA IN COMPARISON TO ESSENTIAL HYPERTENSION. <i>Atherosclerosis Supplements</i> , 2008, 9, 158.	1.2	0
47	Adrenalectomy Improves Arterial Stiffness in Primary Aldosteronism. <i>American Journal of Hypertension</i> , 2008, 21, 1086-1092.	1.0	89
48	Increased carotid intima-media thickness in hypertensive patients with a high aldosterone/plasma renin activity ratio and elevated aldosterone plasma concentration. <i>Journal of Hypertension</i> , 2008, 26, 1500-1501.	0.3	2
49	Elevated Inflammation Markers in Pheochromocytoma Compared to Other Forms of Hypertension. <i>NeuroImmunoModulation</i> , 2007, 14, 57-64.	0.9	38
50	Increased intima-media thickness of the common carotid artery in primary aldosteronism in comparison with essential hypertension. <i>Journal of Hypertension</i> , 2007, 25, 1451-1457.	0.3	85
51	We-P11:195 Comparison of carotid intima-media thickness in patients with primary and secondary hypertension. <i>Atherosclerosis Supplements</i> , 2006, 7, 389.	1.2	0
52	Increased Arterial Wall Stiffness in Primary Aldosteronism in Comparison With Essential Hypertension. <i>American Journal of Hypertension</i> , 2006, 19, 909-914.	1.0	96
53	The Inverse Association of Elevated Serum Bilirubin Levels with Subclinical Carotid Atherosclerosis. <i>Cerebrovascular Diseases</i> , 2006, 21, 408-414.	0.8	96
54	Increased blood pressure variability in pheochromocytoma compared to essential hypertension patients. <i>Journal of Hypertension</i> , 2005, 23, 2033-2039.	0.3	45

#	ARTICLE	IF	CITATIONS
55	Intima-media thickness of the common carotid artery is the significant predictor of angiographically proven coronary artery disease. <i>Canadian Journal of Cardiology</i> , 2003, 19, 670-6.	0.8	34
56	The effect of perindopril on arterial stiffness and endothelial function in patients with stable coronary artery disease. <i>Atherosclerosis</i> , 1999, 144, 54-55.	0.4	0