

Bernardo Murillo-Amador

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6936018/bernardo-murillo-amador-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,147
citations

18
h-index

31
g-index

93
ext. papers

1,398
ext. citations

2.6
avg, IF

4.07
L-index

#	Paper	IF	Citations
72	Enhancement of Biocontrol Agents Activity by Compatible Treatments Against Postharvest Disease of Fruits 2022 , 245-264		1
71	Interruption of Seed Dormancy and In Vitro Germination of the Halophile Emerging Crop Suaeda edulis (Chenopodiaceae). <i>Agronomy</i> , 2022 , 12, 103	3.6	
70	Biodiversity of AM Fungi in Coffee Cultivated on Eroded Soil. <i>Agronomy</i> , 2021 , 11, 567	3.6	2
69	HALOBACTERIAS PROMOTORAS DE CRECIMIENTO VEGETAL ASOCIADAS A Lippia palmeri (VERBENACEAE) EN LA ZONA ÁRIDA DEL NOROESTE DE MÉXICO. <i>Acta Biologica Colombiana</i> , 2021 , 26, 439-448	0.5	
68	Effects of Vermicompost Leachate versus Inorganic Fertilizer on Morphology and Microbial Traits in the Early Development Growth Stage in Mint (<i>Mentha spicata</i> L.) And Rosemary (<i>Rosmarinus officinalis</i> L.) Plants under Closed Hydroponic System. <i>Horticulturae</i> , 2021 , 7, 100	2.5	2
67	Germination of <i>Salicornia bigelovii</i> (Torr.) under Shrimp Culture Effluents and the Application of Vermicompost Leachate for Mitigating Salt Stress. <i>Agronomy</i> , 2021 , 11, 424	3.6	2
66	Hydro-Environmental Criteria for Introducing an Edible Halophyte from a Rainy Region to an Arid Zone: A Study Case of spp. as a New Crop in NW México. <i>Plants</i> , 2021 , 10,	4.5	1
65	Environmental and Management Considerations for Adopting the Halophyte <i>Salicornia bigelovii</i> Torr. as a Sustainable Seawater-Irrigated Crop.. <i>Sustainability</i> , 2020 , 12, 707	3.6	7
64	Involvement of -Cysteine Desulphydrase and Hydrogen Sulfide in Glutathione-Induced Tolerance to Salinity by Accelerating Ascorbate-Glutathione Cycle and Glyoxalase System in. <i>Antioxidants</i> , 2020 , 9,	7.1	8
63	Biocontrol of Phytopathogens under Aquaponics Systems. <i>Water (Switzerland)</i> , 2020 , 12, 2061	3	3
62	Aquaponics using saline groundwater: Effect of adding microelements to fish wastewater on the growth of Swiss chard (<i>Beta vulgaris</i> L. spp. cicla). <i>Agricultural Water Management</i> , 2020 , 227, 105851	5.9	4
61	Foliar Aspersión of Salicylic Acid Improves Phenolic and Flavonoid Compounds, and Also the Fruit Yield in Cucumber (L.). <i>Plants</i> , 2019 , 8,	4.5	14
60	Enhanced biocontrol of fruit rot on muskmelon by combination treatment with marine <i>Debaryomyces hansenii</i> and <i>Stenotrophomonas rhizophila</i> and their potential modes of action. <i>Postharvest Biology and Technology</i> , 2019 , 151, 61-67	6.2	18
59	Evaluation of Glycosyl-Hydrolases, Phosphatases, Esterases and Proteases as Potential Biomarker for NaCl-Stress Tolerance in L. Varieties. <i>Molecules</i> , 2019 , 24,	4.8	2
58	Contenido inorgánico de nitrógeno, fósforo y potasio de abonos de origen natural para su uso en agricultura orgánica. <i>Terra Latinoamericana</i> , 2019 , 37, 371-378	1.6	2
57	Morpho-physiological Characteristics of Basil (<i>Ocimum basilicum</i> L.) under NaCl-stress and <i>Rhizophagus fasciculatum</i> as NaCl-stress Mitigator. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2019 , 47, 1285-1292	1.2	2
56	Halophyte Common Ice Plants: A Future Solution to Arable Land Salinization. <i>Sustainability</i> , 2019 , 11, 6076	3.6	13

55	Effect of Marine Bacteria and Ulvan on the Activity of Antioxidant Defense Enzymes and the Bio-Protection of Papaya Fruit against. <i>Antioxidants</i> , 2019 , 8,	7.1	7
54	Mechanisms employed by <i>Debaryomyces hansenii</i> in biological control of anthracnose disease on papaya fruit. <i>Postharvest Biology and Technology</i> , 2018 , 139, 31-37	6.2	49
53	Comparison of nutrient uptake and antioxidative response among four Labiatae herb species under salt stress condition. <i>Soil Science and Plant Nutrition</i> , 2018 , 64, 589-597	1.6	8
52	IDENTIFICATION AND CHARACTERIZATION OF <i>Fusarium</i> spp. FROM MUSKMELON IN NORTHWEST MEXICO. <i>Biotechnia</i> , 2018 , 20, 71-75	1.5	2
51	Familias de agua subterránea y distribución de sólidos totales disueltos en el acuífero de La Paz Baja California Sur, México. <i>Terra Latinoamericana</i> , 2018 , 36, 39	1.6	4
50	Potential Transference of CP4 EPSPS to Weed Species from Genetically Modified <i>Gossypium hirsutum</i> in Northern Mexico. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2018 , 47, 294-299	1.2	
49	Effect of Ulvan on the Biocontrol Activity of <i>Debaryomyces hansenii</i> and <i>Stenotrophomonas rhizophila</i> against Fruit Rot of <i>Cucumis melo</i> L.. <i>Agronomy</i> , 2018 , 8, 273	3.6	8
48	Increasing doses of potassium increases yield and quality of muskmelon fruits under greenhouse. <i>Horticultura Brasileira</i> , 2018 , 36, 184-188	0.9	9
47	Effect of <i>Pseudomonas putida</i> and inorganic fertilizer on growth and productivity of habanero pepper (<i>Capsicum Chinense</i> Jacq.) in greenhouse. <i>Journal of Plant Nutrition</i> , 2017 , 40, 2595-2601	2.3	3
46	Efficiency of two inoculation methods of <i>Pseudomonas putida</i> on growth and yield of tomato plants. <i>Journal of Soil Science and Plant Nutrition</i> , 2017 , 17, 1003-1012	3.2	26
45	Environmental traditional knowledge in a natural protected area as the basis for management and conservation policies. <i>Journal of Environmental Management</i> , 2017 , 201, 63-71	7.9	4
44	Mitigación de NaCl por efecto de un bioestimulante en la germinación de <i>Ocimum basilicum</i> L.. <i>Terra Latinoamericana</i> , 2017 , 35, 309	1.6	2
43	Propagation Techniques and Agronomic Requirements for the Cultivation of Barbados Aloe ((L.) Burm. F.)-A Review. <i>Frontiers in Plant Science</i> , 2016 , 7, 1410	6.2	15
42	First Report of <i>Peronospora belbahrii</i> on Sweet Basil in Baja California Sur, México. <i>Journal of Phytopathology</i> , 2016 , 164, 122-124	1.8	3
41	Baseline study of morphometric traits of wild <i>Capsicum annum</i> growing near two biosphere reserves in the Peninsula of Baja California for future conservation management. <i>BMC Plant Biology</i> , 2015 , 15, 118	5.3	4
40	Moderate salt stress on the physiological and morphological traits of <i>Aloe vera</i> L.. <i>Botanical Sciences</i> , 2015 , 93, 639	1.4	9
39	Effect of Hydropriming and Bioprimering on Seed Germination and Growth of Two Mexican Fir Tree Species in Danger of Extinction. <i>Forests</i> , 2015 , 6, 3109-3122	2.8	14
38	Changing environmental conditions and applying organic fertilizers in <i>Origanum vulgare</i> L. <i>Frontiers in Plant Science</i> , 2015 , 6, 549	6.2	11

37	Análisis de la sequía y desertificación mediante índices de aridez y estimación de la brecha hídrica en Baja California Sur, noroeste de México. <i>Investigaciones Geográficas</i> , 2015 ,	0.6	8
36	Uso de un bionutriente como atenuante del estrés salino (NaCl) durante la emergencia y crecimiento inicial de <i>Ocimum basilicum</i> L.. <i>Nova Scientia</i> , 2015 , 7, 265	2	2
35	First Report of <i>Botrytis cinerea</i> Pers. on <i>Salicornia bigelovii</i> Torr. in North-West México. <i>Journal of Phytopathology</i> , 2014 , 162, 513-515	1.8	3
34	Mineral content and biochemical variables of <i>Aloe vera</i> L. under salt stress. <i>PLoS ONE</i> , 2014 , 9, e94870	3.7	19
33	Effect of <i>Pseudomonas putida</i> on growth and anthocyanin pigment in two poinsettia (<i>Euphorbia pulcherrima</i>) cultivars. <i>Scientific World Journal, The</i> , 2014 , 2014, 810192	2.2	6
32	Milk fatty acid composition from goats in a semiintensive production system in an arid region of the peninsula of Baja California, Mexico. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2014 , 38, 312-317	0.6	1
31	Valoración hidro-ambiental y evaluación de coeficientes de agostadero mediante indicadores termo-pluviométricos. <i>Revista Mexicana De Ciencias Pecuarias</i> , 2014 , 5, 143	1.8	2
30	Bacterias promotoras de crecimiento de plantas autoctonas y su efecto en <i>Prosopis chilensis</i> (Molina) Stunz. <i>Revista Mexicana De Ciencias Agrícolas</i> , 2014 , 5, 1041-1053	1.2	2
29	Evaluation of Minerals of Shrub Plant Forages Consumed by Goats in the Arid Southern Rangeland of the Peninsula of Baja California, Mexico. <i>Animal Nutrition and Feed Technology</i> , 2014 , 14, 511	1.5	2
28	Physiological, morphometric characteristics and yield of <i>Origanum vulgare</i> L. and <i>Thymus vulgaris</i> L. exposed to open-field and shade-enclosure. <i>Industrial Crops and Products</i> , 2013 , 49, 659-667	5.9	20
27	Perfil de ácidos grasos en leche de vacas Chinampas (<i>Bos taurus</i>) alimentadas con forraje fresco de matorral sarcocauléscente o heno de alfalfa. <i>Archivos De Medicina Veterinaria</i> , 2013 , 45, 45-51		1
26	Germinación y características de plántulas de variedades de albahaca (<i>Ocimum basilicum</i> L.) sometidas a estrés salino. <i>Revista Mexicana De Ciencias Agrícolas</i> , 2013 , 4, 869-880	1.2	5
25	Genome-wide analysis of the beta-glucosidase gene family in maize (<i>Zea mays</i> L. var B73). <i>Plant Molecular Biology</i> , 2011 , 77, 159-83	4.6	36
24	FIELD EVALUATION OF THE RELATIONSHIP BETWEEN CHLOROPHYLL CONTENT IN BASIL LEAVES AND A PORTABLE CHLOROPHYLL METER (SPAD-502) READINGS. <i>Journal of Plant Nutrition</i> , 2010 , 33, 423-438	2.3	34
23	Nutritional reference values for <i>Opuntia ficus-indica</i> determined by means of the boundary-line approach. <i>Journal of Plant Nutrition and Soil Science</i> , 2010 , 173, 927-934	2.3	24
22	Nutrients Use Efficiency in Legume Crops to Climatic Changes 2010 , 193-206		2
21	Effects of plant growth promoting bacteria and mycorrhizal on <i>Capsicum annuum</i> L. var. <i>aviculare</i> ([Dierbach] D'Arcy and Eshbaugh) germination under stressing abiotic conditions. <i>Plant Physiology and Biochemistry</i> , 2010 , 48, 724-30	5.4	17
20	Ecology and Adaptation of Legumes Crops 2010 , 23-33		2

19	Silicon improves salinity tolerance in wheat plants. <i>Environmental and Experimental Botany</i> , 2008 , 62, 10-16	5.9	201
18	Assessment of sustainability performance on the utilization of Agave (<i>Agave salmiana</i> ssp <i>crassispina</i>) in Zacatecas, Mexico. <i>International Journal of Sustainable Development and World Ecology</i> , 2007 , 14, 362-371	3.8	6
17	Germination of <i>Salicornia bigelovii</i> Ecotypes under Stressing Conditions of Temperature and Salinity and Ameliorative Effects of Plant Growth-promoting Bacteria. <i>Journal of Agronomy and Crop Science</i> , 2007 , 193, 167-176	3.9	24
16	Influence of Calcium Silicate on Growth, Physiological Parameters and Mineral Nutrition in Two Legume Species Under Salt Stress. <i>Journal of Agronomy and Crop Science</i> , 2007 , 193, 413-421	3.9	62
15	Effects of foliar application of calcium nitrate on growth and physiological attributes of cowpea (<i>Vigna unguiculata</i> L. Walp.) grown under salt stress. <i>Environmental and Experimental Botany</i> , 2006 , 58, 188-196	5.9	53
14	Preliminary compositional nutrient diagnosis norms in Aloe vera L. grown on calcareous soil in an arid environment. <i>Environmental and Experimental Botany</i> , 2006 , 58, 244-252	5.9	20
13	Effect of NaCl salinity in the genotypic variation of cowpea (<i>Vigna unguiculata</i>) during early vegetative growth. <i>Scientia Horticulturae</i> , 2006 , 108, 423-431	4.1	44
12	Distribution and density of maguey plants in the arid Zacatecas Plateau, Mexico. <i>Journal of Arid Environments</i> , 2005 , 61, 525-534	2.5	9
11	Preliminary compositional nutrient diagnosis norms for cowpea (<i>Vigna unguiculata</i> (L.) Walp.) grown on desert calcareous soil. <i>Plant and Soil</i> , 2005 , 271, 297-307	4.2	9
10	Compositional nutrient diagnosis and main nutrient interactions in yellow pepper grown on desert calcareous soils. <i>Journal of Plant Nutrition and Soil Science</i> , 2004 , 167, 509-515	2.3	13
9	Yield and physiological traits of prickly pear cactus <i>Opuntia</i> spp.) cultivars under drip irrigation. <i>Agricultural Water Management</i> , 2004 , 70, 97-107	5.9	23
8	Relationship between a nondestructive and an extraction method for measuring chlorophyll contents in cowpea leaves. <i>Journal of Plant Nutrition and Soil Science</i> , 2004 , 167, 363-364	2.3	10
7	Effects of a Nitrogen-Fixing Indigenous Bacterium (<i>Klebsiella pneumoniae</i>) on the Growth and Development of the Halophyte <i>Salicornia bigelovii</i> as a New Crop for Saline Environments. <i>Journal of Agronomy and Crop Science</i> , 2003 , 189, 323-332	3.9	27
6	Response to salinity of three grain legumes for potential cultivation in arid areas. <i>Soil Science and Plant Nutrition</i> , 2003 , 49, 329-336	1.6	24
5	Comparative Effects of NaCl and Polyethylene Glycol on Germination, Emergence and Seedling Growth of Cowpea. <i>Journal of Agronomy and Crop Science</i> , 2002 , 188, 235-247	3.9	123
4	Matching physiological traits and ion concentrations associated with salt stress in cowpea genotypes. <i>Australian Journal of Agricultural Research</i> , 2002 , 53, 1243		11
3	Effects of NaCl Salinity on Growth and Production of Young Cladodes of <i>Opuntia ficus-indica</i> . <i>Journal of Agronomy and Crop Science</i> , 2001 , 187, 269-279	3.9	9
2	Salt tolerance of cowpea genotypes in the emergence stage. <i>Australian Journal of Experimental Agriculture</i> , 2001 , 41, 81		16

- 1 Effects of salinity on the germination and seedling characteristics of cowpea [*Vigna unguiculata* (L.) Walp.]. *Australian Journal of Experimental Agriculture*, **2000**, 40, 433

7