
## Mohammad Hossein Aminifard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6936424/publications.pdf

Version: 2024-02-01



Mohammad Hossein

#	Article	IF	CITATIONS
1	Antifungal effects of essential oils against Aspergillus niger in vitro and in vivo on pomegranate (Punica granatum) fruits. Scientia Horticulturae, 2020, 264, 109188.	3.6	45
2	Essential oils to control <i>Botrytis cinerea in vitro</i> and <i>in vivo</i> on plum fruits. Journal of the Science of Food and Agriculture, 2013, 93, 348-353.	3.5	41
3	Foliar Application of Thiamin Stimulates the Growth, Yield and Biochemical Compounds Production of Coriander and Fenugreek. Journal of Horticultural Research, 2018, 26, 77-85.	0.9	12
4	Effect of fungicidal essential oils against <i>Botrytis cinerea</i> and <i>Rhizopus stolonifer</i> rot fungus <i>in vitro</i> conditions. Archives of Phytopathology and Plant Protection, 2014, 47, 1603-1610.	1.3	8
5	Changes in fruit maturity indices and growth pattern along the harvest season in seedless barberry under different altitude conditions. Journal of Berry Research, 2018, 8, 25-40.	1.4	8
6	Antifungal Activity of Black Caraway and Anise Essential Oils Against Penicillium digitatum on Blood Orange Fruits. International Journal of Fruit Science, 2018, 18, 307-319.	2.4	8
7	InÂvitroandinÂvivoantifungal activates of the essential oils of various plants against strawberry grey mould disease agentBotrytis cinerea. Archives of Phytopathology and Plant Protection, 2012, 45, 2474-2484.	1.3	7
8	Influence of Foliar Application of Calcium Nitrate and Potassium Nitrate On Qualitative and Quantitative Traits of Seedless Barberry (Berberis vulgarisÂL.). Erwerbs-Obstbau, 2021, 63, 151-161.	1.3	7
9	Effects of Foliar Application of Selenium and Nano-Selenium on Growth, Flowering, and Antioxidant Activity of Pot Marigold ( <i>Calendula officinalis</i> L.) Under Salinity Stress Conditions. Communications in Soil Science and Plant Analysis, 2022, 53, 2749-2765.	1.4	6
10	Efficacy of plant essential oils on post-harvest control of rot caused byBotrytis cinereaon kiwi fruits. Archives of Phytopathology and Plant Protection, 2013, 46, 536-547.	1.3	4
11	In vitro and in vivo Antifungal Activities of Three Essential Oils Against Grey Mould Disease in Cucumber (Cucumis sativus). Asian Journal of Plant Sciences, 2011, 10, 287-293.	0.4	4
12	Effects of Essential Oils to Control <i>Penicillium</i> Sp. In <i>In Vitro</i> and in <i>In Vivo</i> on Grapevine ( <i>Vitis Vinifera</i> L.) Fruit. International Journal of Fruit Science, 2020, 20, 812-826.	2.4	4
13	Influences of benzyl adenine and salicylic acid and on growth, yield, and biochemical characteristics of coriander (Coriandrum sativum L.). South African Journal of Botany, 2020, 132, 299-303.	2.5	3
14	Anthocyanin Accumulation and Color Development in Seedless Barberry (Berberis vulgaris L.) Fruits: The Role of Altitude and Sun Light - the Preliminary Results. International Journal of Fruit Science, 2020, 20, S955-S968.	2.4	1
15	Changes in biochemical and morphological characters of garden cress (Lepidium sativum L.) as affected by foliar application with casein amino acid and salicylic acid under greenhouse conditions. Journal of Plant Nutrition, 0, , 1-11.	1.9	0