Donald W Chakeres

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6938844/donald-w-chakeres-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers1,666
citations24
h-index40
g-index44
ext. papers1,790
ext. citations3.7
avg, IF3.91
L-index

#	Paper	IF	Citations
44	Aneurysm clip. <i>Journal of Neurosurgery</i> , 2007 , 107, 1278-9	3.2	1
43	Effects of static and radiofrequency magnetic field inhomogeneity in ultra-high field magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2006 , 24, 103-12	3.3	27
42	Blipped multi gradient-echo slice excitation profile imaging (bmGESEPI) for fast T2 * measurements with macroscopic B0 inhomogeneity compensation. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 1390-5	4.4	17
41	Static magnetic field effects on human subjects related to magnetic resonance imaging systems. <i>Progress in Biophysics and Molecular Biology</i> , 2005 , 87, 255-65	4.7	95
40	High-resolution 8 Tesla imaging of the formalin-fixed normal human hippocampus. <i>Clinical Anatomy</i> , 2005 , 18, 88-91	2.5	22
39	Epoxy-resin injection of the cerebral arterial microvasculature: An evaluation of the limits of spatial resolution in 8 Tesla MRI. <i>Clinical Anatomy</i> , 2005 , 18, 164-70	2.5	3
38	Electromagnetic perspective on the operation of RF coils at 1.5-11.7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 683-90	4.4	47
37	Limits of 8-Tesla magnetic resonance imaging spatial resolution of the deoxygenated cerebral microvasculature. <i>Journal of Magnetic Resonance Imaging</i> , 2004 , 19, 303-7	5.6	20
36	Susceptibility-based imaging of glioblastoma microvascularity at 8 T: correlation of MR imaging and postmortem pathology. <i>American Journal of Neuroradiology</i> , 2004 , 25, 756-60	4.4	33
35	Intra-arterial carboplatin and intravenous etoposide for the treatment of metastatic brain tumors. <i>Journal of Neuro-Oncology</i> , 2003 , 61, 35-44	4.8	49
34	8.0-Tesla human MR system: temperature changes associated with radiofrequency-induced heating of a head phantom. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 17, 220-6	5.6	39
33	Enhanced gray and white matter contrast of phase susceptibility-weighted images in ultra-high-field magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 18, 284-90	5.6	127
32	Randomized comparison of cognitive function in humans at 0 and 8 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 18, 342-5	5.6	63
31	Effect of static magnetic field exposure of up to 8 Tesla on sequential human vital sign measurements. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 18, 346-52	5.6	113
30	Venous cavernoma at 8 Tesla MRI. <i>Magnetic Resonance Imaging</i> , 2003 , 21, 1087-9	3.3	16
29	MR imaging visualization of the cerebral microvasculature: a comparison of live and postmortem studies at 8 T. <i>American Journal of Neuroradiology</i> , 2003 , 24, 1881-4	4.4	18
28	In vivo high-resolution MR imaging of the carpal tunnel at 8.0 tesla. Skeletal Radiology, 2002, 31, 445-50	2.7	28

Three-dimensional numerical simulations of susceptibility-induced magnetic field inhomogeneities in the human head. <i>Magnetic Resonance Imaging</i> , 2002 , 20, 759-70	3.3	59
Intra-arterial carboplatin and intravenous etoposide for the treatment of recurrent and progressive non-GBM gliomas. <i>Journal of Neuro-Oncology</i> , 2002 , 56, 79-86	4.8	22
Comparison of 1.5 and 8 tesla high-resolution magnetic resonance imaging of lacunar infarcts. <i>Journal of Computer Assisted Tomography</i> , 2002 , 26, 628-32	2.2	16
In vivo high resolution coronal MRI of the wrist at 8.0 tesla. <i>Journal of Computer Assisted Tomography</i> , 2002 , 26, 387-91	2.2	25
Visualization of microvascularity in glioblastoma multiforme with 8-T high-spatial-resolution MR imaging. <i>American Journal of Neuroradiology</i> , 2002 , 23, 1553-6	4.4	40
Ultra high field MRI at 8 Tesla of subacute hemorrhagic stroke. <i>Journal of Computer Assisted Tomography</i> , 2001 , 25, 431-5	2.2	15
Intracranial ossifications and microangiopathy at 8 Tesla MRI. <i>Magnetic Resonance Imaging</i> , 2001 , 19, 1133-7	3.3	17
Canine abdominal MRI at 8 Tesla: initial experience with conventional gradient-recalled echo and rapid acquisition with relaxation enhancement (RARE) techniques. <i>Journal of Computer Assisted Tomography</i> , 2001 , 25, 856-63	2.2	1
Functional MRI evidence of cortical reorganization in upper-limb stroke hemiplegia treated with constraint-induced movement therapy. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2001 , 80, 4-12	2.6	177
High resolution MRI of the brainstem at 8 T. Journal of Computer Assisted Tomography, 2001 , 25, 242-6	2.2	24
Tumor growth and audiometric change in vestibular schwannomas managed conservatively. <i>Laryngoscope</i> , 2000 , 110, 1843-9	3.6	79
Brain tumors: complications of cerebral angiography accompanied by intraarterial chemotherapy. <i>Radiology</i> , 1999 , 213, 135-40	20.5	32
Human leptomeningeal and cortical vascular anatomy of the cerebral cortex at 8 Tesla. <i>Journal of Computer Assisted Tomography</i> , 1999 , 23, 850-6	2.2	43
High resolution MRI of the deep brain vascular anatomy at 8 Tesla: susceptibility-based enhancement of the venous structures. <i>Journal of Computer Assisted Tomography</i> , 1999 , 23, 857-66	2.2	78
High resolution MRI of the deep gray nuclei at 8 Tesla. <i>Journal of Computer Assisted Tomography</i> , 1999 , 23, 867-74	2.2	47
HIGH-RESOLUTION MR IMAGING OF THE AUDITORY PATHWAY. <i>Magnetic Resonance Imaging Clinics of North America</i> , 1998 , 6, 195-217	1.6	7
Assessment of the lingual nerve in the third molar region using magnetic resonance imaging. <i>Journal of Oral and Maxillofacial Surgery</i> , 1997 , 55, 134-7	1.8	97
A segment-interleaved motion-compensated acquisition in the steady state (SIMCAST) technique for high resolution imaging of the inner ear. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 1060-8	5.6	17
	Intra-arterial carboplatin and intravenous etoposide for the treatment of recurrent and progressive non-GBM gliomas. <i>Journal of Neuro-Oncology</i> , 2002, 56, 79-86 Comparison of 1.5 and 8 tesla high-resolution magnetic resonance imaging of lacunar infarcts. <i>Journal of Computer Assisted Tomography</i> , 2002, 26, 628-32 In vivo high resolution coronal MRI of the wrist at 8.0 tesla. <i>Journal of Computer Assisted Tomography</i> , 2002, 26, 387-91 Visualization of microvascularity in glioblastoma multiforme with 8-T high-spatial-resolution MR imaging. <i>American Journal of Neuroradiology</i> , 2002, 23, 1553-6 Ultra high field MRI at 8 Tesla of subacute hemorrhagic stroke. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 431-5 Intracranial ossifications and microangiopathy at 8 Tesla MRI. <i>Magnetic Resonance Imaging</i> , 2001, 19, 91133-7 Canine abdominal MRI at 8 Tesla: initial experience with conventional gradient-recalled echo and rapid acquisition with relaxation enhancement (RARE) techniques. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 856-63 Functional MRI evidence of cortical reorganization in upper-limb stroke hemiplegia treated with constraint-induced movement therapy. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2001, 80, 4-12 High resolution MRI of the brainstem at 8 T. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 242-6 Tumor growth and audiometric change in vestibular schwannomas managed conservatively. <i>Laryngoscope</i> , 2000, 110, 1843-9 Brain tumors: complications of cerebral angiography accompanied by intraarterial chemotherapy. <i>Radiology</i> , 1999, 213, 135-40 Human leptomeningeal and cortical vascular anatomy of the cerebral cortex at 8 Tesla. <i>Journal of Computer Assisted Tomography</i> , 1999, 23, 850-66 High resolution MRI of the deep prain vascular anatomy at 8 Tesla: susceptibility-based enhancement of the venous structures. <i>Journal of Computer Assisted Tomography</i> , 1999, 23, 857-66 High resolution MRI of the deep prain vascular anatomy at 8 Tesla: susceptibility-based	Intra-arterial carboplatin and intravenous etoposide for the treatment of recurrent and progressive non-GBM gliomas. Journal of Neuro-Oncology, 2002, 56, 79-86 Comparison of 1.5 and 8 tesla high-resolution magnetic resonance imaging of lacunar infarcts. Journal of Computer Assisted Tomography, 2002, 26, 628-32 In vivo high resolution coronal MRI of the wrist at 8.0 tesla. Journal of Computer Assisted Tomography, 2002, 26, 387-91 Visualization of microvascularity in glioblastoma multiforme with 8-T high-spatial-resolution MR imaging. American Journal of Neuroradiology, 2002, 23, 1553-6 44 Ultra high field MRI at 8 Tesla of subacute hemorrhagic stroke. Journal of Computer Assisted Tomography, 2001, 25, 431-5 Intracranial ossifications and microangiopathy at 8 Tesla MRI. Magnetic Resonance Imaging, 2001, 19, 1133-7 Canine abdominal MRI at 8 Tesla: initial experience with conventional gradient-recalled echo and rapid acquisition with relaxation enhancement (RARE) techniques. Journal of Computer Assisted Tomography, 2001, 25, 856-63 Functional MRI evidence of cortical reorganization in upper-limb stroke hemiplegia treated with constraint-induced movement therapy. American Journal of Physical Medicine and Rehabilitation, 2001, 80, 4-12 High resolution MRI of the brainstem at 8 T. Journal of Computer Assisted Tomography, 2001, 25, 242-6 Language Computer Assisted Tomography, 1999, 23, 850-6 High resolution MRI of the deep brain vascular anatomy of the cerebral cortex at 8 Tesla. Journal of Computer Assisted Tomography, 1999, 23, 857-66 High resolution MRI of the deep brain vascular anatomy at 8 Tesla: susceptibility-based enhancement of the venous structures. Journal of Computer Assisted Tomography, 1999, 23, 857-66 High resolution MRI of the deep brain vascular anatomy at 8 Tesla: susceptibility-based enhancement of the venous structures. Journal of Computer Assisted Tomography, 1999, 23, 857-66 High resolution MRI of the deep brain vascular anatomy at 8 Tesla: susceptibility-based enhancement of the ve

9	Submillimeter magnetic resonance imaging of the temporal bone in Meniere disease. Laryngoscope, 1996 , 106, 1359-64	3.6	23	
8	Optimization of submillimeter-resolution MR imaging methods for the inner ear. <i>Journal of Magnetic Resonance Imaging</i> , 1993 , 3, 451-9	5.6	32	
7	Leukoaraiosis in asymptomatic adult offspring of individuals with Alzheimer\ddisease. <i>Biological Psychiatry</i> , 1990 , 27, 1244-8	7.9	9	
6	Magnetic resonance imaging and clinical correlations in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 1988 , 86, 1-12	3.2	29	
5	Patients with primary hypothyroidism presenting as prolactinomas. <i>American Journal of Medicine</i> , 1987 , 83, 765-9	2.4	42	
4	Radiology of the ambient cistern. Part I: Normal. <i>Neuroradiology</i> , 1985 , 27, 383-9	3.2	7	
3	Computed tomography of the ossicles. <i>Neuroradiology</i> , 1985 , 27, 99-107	3.2	8	
2	Computed tomography demonstration of a hypothalamic metastasis. <i>Neuroradiology</i> , 1983 , 25, 103-4	3.2	1	
1	Modern Applications of MRI in Medical Sciences343-476		1	