Carla Andrea Alonso

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/6940027/publications.pdf

Version: 2024-02-01

34 papers	1,111 citations	430442 18 h-index	414034 32 g-index
37 all docs	37 docs citations	37 times ranked	1618 citing authors

#	Article	IF	Citations
1	Mechanisms of Linezolid Resistance Among Clinical Staphylococcus spp. in Spain: Spread of Methicillin- and Linezolid-Resistant S. epidermidis ST2. Microbial Drug Resistance, 2021, 27, 145-153.	0.9	17
2	Genomic Insights into Drug Resistance and Virulence Platforms, CRISPR-Cas Systems and Phylogeny of Commensal E. coli from Wildlife. Microorganisms, 2021, 9, 999.	1.6	4
3	First Report of KPC-2 and KPC-3-Producing Enterobacteriaceae in Wild Birds in Africa. Microbial Ecology, 2020, 79, 30-37.	1.4	21
4	Extended-Spectrum Beta-Lactamase-ProducingKlebsiella pneumoniaeIsolated from Healthy and Sick Dogs in Portugal. Microbial Drug Resistance, 2020, 26, 709-715.	0.9	20
5	Mechanisms of Linezolid Resistance Among Enterococci of Clinical Origin in Spainâ€"Detection of optrA- and cfr(D)-Carrying E. faecalis. Microorganisms, 2020, 8, 1155.	1.6	28
6	Frequency and Characterization of Antimicrobial Resistance and Virulence Genes of Coagulase-Negative Staphylococci from Wild Birds in Spain. Detection of tst-Carrying S. sciuri Isolates. Microorganisms, 2020, 8, 1317.	1.6	24
7	Detection of MRSA of Lineages CC130-mecC and CC398-mecA and Staphylococcus delphini-lnu(A) in Magpies and Cinereous Vultures in Spain. Microbial Ecology, 2019, 78, 409-415.	1.4	33
8	Epidemiology of MRSA CC398 in hospitals located in Spanish regions with different pig-farming densities: a multicentre study. Journal of Antimicrobial Chemotherapy, 2019, 74, 2157-2161.	1.3	29
9	NDM-1- and OXA-23-producing Acinetobacter baumannii isolated from intensive care unit patients in Tunisia. International Journal of Antimicrobial Agents, 2018, 52, 910-915.	1.1	26
10	Emergence of plasmid-mediated colistin-resistance in CMY-2-producing Escherichia coli of lineage ST2197 in a Tunisian poultry farm. International Journal of Food Microbiology, 2018, 269, 60-63.	2.1	42
11	Molecular diversity and conjugal transferability of class 2 integrons among Escherichia coli isolates from food, animal and human sources. International Journal of Antimicrobial Agents, 2018, 51, 905-911.	1.1	10
12	Identification of Enterococci, Staphylococci, and Enterobacteriaceae from Slurries and Air in and around Two Pork Farms. Journal of Food Protection, 2018, 81, 1776-1782.	0.8	6
13	Detection and molecular characterisation of extended-spectrum Î²-lactamase-producing enteric bacteria from pigs and chickens in Nsukka, Nigeria. Journal of Global Antimicrobial Resistance, 2018, 15, 36-40.	0.9	28
14	Antimicrobial Resistance inEnterococcusspp. of animal origin. Microbiology Spectrum, 2018, 6, .	1.2	147
15	Metallo-Î²-lactamases and class D carbapenemases in south-east Tunisia: Implication of mobile genetic elements in their dissemination. International Journal of Antimicrobial Agents, 2018, 52, 871-877.	1.1	19
16	Community fecal carriage of broad-spectrum cephalosporin-resistant Escherichia coli in Tunisian children. Diagnostic Microbiology and Infectious Disease, 2017, 87, 188-192.	0.8	23
17	Persistencia de un clon ST6 de Enterococcus faecalis con genotipo van B2 en dos hospitales de AragÃ³n. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2017, 35, 578-581.	0.3	4
18	Molecular characterization of antibiotic resistance in Escherichia coli strains from a dairy cattle farm and its surroundings. Journal of the Science of Food and Agriculture, 2017, 97, 362-365.	1.7	25

#	Article	IF	Citations
19	Occurrence and characterization of stx and/or eae-positive Escherichia coli isolated from wildlife, including a typical EPEC strain from a wild boar. Veterinary Microbiology, 2017, 207, 69-73.	0.8	48
20	High frequency of B2 phylogroup among non-clonally related fecal Escherichia coli isolates from wild boars, including the lineage ST131. FEMS Microbiology Ecology, 2017, 93, .	1.3	18
21	Extended-spectrum Î²-lactamase-producing Escherichia coli isolated from healthy humans in Mexico, including subclone ST131-B2-O25:H4-H30-Rx. Journal of Global Antimicrobial Resistance, 2017, 9, 130-134.	0.9	10
22	Analysis of blaSHV-12-carrying Escherichia coli clones and plasmids from human, animal and food sources. Journal of Antimicrobial Chemotherapy, 2017, 72, 1589-1596.	1.3	51
23	Diversity of Ochrobactrum species in food animals, antibiotic resistance phenotypes and polymorphisms in the blaOCH gene. FEMS Microbiology Letters, 2017, 364, .	0.7	20
24	Optical Control of Antimicrobial Activity in Quinolone Derivatives. European Journal of Organic Chemistry, 2017, 2017, 4719-4725.	1.2	9
25	Novel sequence types of extended-spectrum and acquired AmpC beta-lactamase producing Escherichia coli and Escherichia clade V isolated from wild mammals. FEMS Microbiology Ecology, 2017, 93, .	1.3	17
26	First Description of KPC-2-ProducingEscherichia coliand ST15 OXA-48-PositiveKlebsiella pneumoniaein Tunisia. Microbial Drug Resistance, 2017, 23, 365-375.	0.9	38
27	Clonal diversity of extended-spectrum beta-lactamase producing Escherichia coli isolates in fecal samples of wild animals. FEMS Microbiology Letters, 2017, 364, .	0.7	21
28	High prevalence of extended-spectrum and plasmidic AmpC beta-lactamase-producing Escherichia coli from poultry in Tunisia. International Journal of Food Microbiology, 2016, 231, 69-75.	2.1	53
29	Characterization of extended-spectrum Î²-lactamase (ESBL)-producing Klebsiella, Enterobacter , and Citrobacter obtained in environmental samples of a Tunisian hospital. Diagnostic Microbiology and Infectious Disease, 2016, 86, 190-193.	0.8	16
30	Characteristics of extended-spectrum Î²-lactamase (ESBL)- and pAmpC beta-lactamase-producing Enterobacteriaceae of water samples in Tunisia. Science of the Total Environment, 2016, 550, 1103-1109.	3.9	69
31	Detection of CTX-M-15-ProducingEscherichia coliIsolates of Lineages ST131-B2 and ST167-A in Environmental Samples of a Tunisian Hospital. Microbial Drug Resistance, 2016, 22, 399-403.	0.9	17
32	Wild Birds, Frequent Carriers of Extended-Spectrum Î²-Lactamase (ESBL) Producing Escherichia coli of CTX-M and SHV-12 Types. Microbial Ecology, 2016, 72, 861-869.	1.4	95
33	Detection of extended-spectrum beta-lactamase (ESBL)-producing Enterobacteriaceae in vegetables, soil and water of the farm environment in Tunisia. International Journal of Food Microbiology, 2015, 203, 86-92.	2.1	111
34	Antimicrobial Resistance inEnterococcusspp. of animal origin. , 0, , 185-227.		11